

പതിമൂന്നാം കേരള നിയമസഭ  
പതിനൊന്നാം സമ്മേളനം

നക്ഷത്രചിഹ്നമിടാത്ത ചോദ്യം നമ്പർ 5254

1/07/2014-ൽ മറുപടിക്ക്

പുതിയ വൈദ്യുതി കണക്ഷൻ നിരക്ക്

ചോദ്യം

മറുപടി

ശ്രീ.വി. എസ്. സുനിൽ കുമാർ  
„ മുല്ലക്കര രത്നാകരൻ  
„ കെ. രാജു  
„ ജി. എസ്. ജയലാൽ

ശ്രീ. ആര്യാടൻ മുഹമ്മദ്  
(ഊർജ്ജ വകുപ്പു മന്ത്രി)

(എ) സാധാരണ വീടുകളിലേക്കുള്ള പുതിയ വൈദ്യുതി കണക്ഷൻ നിരക്ക് വർദ്ധിപ്പിച്ചിട്ടുണ്ടോ; ഉണ്ടെങ്കിൽ വിവിധ കണക്ഷനുകൾക്ക് നൽകേണ്ടുന്ന നിരക്കുകൾ എത്ര വീതം; നിലവിലുണ്ടായിരുന്ന നിരക്കും വർദ്ധിപ്പിച്ച നിരക്കും തമ്മിൽ താരതമ്യം ചെയ്യുമോ;

കേരള വൈദ്യുതി റഗുലേറ്ററി കമ്മീഷൻ 28/02/2014-ന് പുറപ്പെടുവിച്ച ഉത്തരവിലൂടെ വൈദ്യുതി കണക്ഷനുകൾ നൽകുന്നതിലെ നിരക്കുകൾ പരിഷ്കരിക്കുകയും 1/05/2014 മുതൽ പ്രസ്തുത നിരക്കുകൾ പ്രാബല്യത്തിൽ വരികയും ചെയ്തിട്ടുണ്ട്. നിലവിലുണ്ടായിരുന്ന നിരക്കും പരിഷ്കരിച്ച നിരക്കിൽ വർദ്ധനവുണ്ടായിട്ടുള്ള നിരക്കും അനുബന്ധം-1 ആയി ചേർത്തിരിക്കുന്നു.

(ബി) വൻകിട ഗാർഹിക ഉപഭോക്താക്കളുടെ കണക്ഷൻ നിരക്ക് കുറച്ചിട്ടുണ്ടോ; ഉണ്ടെങ്കിൽ നിലവിലുണ്ടായിരുന്ന നിരക്കും കുറച്ച നിരക്കും തമ്മിൽ താരതമ്യം ചെയ്യുമോ;

ഉണ്ട്. വൻകിട ഗാർഹിക ഉപഭോക്താക്കളുടെ (10 KW മുകളിൽ കണക്ടഡ് ലോഡ് ഉള്ളവ) പരിഷ്കരിച്ച കണക്ഷൻ നിരക്കും നിലവിലുള്ള നിരക്കും അനുബന്ധം-2 ആയി ചേർത്തിരിക്കുന്നു.

(സി) പുതുക്കിയ നിരക്കുകൾ എന്ന് (സി) മുതലാണ് നിലവിലുണ്ടാകുന്നത് അറിയിക്കുമോ?

1/05/2014- മുതൽ

\_\_\_\_\_ സെക്ഷൻ ഓഫീസർ

അനുബന്ധം - 1

No.	Description of the work	2014 Approved Rate Rs.	2009 Approved Rate Rs.
<b>SERVICE CONNECTION</b>			
1	Estimate for LT single phase weather proof service connection upto and including 5kW (Using Static meter with LCD facility)	2150	1750
*2	Estimate for LT single phase over head service connection upto and including 50m with max. 1 Post	11500	8600
*3	Estimate for LT single phase over head service connection above 50 m upto and including 100 m with max. 2 Posts	18900	13150
*4	Estimate for LT single phase over head service connection above 100m up to and including 150m with max. 3 Posts	26100	18000
*5	Estimate for LT single phase over head service connection above 150m up to and including 200m with max. 4 Posts	33700	23050
*6	Estimate for LT three phase over head service connection upto and including 50m with max. 1 Post	19750	18150
*7	Estimate for LT three phase over head service connection above 50m upto and including 100m with max. 2 Posts	35250	29300
*8	Estimate for LT three phase over head service connection above 100m up to and including 150m with max. 3 Posts	50300	42000
*9	Estimate for LT three phase over head service connection above 150m up to and including 200m with max. 4 Posts	65600	54800


\* ചോദ്യങ്ങൾ ആവശ്യമായി വരുന്ന നിബന്ധനകൾ/ശ്രീമന്ത് നർച്ചിന് കണക്കുകൾക്ക് ഭേദം സൂചിപ്പിച്ചിരിക്കുന്ന നിരക്കുകൾക്ക് പുറമെ, അതാത വകുപ്പുകൾ നർച്ചിന് കണക്കുകൾക്ക് നിരക്കുകൾ തയ്യാറാക്കണം. നിബന്ധനകൾ വകുപ്പുകൾ നർച്ചിന് കണക്കുകൾ 2150 രൂപയും ശ്രീമന്ത് വകുപ്പുകൾ നർച്ചിന് കണക്കുകൾ (10 kW വരെ കണക്കുകൾ ലോഡ് ശേഷി) 4350 രൂപയുമാണ്.

Section Officer

us-5254

Part 11202/mub-2

Item No.	Description of the work	2014 Approved Rate Rs.	2009 Approved Rate Rs.
<b>SERVICE CONNECTION</b>			
1	Estimate for LT three phase weather proof service connection above 10kW upto and including 25kW (Using Static meter with LCD display and TOD facility)	10750	13100
2	Estimate for LT three phase weather proof service connection above 25kW & below 50kVA	17250	23000
3	Estimate for LT three phase weather proof service connection from 50kVA and above up to and including 100kVA (excluding cost for transformer installation )	19750	25500

  
Section officer