

**പതിനാലാം കേരള നിയമസഭ**  
**രണ്ടാം സമ്മേളനം**

നക്ഷത്രചിഹ്നമിട്ട ചോദ്യം നം. \*281

07/10/2016 ൽ മറുപടിക്ക്

**അമ്യൂസ്മെന്റ് പാർക്കുകളിലെ സുരക്ഷ**

ചോദ്യം	മറുപടി
<p>ശ്രീ. കെ. മുരളീധരൻ ശ്രീ. എ.പി. അനിൽകുമാർ ശ്രീ. എൽദോസ് കുന്നപ്പിള്ളി ശ്രീ. റോജി എം. ജോൺ</p>	<p>ശ്രീ. കെ.ടി. ജലീൽ (തദ്ദേശസ്വയംഭരണവും ന്യൂനപക്ഷക്ഷേമവും വഖഫ് ഹജ്ജ് തീർത്ഥാടനവും വകുപ്പ് മന്ത്രി)</p>

<p>എ) വിവിധ ആഘോഷങ്ങളോടനുബന്ധിച്ച് സ്വകാര്യ വ്യക്തികൾക്ക് അമ്യൂസ്മെന്റ് പാർക്കുകൾ സ്ഥാപിക്കുന്നതിന് എന്തെങ്കിലും മാർഗ്ഗ നിർദ്ദേശം നിലവിലുണ്ടോ; എങ്കിൽ വിശദാംശം വ്യക്തമാക്കുമോ;</p>	<p>എ) ഉണ്ട്. അമ്യൂസ്മെന്റ് പാർക്കുകൾ സ്ഥിരമായി സ്ഥാപിക്കുന്നതിന് ലൈസൻസ് അനുവദിക്കുന്നത് 1961 ലെ കേരള ലോക്കൽ അതോറിറ്റീസ് എന്റർടൈൻമെന്റ് ടാക്സ് ആക്ടിലെ 3B വകുപ്പിൽ നിഷ്കർഷിച്ചിട്ടുള്ള വ്യവസ്ഥകൾ പ്രകാരമാണ്. എന്നാൽ താല്ക്കാലിക അടിസ്ഥാനത്തിൽ അമ്യൂസ്മെന്റ് പാർക്കുകൾ സ്ഥാപിക്കാൻ ലഭിക്കുന്ന അപേക്ഷകൾ തദ്ദേശസ്വയംഭരണ വകുപ്പ് പരിശോധിച്ച് ഇപ്രകാരമുള്ള പാർക്കുകളെ വിനോദത്തിനുള്ളതായി കണക്കാക്കി അവയ്ക്ക് 1963 ലെ കേരള പ്ലെയിസസ് ഓഫ് പബ്ലിക് റിസോർട്ട് ആക്ട് കേരളാ പ്ലെയിസസ് ഓഫ് പബ്ലിക് റിസോർട്ട് റൂൾസ് 1965 എന്നിവയിൽ നിഷ്കർഷിച്ചിട്ടുള്ള താഴെ പറയുന്ന വ്യവസ്ഥകൾ പ്രകാരം അനുമതി നൽകാവുന്നതാണ്.</p> <p><b><u>Conditions under which licence may be granted -</u></b></p> <p>No licence shall be granted under the Act for the use of any permanent building for public resort or entertainment unless-</p> <p>(a) the building is provided on at least three of its sides with an open space of not less than 6 meters in width or such greater width as may be required by the Licensing Authority.</p> <p>(b) the caves of the building have a height of not less than 3 meters</p>
---	---

- c) every door-way in the building is not less than 2.4 meters in height and 1.5 meters in width and,
- d) the windows of the building are of such dimension and number and in such situations as may be required by the Licensing Authority and the aggregate area of all the windows in each of the places to which the public are admitted is not less than one-tenth of the floor area thereof:

Provided that the Licensing Authority in consultation with the Health Officer, may

- i) Permit the use of extractors or other artificial means of ventilation to provide for a sufficient supply of fresh air in the building in lieu of all or any or the windows required under Clause (d); or
- ii) require such extractors or other artificial means of ventilation to be provided in addition to the windows required under the said clause.

مقو 34:-


Additional conditions for grant of license.--

Every licence granted under the Act shall be subject to the following additional conditions:

- i) No fire or naked light shall, under any circumstance, be allowed inside the licensed premises.
- ii) All swinging lights shall be suspended by metal wired or rods.
- iii) No inflammable or explosive substance such as petroleum, kerosene oil, fire works, or gun powder in excess of the quantity, required for one day's use shall be stored upon or within the licensed premises.
- vi) The main doors, enumerated in column (4) of the license shall always be left unfastened and unobstructed whilst the public are using the licensed premises.
- v) No structural or material alteration shall be made in the licensed premises except with the written permission of the licensing authority.
- vi) No leper and no person suffering from an open sore or any loathsome, infectious or contagious disease shall be permitted inside the licensed premises. If such a person is found in any such

		<p>premises, the licensee shall immediately report the fact to the nearest Health Officer, Health Inspector or other Officer not below the rank of Health Assistant of the Health Services Department or to the licensing authority and the licensee shall at his own cost take such steps as may be required by such officer or authority to disinfect the place and to prevent the further spread of the infection.</p> <p>(vii) The licensed premises shall not be kept open after 2 a.m. Without special permission from the licensing authority.</p> <p>(viii) The licensing authority or any subordinate officer duly authorised by the licensing Authority officers of the State Government exercising control or supervision over the local authority, the Health Officer, the Health Inspector, the Health Assistant having jurisdiction over the area, any Police Officer specially deputed to keep order during any entertainment in the licensed premises shall at all times have free access to the said premises to see whether the conditions of the licence are fulfilled.</p> <p>(ix) The licensing authority may add such other conditions not inconsistent with these rules to the licence as he may deem desirable in the interest of health and safety of the public.</p>
<p>ബി)</p>	<p>ഇത്തരം അമ്യൂസ്മെന്റ് പാർക്കുകളിലെ യന്ത്രസാമഗ്രികളുടെ സുരക്ഷ പരിശോധിക്കുന്നതിനുള്ള ഉത്തരവാദിത്തം ആരിലാണ് നിക്ഷിപ്തമായിട്ടുള്ളത്;</p>	<p>ബി) ബന്ധപ്പെട്ട തദ്ദേശസ്വയംഭരണ സ്ഥാപനത്തിന്റെ സെക്രട്ടറിയിലാണ് അമ്യൂസ്മെന്റ് പാർക്കുകളുടെ യന്ത്രസാമഗ്രികളുടെ സുരക്ഷ പരിശോധിക്കുന്നതിനുള്ള ഉത്തരവാദിത്വം നിക്ഷിപ്തമായിട്ടുള്ളത്.</p>

<p>സി) സുരക്ഷാപരിശോധന സംബന്ധിച്ച് കർശന നിർദ്ദേശം നൽകുന്നതിനും അപകടങ്ങൾ ഒഴിവാക്കുന്നതിനും അടിയന്തിര നടപടി സ്വീകരിക്കുമോ?</p>	<p>സി) ലൈസൻസിംഗ് അതോറിറ്റികൾ അവരുടെ അധികാര പരിധിയിലുള്ള പ്രദേശത്ത് സ്ഥിരമായോ, താൽക്കാലികമായോ നടത്തപ്പെടുന്ന വിനോദങ്ങൾക്ക് നിർബന്ധമായും ഇതു സംബന്ധിച്ച ആക്റ്റിലും ചട്ടങ്ങളിലും വ്യവസ്ഥ ചെയ്തിട്ടുള്ള നിബന്ധനകൾ പാലിച്ച് ലൈസൻസ് ഉറപ്പാക്കണമെന്ന് ബന്ധപ്പെട്ട തദ്ദേശസ്വയംഭരണ സ്ഥാപനങ്ങളിലെ സെക്രട്ടറിമാർക്ക് കർശന നിർദ്ദേശം നൽകിയിട്ടുണ്ട്.</p>
---	--

  
സെക്ഷൻ ഓഫീസർ