## പതിനഞ്ചാം കേരള നിയമസഭ മൂന്നാം സമ്മേളനം

അടിയന്തര ചോദ്യം

03/11/2021 -ലെ മറുപടിക്ക്

# മുല്ലപ്പെരിയാർ അണക്കെട്ടിലെ ജലനിരപ്പ് ഉയർന്നത് മൂലം

## ജനങ്ങൾക്കുണ്ടാകുന്ന ആശങ്ക

ചോദ്യം			ഉത്തരം	
			പിണറായി വിജയൻ	
	ശ്രീ. ടി.പി. രാമകൃഷ്ണൻ		(മുഖ്യമത്ത്രി)	
എ	സംസ്ഥാനത്ത് തുടരെ ഉണ്ടാകുന്ന	എ	കൃത്യമായി നീരീക്ഷിക്കുന്നുണ്ട്. മുല്ല	
	കനത്ത മഴ കാരണം	& வி	പ്പെരിയാർ അണക്കെട്ടിന്റെ വൃഷ്ടി	
	അണക്കെട്ടുകളി ലേയ്ക്ക് ശക്തമായ		പ്രദേശങ്ങളിൽ ലഭ്യമാകുന്ന മഴയും	
	നീരൊഴുക്കുണ്ടാകുന്നതിനെ		നീരൊഴുക്കും കണക്കിലെടുത്ത് അതു	
	തുടർന്ന് മുല്ലപ്പെരിയാർ അണ		കാരണമുണ്ടാകുന്ന ജലനിരപ്പിലെ	
	ക്കെട്ടിൽ ജലനിരപ്പ് ഉയർന്നത്ര		വൃതിയാനങ്ങൾ സമയാസമയം	
	മൂലം ജനങ്ങൾക്കുണ്ടാകുന്ന ആശങ്ക		അവലോകനം ചെയ്ത് ആവശ്യമായ	
	സർ- ക്കാർ നിരീക്ഷിക്കുന്നുണ്ടോ;		മുൻകത്തൽ നടപടികൾ സ്വീകരിച്ചു	
	എങ്കിൽ ഇത് ലഘൂകരി		വരുന്നുണ്ട്.	
ബി	ക്കാനാവശ്യമായ എന്തെല്ലാം		കാലാവസ്ഥാ കേന്ദ്രത്തിന്റെ മുന്നറിയിപ്പുകൾ	
	നടപടികളാണ് കൈക്കൊ		കണക്കിലെടുത്ത് അണക്കെട്ടിലെ ജലനിരപ്പ്	
	ണ്ടുവരുന്നതെന്ന് അറിയി ക്കാമോ;		മണിക്കൂർ അടിസ്ഥാനത്തിൽ വിലയിരുത്തു	
			ന്നുണ്ട്. 2021 ഒക്ടോബർ 18ന് ജലനിരപ്പ്	
	ഇത് സംബന്ധിച്ച് സംസ്ഥാ		133.45 അടിയായി ഉയർന്നപ്പോൾ സംസ്ഥാന	
	നത്തെ ജനങ്ങൾക്കുള്ള ആശങ്കയും		ചീഫ് സെക്രട്ടറി ഈ വിഷയം തമിഴ്ലാട് ചീഫ്	
	ദുരന്തസമാനമായ സാഹചര്യവും		സെക്രട്ടറിയുടെ ശ്രദ്ധയിൽപ്പെടുത്ത	
	തമിഴ്ഗാട് സർക്കാരിന്റെ ശ്രദ്ധയിൽ		കയുണ്ടായി. കേന്ദ്ര ജലവിഭവ വകപ്പ്	
	കൊണ്ടു വരുന്നതിന് നടപടി		സെക്രട്ടറിക്ക് ഒക്ടോബർ 23-ാം തീയതി	
	സ്വീകരിച്ചിട്ടുണ്ടോ എന്നം		സംസ്ഥാന ചീഫ് സെക്രട്ടറി	

പ്രശ്നപരിഹാരത്തിനള്ള അന രഞ്ജന ശ്രമം നടത്തിയിട്ടുണ്ടോ എന്നും വെളിപ്പെടുത്താമോ ; കത്തയക്കുകയുണ്ടായി. പ്രസ്തൃത കത്തിൽ തമിഴ്റാട് പരമാവധി ജലം വൈഗൈ ഡാമിലേക്ക് കൊണ്ടുപോകണം എന്ന ആവശ്യം ഉന്നയിച്ചിട്ടുണ്ട്.

സൃപ്രീംകോടതി വിധിപ്രകാരമുള്ള ജലനിരപ്പ് നിലനിർത്തുകയും അധിക ക്രമാന്ദഗതമായി കേരളത്തെ അറിയിച്ചശേഷം നടപടികൾ ത്രറന്ത വിടാനുള്ള മാത്രം സ്വീകരിക്കണമെന്നം ആവശ്യപ്പെട്ടിട്ടണ്ട്. ഇതിന് പുറമെ ഒക്ടോബർ 18 ന് തന്നെ ജലവിഭവ അഡീഷണൽ വകപ്പ് ചീഫ് സെക്രട്ടറി വിശദമായ കത്ത് മുല്ലപ്പെരിയാർ ചെയർമാനം മേൽനോട്ടസമിതി ജലവിഭവ വകപ്പ് സെക്രട്ടറിക്കം, തമിഴ്ചാട് ചീഫ് സെക്രട്ടറി, പൊതുമരാമത്ത് അഡീഷണൽ ചീഫ് സെക്രട്ടറി, ജലവിഭവ വകപ്പ് സെക്രട്ടറി എന്നി വർക്കാ അറിയിച്ചിട്ടണ്ട്. അതിന ശേഷം ഒക്കോബർ വിശദീകരിച്ചകൊണ്ട് 24 ന് കാര്യങ്ങൾ സംസ്ഥാന മുഖ്യമന്ത്രി തമിഴ്കാട് മുഖ്യമന്ത്രിക്ക് (അനബന്ധം I) തമിഴ്കാട് കത്തയച്ച. മുഖ്യമത്ത്രി ഒക്കോബർ 27 ന് മറുപടിയും നൽകിയിട്ടണ്ട്. (അനബന്ധം II) മറുപടിയിൽ രണ്ടു സംസ്ഥാനങ്ങള ടെയും ജനങ്ങളുടെയും താൽപ്പര്യം സംരക്ഷിക്കുമെന്നും ഉറപ്പ് നൽകി യിട്ടുണ്ട്.

മുല്ലപ്പെരിയാർ വിഷയത്തിൽ സംസ്ഥാന

നിയമസഭ പാസ്സാക്കിയ പ്രമേയങ്ങൾക്ക് നില പാടാണ് അനസ്തതമായ സർക്കാർ സ്വീകരിച്ച വരുന്നത്. അതിന്റെ അടിസ്ഥാന ത്തിൽ 126 വർഷം പഴക്കമുള്ള മുല്ലപ്പെരിയാർ ഡാമിന് പകരം പുതിയ പണികഴിപ്പിക്കണമെന്ന കേരളത്തിന്റെ വ്യക്തമായ നിലപാട് ബഹു. സുപ്രീം കോടതിയെ അറിയിച്ചിട്ടമുണ്ട്. ബഹു. സുപ്രീം കോടതി മുമ്പാകെ കേരളം ഫയൽ ചെയ്യ നോട്ടുകളിൽ തമിഴ്കാട് വൈഗൈ ഡാമിലേക്ക് (2735 Cusecs) പരമാവധി ശേഷി ജലം കൊണ്ടുപോകണ മെന്ന് ശക്തിയായി ആവശ്യ പ്പെട്ടിട്ടണ്ട്. ഡാമിലെ ജലനിരപ്പ് 136 അടിയിൽ 142 നിന്നം അടിയായി ഉയർന്നാലുള്ള അപകട സാധ്യത കേരളം ചൂണ്ടിക്കാട്ടിയിട്ടണ്ട്. 136 അടിക്ക് മുകളിൽ ജലനിരപ്പം ഉയരുന്ന ഓരോ ഡാമിന് നൽകുന്ന മർദ്ദം ക്രമാനുഗതമായ ഒന്നല്ല എന്ന വസ്തതയും കേരളം ബഹു. സുപ്രീം കോടതി മുമ്പാകെ വ്യക്തമാക്കി യിട്ടുണ്ട്. മൂല്ലപ്പെറിയാർ മേൽനോട്ട സമിതി മുമ്പാകെ തമിഴ്കാട് സർക്കാർ സമർപ്പിച്ച റൂൾ കർവിനെ പറ്റിയുള്ള വിയോജിപ്പം കേരളം ബഹു. സുപ്രീം കോടതി മുമ്പാകെ വ്യക്തമാക്കി യിട്ടുണ്ട്.

ഒക്ടോബർ 2021 ന് തുലാവർഷത്തിന് മുമ്പ് ലഭിച്ച അതിതീവ്ര മഴ കാരണം ഒക്ടോബർ 29 മുതൽ മുല്ലപ്പെരിയാർ ഡാമിന്റെ ഷട്ടറുകൾ

ഒഴുക്കിവിടേണ്ടി അധിക ജലം ഉയർത്തി വന്നിട്ടുണ്ട്. വൃക്ത മായ മുന്നറിയിപ്പോടു കൂടി അധിക നിയന്ത്രിത അളവിലാണ് ജലം സർക്കാർ ഒഴുക്കിയിട്ടുള്ളത്. സംസ്ഥാന നടപടികൾ മുൻകത്തൽ സ്വീകരിച്ച കാരണമാണ് ഇത് സാധ്യമായത്. 29-10-2021 മുതൽ പുറത്തേക്ക് ഒഴുക്കിയ ജലത്തിന്റെ അളവ് ഇപ്രകാരമാണ്.

	ഒഴുക്കി വിട്ട ജലത്തിന്റെ അളവ്				
തീയതി	(Cusecs Per Second)				
29/10/21	രാവിലെ 7.30 ന് 538				
	ക്യുസെക്സ് അളവിലും രാത്രി 9				
	മണിക്ക് 823 കൃറസക്സ്				
	അളവിലും അധിക ജലം				
	പുറത്തേക്ക് ഒഴുക്കി.				
30/10/21	രാവിലെ 11 മണിക്ക് 1675				
	കൃസെക്സ് അളവിലും വൈകിട്ട് 4				
	മണിക്ക് 2974 കൃസെക്ല്				
	അളവിലും അധിക ജലം				
	പുറത്തേക്ക് ഒഴുക്കി.				
31/10/21	1014 ക്യസെക്സ് വീതം അധിക				
മുതൽ	ജലം പുറത്തേക്ക് ഒഴുക്കി.				
02/11/21					
വരെ					
കേരളത്തിന്	സുരക്ഷ തമിഴ്ലാടിന് ജലം എന്ന				

നയമാണ് സർക്കാർ സ്വീകരിച്ചു വരുന്നത്.

ആഗോള താപനത്തിന്റെയും രാജ്യത്താകെയും സംസ്ഥാനത്ത് പ്രത്യേകിച്ചും ഉണ്ടായിട്ടുള്ള കാലാവസ്ഥവ്യതിയാന ത്തിന്റെയും പ്രകൃതി ദുരന്തങ്ങളുടെയും

സി

സി

ആഗോള താപനവും സംസ്ഥാന ത്തിലെ കാലാവസ്ഥാ വ്യതിയാനവും പ്രകൃതിദുരന്തങ്ങളും മുല്ലപ്പെരിയാർ അണക്കെട്ടിൽ ഉണ്ടാക്കാവുന്ന ആഘാ തങ്ങൾ പഠനവിധേയമാക്കുന്ന മുറയ്ക്ക് സർക്കാർ

 സാഹചര്യത്തിൽ	ഈ	ഇക്കാര്യം പരിശോധിക്കുന്നതാണ്.
വിഷയവുമായി	ബന്ധപ്പെട്ട്	
ഔദ്യോഗിക	അന്താരാഷ്ട്ര	
ഏജൻസികളുടെ	അഭിപ്രായം	
ആരായുന്നതിന്	അടിയന്തര	
നടപടികൾ സ്വീകരിക്കുമോ?		

ം..... സെക്ഷൻ ഓഫീസർ





### D.O. No. ISWC1/16360/2014/WRD/CM, Dated 24.10.2021

#### Dear Shri. Stalin ji,

Greetings from the Government of Kerala.

I am very hopeful that the historic ties between our States and the cordial relationship between our people will be further strengthened under your leadership.

I am writing this to bring to your notice the recent floods that ravaged the State of Kerala from 16.10.2021 causing heavy floods and damage to the life and property of people across our State. Many parts of the State experienced severe landslides and heavy flooding resulting in many deaths in the districts of Kottayam and Idukki.

In view of the heavy rainfall in the catchment area of Mullaperiyar Dam when the water level was at 133.45ft on 18.10.2021, the Chief Secretary to Government of Kerala and the Additional Chief Secretary, Water Resource Department had addressed their respective counterparts of your State to ensure the safety & security of the people living in the downstream of Mullaperiyar Dam.

On 19.10.2021, when the Idukki reservoir had reached the FRL, 3 shutters of the Cheruthoni dam of the Idukki reservoir were opened, after the water level had crossed the red alert level. Prior to the opening of the Cheruthoni Dam, water from the Idamalayar dam was also released at 6.00 am on 19.10.2021.

The current inflow to Mulla Periyar dam is 2109 c/s and the discharge level is 1750 c/s as on 20.10.2021 at 4.00PM. At present there is a net inflow

of around 2109 cusecs accumulating in the reservoir even after the diversion from Tamil Nadu side. With the current inflow it is feared that the reservoir level may reach 142 ft once the torrential rain intensifies. Hence, there would arise an urgent need for the gradual release of water from Mulla Periyar Dam through the tunnel to Tamil Nadu.

I urge your timely intervention in the matter and request you to give immediate directions to the authorities concerned in the State to ensure that maximum quantity of water is drawn from Mulla Periyar Dam through the tunnel to Vaigai Dam and to gradually release the water downstream. I also request that arrangements may be made to intimate Government of Kerala about the opening the shutters at least 24 hours in advance to help us to take precautionary measures for ensuring the safety of the people living downstream of the dam.

I request your kind and positive response for ensuring the safety to lives of our people.

With regards,

Yours sincerely,

Pinarayi Vijayan

Shri. M.K. Stalin Hon'ble Chief Minister of Tamil Nadu Secretariat, Chennai 600 009.

amount as almon





SECRETARIAT CHENNAI - 600 009.

#### D.O LETTER NO.3167/CMO/2021, DATED: 27-10-2021

#### Dear Thiru Pinarayi Vijayan Avargal,

#### Vanakkam.

I greatly appreciate and wish to reciprocate the sentiments expressed by you in your letter dated 24.10.2021, that the historic ties and cordial relationship between the people of our states need to be strengthened further.

The Government of Tamil Nadu and our people are very concerned about the floods and the resultant damages suffered by Kerala and its people in the last 10 days. I wish to assure you that we will stand with you during these difficult times and would extend any help that is needed for alleviating the sufferings of the people. In this regard, I have already instructed the Collectors of the border districts of our state to extend all help and ensure the supply of all items needed for flood relief.

With reference to Mullai Periyar Dam, we are monitoring the water level closely and the officials from our side are in constant touch with your team. The water level as on today (27.10.2021) at 9.00 am is 137.60 feet, with an inflow of 2300 cusecs. We are already drawing the maximum quantity of water through the tunnel in Vaigai dam, as requested in your letter. Currently 2300 cusecs of water is being drawn through the tunnel to Vaigai basin since 8.00am today (27.10.2021). The current water level is well within the storage level permitted by the Hon'ble Supreme Court in its judgement and is also compliant with the upper rule levels approved by the CWC.

I have discussed the above position with the concerned officials and have directed them to continue to closely monitor the water levels and regulate the outflow accordingly. In addition, I have specifically asked them to share in advance, all the necessary information on water position and release, if any, so that your government can initiate such precautionary measures needed before the release of water.

I once again wish to assure you that my government will ensure that the interests of both states and our people are well safeguarded.

#### With Regards,

Yours sincerely,

(M.K. STALIN)

To,

4

Thiru. Pinarayi Vijayan,
Hon'ble Chief Minister of Kerala,
Tiruvananthapuram.