

15 -ാം കേരള നിയമസഭ


6 -ാം സമ്മേളനം

നക്ഷത്ര ചിഹ്നം ഇല്ലാത്ത ചോദ്യം നം. 1105

29-08-2022 - ൽ മറുപടിയ്ക്ക്

വാട്ടർ അതോറിറ്റിയുടെ പ്രവർത്തന ഘടന പുനഃക്രമീകരിക്കാൻ നടപടി

ചോദ്യം		ഉത്തരം	
ഡോ. എൻ. ജയരാജ്		ശ്രീ റോഷി അഗസ്റ്റിൻ (ജലവിഭവ വകുപ്പ് മന്ത്രി)	
(എ)	<p>വാട്ടർ അതോറിറ്റിയുടെ പ്രവർത്തനപരിധി സംബന്ധിച്ച ഘടന പുനഃക്രമീകരിക്കാൻ നടപടികൾ സ്വീകരിച്ചിട്ടുണ്ടോ; എങ്കിൽ പുരോഗതി അറിയിക്കാമോ;</p>	(എ)	<p>കേരള വാട്ടർ അതോറിറ്റിയുടെ സർക്കിൾ ഓഫീസുകൾ റവന്യൂ ജില്ലയുടെ അടിസ്ഥാനത്തിലും, ഡിവിഷൻ ഓഫീസുകൾ മൂന്നോ നാലോ നിയമസഭാ മണ്ഡലത്തിന്റെ അടിസ്ഥാനത്തിലും, സെക്ഷൻ ഓഫീസുകൾ മൂന്നോ നാലോ പഞ്ചായത്തടിസ്ഥാനത്തിലും; കണക്ഷനുകളുടെ അടിസ്ഥാനത്തിലുമാണ് പുനഃസംഘടിപ്പിക്കുവാൻ ഉദ്ദേശിക്കുന്നത്. ഇതിനായി കേരള വാട്ടർ അതോറിറ്റി എം.ഡി ചെയർമാനായി സമിതി രൂപീകരിച്ചിട്ടുണ്ട്. (പകർപ്പ് അനുബന്ധമായി ചേർക്കുന്നു)</p> <p>പ്രസ്തുത സമിതി തയാറാക്കിയ കരട്, ജീവനക്കാരുടെ സംഘടനകളുമായും ഉയർന്ന ഉദ്യോഗസ്ഥരുടെ വർക്ക് ഷോപ്പിലും ചർച്ച ചെയ്തു. അതിനെത്തുടർന്നുള്ള നടപടികൾ സ്വീകരിച്ചുവരികയാണ്.</p>
(ബി)	<p>ഉപഭോക്താക്കൾക്ക് സൗകര്യപ്രദമായ രീതിയിൽ റവന്യൂ ജില്ലാ/താലൂക്ക് അടിസ്ഥാനത്തിലോ തദ്ദേശ സ്വയംഭരണ സ്ഥാപനങ്ങളുടെ പ്രവർത്തനപരിധിയുടെ അടിസ്ഥാനത്തിലോ വാട്ടർ അതോറിറ്റി ഓഫീസുകളുടെ പ്രവർത്തനപരിധി പുനഃക്രമീകരിക്കാനാവശ്യമായ നടപടികൾ ത്വരിതപ്പെടുത്താമോ?</p>	(ബി)	<p>കേരള വാട്ടർ അതോറിറ്റിയുടെ സർക്കിൾ ഓഫീസുകൾ റവന്യൂ ജില്ലയുടെ അടിസ്ഥാനത്തിലും, ഡിവിഷൻ ഓഫീസുകൾ മൂന്നോ നാലോ നിയമസഭാ മണ്ഡലത്തിന്റെ അടിസ്ഥാനത്തിലും, സെക്ഷൻ ഓഫീസുകൾ മൂന്നോ നാലോ പഞ്ചായത്തടിസ്ഥാനത്തിലും; കണക്ഷനുകളുടെ അടിസ്ഥാനത്തിലുമാണ് പുനഃസംഘടിപ്പിക്കുവാൻ ഉദ്ദേശിക്കുന്നത്. ഇതിനായി കേരള വാട്ടർ അതോറിറ്റി എം.ഡി ചെയർമാനായി സമിതി രൂപീകരിച്ചിട്ടുണ്ട്. (പകർപ്പ് അനുബന്ധമായി ചേർക്കുന്നു)</p> <p>പ്രസ്തുത സമിതി തയാറാക്കിയ കരട്, ജീവനക്കാരുടെ സംഘടനകളുമായും ഉയർന്ന ഉദ്യോഗസ്ഥരുടെ വർക്ക് ഷോപ്പിലും ചർച്ച ചെയ്തു. അതിനെത്തുടർന്നുള്ള നടപടികൾ സ്വീകരിച്ചുവരികയാണ്.</p>



KERALA WATER AUTHORITY

Jalabhavan
Thiruvananthapuram – 695033
Kerala – India

PROCEEDINGS OF THE MANAGING DIRECTOR

PRESENT : Venkatesapathy.S IAS

Sub:- KWA -Admn - Rationalisation of field offices - Constitution of a Committee -
Orders issued

No: 15006/E1/2021/KWA

Dated: 06.09.2021

Read:- 1. Item No.V(1) of the 420th Board meeting held on 23/07/2021
2. Meeting held on 31.08.2021 in the chamber of MD, KWA

At present Kerala Water Authority have 435 offices to handle drinking water supply through out the state and sewerage system in selected major cities. These offices are working with a staff pattern which existed during 1984. The same could not modified as per the increase in water and sewerage connections and based on projects in hand.

Now KWA is implementing JJM in the state and is in a drive to implement a total sewerage system in the selected townships in the state. This need a rationalization of the staff and office pattern based on its work load and expected water connections through JJM.

The mater discussed by the board in its 420th meeting and opined that a rationalization is essential for the KWA field offices.

In the above circumstances, a committee is formed as below for the study for rationalization of field offices.

- | | |
|--|------------|
| 1. Managing Director, KWA | - Chairman |
| 2. Technical Member, KWA | - Member |
| 3. Accounts Member, KWA | - Member |
| 4. Chief Engineer (Projects & Operation) | - Member |
| 5. Chief Engineer (Southern Region) | - Member |
| 6. Chief Engineer (Central Region) | - Member |
| 7. Chief Engineer (Northern Region) | - Member |
| 8. Chief Engineer (HRD & General) | - Member |
| 9. Chief Engineer (Sewerage) | - Member |
| 10. FM & CAO | - Member |
| 11. Deputy Chief Engineer (General) | - Convenor |

The first meeting of the Committee convened on 31.8.2021 and the following decisions are taken;

1. The regional Chief Engineers are directed to discuss their respective levels and provide rationalization proposal by 6th September 2021. Chief Engineer (HRD&GL) and the Chief Engineer (Sewerage, PPD&WASCON) also to be a part



of it.

2. The project divisions whose period is completed should be shut down & integrate with the other units. JICA, JNNRUM, UDISMAT etc., to be closed.
3. Existing regulations for each unit & operations to be strictly followed.
4. The Accounts member shall logically rearrange existing revenue units to get the maximum revenue collection
5. The Chief Engineer (HRD&GL), shall formulate a mathematical formula with weightage to be formed to ensure that uniform arrangement of personnel are available in the filed offices with the following parameters.

- a) Work Quantity
- b) Quantum of work in terms of finances
- c) Staff available

Sd/-

Venkatesapathy S. IAS
Managing Director

