

ടെലിഫോൺ നമ്പർ : 2512524
 പോസ്റ്റ് ബോക്സ് നമ്പർ : 5430
 ഫാക്സ് : 0471-2305891
 പിൻ കോഡ്-695 033



E-mail: secretary@niyamasabha.org

കേരള നിയമസഭാ സെക്രട്ടേറിയറ്റ്

നം.15028/എ.സി.ഡി 2/2018/നി.സെ

തിരുവനന്തപുരം,
31.01.2018.

പരിമിത ദർഘാസ് പരസ്യം.

നിയമസഭാ സെക്രട്ടേറിയറ്റിന്റെ ആവശ്യത്തിനായി ഇതോടൊപ്പം ചേർത്തിരിക്കുന്ന ഷെഡ്യൂളിലെ സ്പെസിഫിക്കേഷൻ പ്രകാരമുള്ള Portable Projector (1 no.), 8x6 Drop down INSTA LOCK Screen (1 no.), 6x4 feet screen with tripod (1 no), 12x10 feet screen with tripod (1 no) എന്നിവ വിതരണം ചെയ്യുന്നതിന് കഴിവുള്ള വ്യക്തികൾ/സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്ര വച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

വിശദാംശങ്ങൾ

- ദർഘാസ് ഫാറത്തിന്റെ വില : 400/- രൂപ + ജി.എസ്.ടി. @12%
- നിരതദ്രവ്യം : 1,580/- രൂപ
- ദർഘാസുകൾ വിതരണം ചെയ്യുന്ന അവസാന തീയതി : 12/02/2018 രാവിലെ 11.00 മണി വരെ
- ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി : 12/02/2018 ഉച്ചക്ക് 12.00 മണി വരെ
- ദർഘാസുകൾ തുറക്കുന്ന തീയതി : 12/02/2018 വൈകിട്ട് 03.00 മണി

നിബന്ധനകൾ ഉൾക്കൊള്ളുന്ന ദർഘാസ് ഫാറം അണ്ടർ സെക്രട്ടറി II (അക്കൗണ്ട്സ്), നിയമസഭാ സെക്രട്ടേറിയറ്റ്, തിരുവനന്തപുരം -ൽ നിന്ന് ലഭിക്കുന്നതാണ്. ദർഘാസ് സമർപ്പിക്കുന്ന കവറിനു പുറത്ത് "Portable Projector അനുബന്ധ സാമഗ്രികൾ വിതരണം ചെയ്യുന്നതിനുള്ള ദർഘാസ്" എന്ന് രേഖപ്പെടുത്തേണ്ടതാണ്. ദർഘാസ് ഫാറത്തിന്റെ വില മടക്കി നൽകുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ വി പി പി ആയി അയയ്ക്കുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ദർഘാസുകൾ സ്വീകരിക്കുന്നതിനോ യാതൊരു കാരണവും വ്യക്തമാക്കാതെ നിരസിക്കുന്നതിനോ നിയമസഭാ സെക്രട്ടറിക്ക് അധികാരമുണ്ടായിരിക്കുന്നതാണ്.

Sudansu
സുദർശന.കെ

അണ്ടർ സെക്രട്ടറി II (അക്കൗണ്ട്സ്),
സെക്രട്ടറിക്കു വേണ്ടി.

വിശദവിവരങ്ങൾ www.niyamasabha.org എന്ന വെബ്സൈറ്റിൽ ലഭ്യമാണ്.

R

Schedule

(Tender Notice No.15028/AcD2/2018/Leg dt 31..01..2018)

| Sl. No. | Item | Qty |
|---------|---------------------------------|-----|
| 1. | Portable Projector | 1 |
| 2. | 8x6 Drop down INSTA LOCK SCREEN | 1 |
| 3. | 6x4 feet screen with tripod | 1 |
| 4. | 12 x 10 feet screen with tripod | 1 |

Technical Specification for Portable Projector**I. Projection Technology**

1. 3 LCD system
2. Native Resolution WUXGA

II Type

1. Optical Zoom (Manual)/Focus (Manual)
2. Throw Ratio 1.5:1 to 2.2:1
3. Aspect Ratio 16:10

III. Resolution

1. Computer signal input: Maximum display resolution:
1920 x 1200 dots
2. Video signal input: 480/60i, 576/50i, 480/60p, 576/50p, 720/60p, 720/50p, 1080/60i, 1080/50i

IV. Color system

1. Should support NTSC3.58, PAL, SECAM, NTSC4.43, PAL-M, PAL-N

V. Lamp

1. Type – Mercury lamp 250 W or higher
2. Life – 3000 H/4000 H/ 5000 H
(Lamp mode: High/Standard/Low)

VI. Screen Size (Projected Distance)

- 1.40” to 300” (measured diagonally)

VII. Brightness

1. Colour Light Output – Min 4000 lm (high)



VIII. Contrast Ratio – 2500: 1 or higher

IX. Internal Speaker(s)

1. Sound Output – 12 W x 1 (monaural) or higher

X. Keystone Correction

1. Keystone (Vertical/Horizontal) - $\pm 30^\circ / \pm 20^\circ$

XI. INPUT OUTPUT

Following required:

1. Analog Input
2. Digital Input
3. Audio Input
4. USB Interface
5. Network RJ 45 interface
6. Wireless LAN support
7. HDMI input connector: HDMI 19-pin, HDCP support
8. S-VIDEO IN S-Video input connector: Mini DIN 4-pin
9. VIDEO IN Video input connector: Phone jack
10. OUTPUT Monitor output connector and Audio output connector.
11. HD Base T

XII. Warranty

Minimum 3 Year for Projector Warranty.
Minimum 6 months lamp warranty.

Technical Specification for TRIPOD Screen (imported)


Size: 12 feet width and 10 feet height 1 Number
8 feet width and 6 feet height 1 Number

Active Area: 8x6 feet 1 Number
12x10 feet 1 Number

Aspect Ratio (Native): 16:10

Viewing surface: Matte White, Washable with mild soap and water,
Flame Retardant, Mildew Resistant

Warranty: Min 1 year



Technical Specification for INSTALOCK Screen (imported)**Drop down Screen:** 8x6 INSTALOCK SCREEN**Size:** 8 feet width and 6 feet height 1 Number**Active Area:** 8x6 feet**Aspect Ratio (Native):** 16:10**Viewing surface:** Matte White, Washable with mild soap and water, Flame Retardant, Mildew Resistant**Warranty:** Min 1 year

Sudhama
സുധർശന.കെ

അണ്ടർ സെക്രട്ടറി II (അക്കൗണ്ട്സ്)

A

