

**15 -ാം കേരള നിയമസഭ**

**11 -ാം സമ്മേളനം**

**നക്ഷത്ര ചിഹ്നം ഇല്ലാത്ത ചോദ്യം നം. 1094**

**12-06-2024 - ൽ മറുപടിയ്ക്ക്**

**മന്ത്രിസഭയുടെ അംഗീകാരത്തോടെ നടപ്പാക്കിയിട്ടുള്ള ജലവിഭവ വകുപ്പിന്റെ പദ്ധതികൾ**

ചോദ്യം		ഉത്തരം	
<b>ശ്രീ. ടി. ജെ. വിനോദ്</b>		<b>ശ്രീ. റോഷി അഗസ്റ്റിൻ (ജലവിഭവ വകുപ്പ് മന്ത്രി)</b>	
(എ)	നിലവിലെ സർക്കാർ അധികാരത്തിൽ വന്നതിനു ശേഷം, ധനകാര്യവകുപ്പിന്റെ അനുമതിയില്ലാതിരുന്നിട്ടും മന്ത്രിസഭയുടെ അംഗീകാരത്തോടെ ജലവിഭവ വകുപ്പ് നടപ്പാക്കിയിട്ടുള്ള പദ്ധതികൾ, പ്രവർത്തനങ്ങൾ, തീരുമാനങ്ങൾ ഇവ എന്തൊക്കെയാണെന്ന് വ്യക്തമാക്കാമോ;	(എ)	വിശദാംശങ്ങൾ അനുബന്ധമായി ചേർത്തിരിക്കുന്നു.
(ബി)	മേൽപ്പറഞ്ഞ ഓരോ വിഷയത്തിലും ധനകാര്യ വകുപ്പ് നൽകിയ റിമാർക്സ് എന്തായിരുന്നു; ഓരോ തീരുമാനവും സംബന്ധിച്ച ക്യാബിനറ്റ് നോട്ടിന്റെ പകർപ്പ് ലഭ്യമാക്കാമോ; ഇവ ഓരോന്നും നടപ്പാക്കിയതിലൂടെ എത്ര രൂപയുടെ ബാധ്യത ഉണ്ടായതായി കണക്കാക്കുന്നു; വിശദാംശം നൽകാമോ?	(ബി)	വിശദാംശങ്ങൾ അനുബന്ധമായി ചേർത്തിരിക്കുന്നു.

സെക്ഷൻ ഓഫീസർ

അനുബന്ധം

ക്രമ നം.	പദ്ധതിയുടെ പേര്	ധനകാര്യ വകുപ്പിന്റെ അഭിപ്രായം	മന്ത്രിസഭായോഗ തീരുമാനം	അനുവദിച്ച തുക	സർക്കാർ ഉത്തരവ് നം.
1	<p>ജൽ ജീവൻ മിഷൻ (ജെജെഎം) - എറണാകുളം ജില്ലയിലെ മണീട്, മുളംതുരുത്തി, എടക്കാട്ടുവയൽ, ആമ്പല്ലൂർ പഞ്ചായത്തുകളിലേക്കുള്ള - ഭാഗം - I - പ്രൊഡക്ഷൻ ഘടകങ്ങളുടെ രൂപകല്പനയും നിർമ്മാണവും, WTP സൈറ്റിലെ OHSR 9LL ശേഷിയും പമ്പ് സെറ്റുകളും അനുബന്ധ ജോലികളും നൽകൽ - ജനറൽ സിവിൽ വർക്ക്</p>	<p>Administrative Department is informed that since this is the 2<sup>nd</sup> tender and as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, it is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions, and re-tender the work with wide publicity.</p>	<p>M/s.മേരിമാത ഇൻഫ്രാസ്ട്രക്ചർ പ്രൈവറ്റ് ലിമിറ്റഡ്, മേരിമാതാ സ്ക്വയർ, ആരക്കുഴ റോഡ്, മൂവാറ്റുപുഴ, എറണാകുളം ജില്ല - ശ്രീ. അബു മാത്യു കോയിക്കൽ ഹൗസ്, കാരിക്കോട് പി.ഒ, പെരുവ, കോട്ടയാർ - (കൺസോർഷ്യം) സമർപ്പിച്ച സിംഗിൾ ടെൻഡറിന് (Rs.247391975/- which is 23.43% above the tendered PAC) പ്രവൃത്തി അനുവദിച്ചു.</p>	<p>Rs.247391975/- രൂപ</p>	<p>G.O.(Ms) No.16/2024/WRD dated 14.03.2024.</p>

2	<p>ജൽ ജീവൻ മിഷൻ (ജെജെഎം) - കോട്ടയം ജില്ലയിലെ വാകത്താനം പഞ്ചായത്തിലേക്ക് ഡബ്ല്യുഎസ്എസ്-1 ഘട്ടം - പാക്കേജ്-1 (ബി) - ജറുസലേം മാണ്ടിൽ 2 എൽഎൽ ഒഎച്ച്എസ്ആർ രൂപകൽപന, നിർമ്മാണം, ദയറയിൽ 45000 ലിറ്റർ ശേഷിയുള്ള ജിഎൽഎസ്ആർ, വാകത്താനം പഞ്ചായത്തിലെ വിതരണ ശൃംഖല കമ്മീഷൻ ചെയ്യൽ-പൈപ്പ് ലൈൻ പ്രവൃത്തി</p>	<p>The single tender received in the second tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017. As per para 4(v) of the G.O., if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate.</p> <p>Since this is the second tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per</p>	<p>സി.ഗിൾ ബിഡ്ഡർ മജസ്റ്റ്രീക് കൺസ്ട്രക്ഷൻസ്, പനംകാട്ട് വീട്, കരിംകുന്നം പി.ഒ, തൊടുപുഴ എന്ന സ്ഥാപനത്തിന് 79518330/- രൂപയ്ക്ക് അനുവദിച്ചു.</p>	<p>Rs. 79518330/-</p>	<p>G.O.(Ms) No.16/2024/WRD dated 14.03.2024.</p>
---	--	--	--	-----------------------	--

		actual site conditions and re-tender the work with wide publicity.			
3	<p>ജൽ ജീവൻ മിഷൻ (ജെജെഎം) - ജെജെഎം-ഡബ്ല്യുഎസ്എസ് കട്ടമ്പുഴ പഞ്ചായത്ത് പാക്കേജ് - IV - കട്ടമ്പുഴ പഞ്ചായത്തിലെ കല്ലേലിമേട് ആറാം വാർഡുകളിൽ എഫ്എച്ച്ടിസികൾ നൽകുന്നത് - ജനറൽ സിവിൽ - വർക്ക്</p>	<p>AD has not reworked the estimate as per site conditions even after the 1<sup>st</sup> and 2<sup>nd</sup> tender. Also, as per the JJM guidelines, cost escalation beyond admissible limits are to be borne by the concerned State. Therefore, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.</p>	<p>പ്രവൃത്തി സിംഗിൾ ബിഡർ ആയ ശ്രീ. മോൻസ്.ടി.പോൾ, താഴെത്തേക്കടിയിൽ ഞാറക്കാട്, കടവൂർ പി.ഒ, മൂവാറ്റുപുഴ-ൽ 40537789/-രൂപയ്ക്ക് (which is 18.00% above the tendered PAC) അനുവദിച്ചു.</p>	Rs.40537789/-	G.O.(Ms) No.16/2024/WRD dated 14.03.2024.
4	<p>ജൽ ജീവൻ മിഷൻ (ജെജെഎം) - വെങ്ങോല, രായമംഗലം പഞ്ചായത്തുകളിലേക്കുള്ള ഡബ്ല്യുഎസ്എസ് ഓണംവേലിക്കുന്നിൽ 15</p>	<p>AD is informed that the single tender received in the second tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017. As per para 4(v) of the G.O., if LI received is above</p>	<p>പ്രവർത്തി സിംഗിൾ ബിഡർ ആയ ശ്രീ. കെ ജെ വർഗീസ്, കൂരൻ ഹൗസ്, മേക്കാടിന് 90103479/- രൂപയ്ക്ക് (which is 24.27% above the tendered PAC) അനുവദിച്ചു.</p>	Rs.90103479/-	G.O.(Ms) No.16/2024/WRD dated 14.03.2024.

	<p>എൽഎൽ ഓഎച്ച്എസ്ആർ നിർമാണം, ഓണം വേലിക്കുന്നിന് സിഡബ്ല്യൂപിഎം നൽകൽ- ജനറൽ സിവിൽ വർക്ക്</p>	<p>the approved amount even after re-tendering the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the second tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.</p>			
5	<p>ജൽ ജീവൻ മിഷൻ (ജെജെഎം) - ഐക്കരനാട്, മഴുവന്തൂർ, കുന്നത്തുനാട്</p>	<p>The lowest quote received in the second tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated</p>	<p>പ്രവൃത്തി ശ്രീ. അബു മാത്യു 14/307, കാരമേൽ കോയിക്കൽ (എച്ച്), കാരിക്കോട് പി ഒ, പെരുവ, കോട്ടയത്തിന് 71248987/- രൂപയ്ക്ക് (which is 14.48%</p>	<p>Rs.71248987/-</p>	<p>G.O.(Ms) No.16/2024/WRD dated 14.03.2024.</p>

	<p>പഞ്ചായത്തുകളിലേക്കുള്ള ഡബ്ല്യുഎസ്എസ് - പട്ടിമറ്റം 20 എൽഎൽഒഎച്ച്എസ്ആർ നിർമ്മാണം.</p>	<p>06/12/2017. As per para 4(v) of the G.O., if LI received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the second tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site condition.</p>	<p>above the tendered PAC) അനുവദിച്ചു.</p>		
6	<p>ജൽ ജീവൻ മിഷൻ (ജെജെഎം) - ഡബ്ല്യുഎസ്എസ് -</p>	<p>AD is informed that the single tender received in the second tender call is beyond the</p>	<p>സിംഗിൾ ബിഡർ പള്ളിപ്പറമ്പൻ അരീക്കോട്, ശ്രീ. പി.പി.അബ്ദുസ് വീട്, കുന്നിയിൽ, മലപ്പുറത്തിന്</p>	<p>Rs.116058248.00/-</p>	<p>G.O.(Ms) No.16/2024/WRD dated 14.03.2024.</p>

<p>വേങ്ങൂർ, അശമന്തൂർ, മുടക്കഴ പഞ്ചായത്തുകൾ വരെ - വേങ്ങൂർ, മുടക്കഴ, അസമന്തൂർ പഞ്ചായത്തുകളിലേക്കുള്ള ജലവിതരണ പദ്ധതിയുടെ വർദ്ധന പാക്കേജ് I - പാണംകുഴിയിൽ 9 മീറ്റർ ഡയൽ വെൽ കം പമ്പ് ഹൗസ് നിർമ്മാണം, RW പമ്പ് സെറ്റുകൾ സ്ഥാപിക്കൽ, പാണംകുഴിയിലെ ആർഡബ്ല്യൂ പമ്പ് ഹൗസ് മുതൽ ചുരമുടിയിലെ ഡബ്ല്യൂടിപി വരെ, ട്രാൻസ്ഫോർമറും അനുബന്ധ ജോലികളും സ്ഥാപിക്കൽ, റോഡ് പുനരുദ്ധാരണ ചാർജ്ജുകൾ തുടങ്ങിയവ - പൊതു സിവിൽ</p>	<p>admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/02/2017. As per para 4(v) of the G.O., If LI received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the second tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.</p>	<p>116058248.00/- രൂപയ്ക്ക് (which is 12.00% above the tendered PAC.) പ്രവർത്തി അനുവദിച്ചു.</p>		
---	---	---	--	--

	<p>വർക്ക്</p>				
<p>7</p>	<p>ജൽ ജീവൻ മിഷൻ (ജെജെഎം) - ആർ.ഡബ്ല്യുഎസ്എസ് - കടമ്പനാട് പഞ്ചായത്ത് - നിലവിലുള്ള GL ടാങ്ക് പൊളിച്ച് നാലാംമെൽ ജംക്ഷൻ സമീപം OH ടാങ്കിന്റെ നിർമ്മാണം.- ടെൻഡർ അനുമതി</p>	<p>AD is informed that the single tender received in the third tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017. As per para 4(v) of the G.O., if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the third tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated</p>	<p>സിംഗിൾ ബിഡർ ശ്രീ.അജിത് കുമാർ. എൻ., നാരായണവിലാസം, ആനയടി പി.ഒ, ശുരനാട്, കൊല്ലത്തിന് പ്രവൃത്തി 15969127/- രൂപയ്ക്ക് (which is 30.58% above the tendered PAC) അനുവദിച്ചു നൽകി.</p>	<p>Rs.15969127/-</p>	<p>G.O.(Ms) No.16/2024/WRD dated 14.03.2024.</p>



		06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.			
8	<p>ജൽ ജീവൻ മിഷൻ (ജെജെഎം)- ഡബ്ല്യുഎസ്എസ് - വെങ്ങോല, രായമംഗലം പഞ്ചായത്തുകളിൽ പീച്ചിനമുഗലിൽ 7.4 എൽഎൽ ശേഷിയുള്ള ഓഎച്ച് സാങ്കിന്റെ നിർമ്മാണം, കാഞ്ഞിരക്കാട് ഡബ്ല്യുടിപി മുതൽ പീച്ചിനമുഗൽ വരെ സിഡബ്ല്യുപിഎം നൽകൽ - പൈപ്പ് ലൈൻ പ്രവൃത്തി</p>	<p>The single tender received in the third tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017. As per para 4(v) of the G.O., if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the third tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is</p>	<p>സിംഗിൾ ബിഡർ ശ്രീ.അഷറഫ് ടി എ, തണ്ടക്കാല ഹൗസ്, ചെങ്ങരക്കര, പട്ടിമറ്റം പിഒ, എറണാകുളത്തിന് 86304994.10/- രൂപയ്ക്ക് (which is 18.04% above the tendered PAC) പ്രവൃത്തി അനുവദിച്ചു.</p>	<p>Rs.86304994.10/-</p>	<p>G.O.(Ms) No.16/2024/WRD dated 14.03.2024.</p>

		requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.			
9	ജൽ ജീവൻ മിഷൻ (ജെജെഎം) - ഡബ്ല്യുഎസ്എസ് - വേങ്ങൂർ, അശമന്തൂർ, മുടക്കഴ പഞ്ചായത്തുകൾ - 6 LL OHSR കല്ലിൽ - 200 mm DI പമ്പിംഗ് മെയിൻ സ്ഥാപിക്കൽ - ജനറൽ സിവിൽ വർക്ക്	AD has forwarded the single tender received in the 3rd tender call which is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017) for approval. As per para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017, if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account, the special physical conditions of the area where the work is being executed and retender shall be initiated based on the revised estimate. Since this	പ്രവർത്തി സിംഗിൾ ബിഡ്ഡർ ശ്രീ.കെ.ജെ. മണി, വാഴക്കുളം (പി.ഒ), മുവാറ്റുപുഴ.യ്ക്ക് 64563105/- രൂപയ്ക്ക് (which is 28.86% above the tendered PAC) അനുവദിച്ചു.	Rs.64563105/-	G.O.(Ms) No.16/2024/WRD dated 14.03.2024.

		is the 3rd tender. Also it is seen that AD has not reworked the estimate as per site conditions even after the 1st and 2 nd tender. Also it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD may be requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 recast the estimate as per actual site conditions, and retender the work with wide publicity.			
10	ജൽ ജീവൻ മിഷൻ (ജെജെഎം) - CWSS - മുണ്ടക്കയം, കോരത്തോട് പഞ്ചായത്തുകൾ പാക്കേജ് 5 ചകിരിമേട്ടിലും കൊമ്പുകുത്തിയിലും GLSR നിർമ്മാണം,	The single tender received in the third tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/02/2017. As per para 4(v) of the G.O, if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate	സിംഗിൾ ബിഡർ ശ്രീ അസീസ് എം.എം, മുതിരക്കാലായിൽ ഹൗസ്, പേഴ്യാപ്പിള്ളി പി.ഒ., മൂവാറ്റുപുഴ ജെ.വി. കെഎംഎ പവർ ടെക്, കെഎംഎ ടവർ, മുനിസിപ്പൽ സ്റ്റേഡിയം റോഡ്, മാർക്കറ്റ് പി.ഒ., മൂവാറ്റുപുഴ, എറണാകുളത്തിന് പ്രവൃത്തി 194445491/- രൂപയ്ക്ക് (which is 17.13% above the tendered PAC) അനുവദിച്ചു.	Rs.194445491/-	G.O.(Ms) No.16/2024/WRD dated 14.03.2024.

	<p>സ്ലീൽ BP ടാങ്കുകൾ 2 എണ്ണം . കൊമ്പുകത്തി, CWPM, CWGM, വിതരണ സംവിധാനം, എഫ്എച്ച്സിസികൾ നൽകൽ</p>	<p>shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the third tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.</p>			
11	<p>ജെ.ജെ.എം - വേങ്ങൂർ, അശമന്നൂർ, മുടക്കഴ പഞ്ചായത്തുകളിലേക്കുള്ള ഡബ്ല്യുഎസ്എസ് - വേങ്ങൂർ പഞ്ചായത്തിലെ മുനിപ്പാറയിൽ 3</p>	<p>AD is informed that the single tender received in the second tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/02/2017. As per para 4(v) of the G.O., if L1 received is above</p>	<p>ലേലക്കാരനായ ശ്രീ.എം.ജെ എബ്രഹാം, മരുതുവെട്ടിയാനിക്കൽ വീട്, വെളിയന്നൂർ പി.ഒ., കോട്ടയം ജില്ല, കേരള ജെ.വി. ശ്രീ. എ ഡൊമിനിക, ഓലിക്കൽ ഹൗസ്, ഗ്രീൻ പാർക്ക് കോളനി, തൊടുപുഴ പി.ഒ., ഇടുക്കി-യ്ക്ക് പ്രവൃത്തി 100572882.12/- രൂപയ്ക്ക് (which is 20.00% above the tendered</p>	<p>Rs.100572882.12/-</p>	<p>G.O.(Ms) No.16/2024/WRD dated 14.03.2024.</p>

	<p>എൽഎൽ ശേഷിയുള്ള ഓപ്പൺ എസ്ആർ നിർമ്മാണം, വേങ്ങൂർ പഞ്ചായത്തിലെ വക്കവള്ളിയിൽ 1.8 എൽഎൽ ശേഷിയുള്ള ഓപ്പൺ എസ്ആർ നിർമ്മാണം, ചുരമുടിയിലെ ഡബ്ല്യുടിപി സൈറ്റിൽ നിന്ന് സിഡബ്ല്യുജിഎം വിതരണം ചെയ്ത് സ്ഥാപിക്കൽ - ജനറൽ സിവിൽ വർക്ക്</p>	<p>the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Also, as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.</p>	<p>PAC.) അനുവദിച്ചു.</p>		
12	<p>പെരുന്നയിലെ 15 LL ശേഷിയുള്ള OH ടാങ്കിന്റെ രൂപകല്പനയും നിർമ്മാണവും, അനുബന്ധ ജോലികളും</p>	<p>AD is informed that the work may be re-tendered at the current estimates.  This has the approval of Hon'ble</p>	<p>പെരുന്നയിലെ 15 LL ശേഷിയുള്ള OH ടാങ്കിന്റെ രൂപകല്പനയും നിർമ്മാണവും, അനുബന്ധ ജോലികളും ഉൾപ്പെടുന്ന ചങ്ങനാശ്ശേരിയിൽ നടപ്പാക്കുന്ന അർബൻ വാട്ടർ സപ്ലൈ സ്കീം പ്രവൃത്തി M/s.</p>	<p>Rs.882.97 ലക്ഷം രൂപ.</p>	<p>G.O.(Ms) No.26/2023/WRD dated 20.04.2023.</p>

	<p>ഉൾപ്പെടുന്ന ചങ്ങനാശ്ശേരിയിൽ നടപ്പാക്കുന്ന അർബൻ വാട്ടർ സപ്ലൈ സ്കീം പ്രവൃത്തി M/s. ഊരാളങ്കൽ ലേബർ കോൺട്രാക്ട് കോ-ഓപ്പറേറ്റീവ് സൊസൈറ്റി ലിമിറ്റഡിന് അവർ കോട്ട് ചെയ്ത 882.97 ലക്ഷം രൂപയ്ക്ക് അതായത് Tendered PAC യെക്കാൾ 34 % അധികവും, പ്രാദേശിക വിപണി നിരക്കിനെക്കാൾ (Local Market Rate) 0.76% താഴെ നിരക്കിലും അനുവദിച്ചു നൽകുന്നതുമായി ബന്ധപ്പെട്ടതാണ് ഈ കുറിപ്പ്.</p>	Minister( Finance).	<p>ഊരാളങ്കൽ ലേബർ കോൺട്രാക്ട് കോ-ഓപ്പറേറ്റീവ് സൊസൈറ്റി ലിമിറ്റഡിന് അവർ കോട്ട് ചെയ്ത 882.97 ലക്ഷം രൂപയ്ക്ക് അതായത് Tendered PAC യെക്കാൾ 34 % അധികവും, പ്രാദേശിക വിപണി നിരക്കിനെക്കാൾ (Local Market Rate) 0.76% താഴെ നിരക്കിലും അനുവദിച്ചു നൽകി.</p>		
13	കാരോട് സമഗ്ര	AD may take a judicious decision	നെയാറ്റിൻകര നിയമസഭാ	41,63,78,839.2	സ.ഉ (കൈ) നം.

	<p>കുടിവെള്ള പദ്ധതി ഘട്ടം- I ഭാഗം- 2.</p>	<p>in view of the Vigilance case ongoing against the contractor and in any case the Tender Acceptance can be done only with the approval of the Council of Ministers as per the guidelines.</p>	<p>മണ്ഡലത്തിലെ ചെങ്കൽ, കാരോട്, കള്ളത്തൂർ പഞ്ചായത്തുകൾക്കുവേണ്ടിയുള്ള കാരോട് സമഗ്ര കുടിവെള്ള പദ്ധതി ഘട്ടം- I ന്റെ ഭാഗം- 2 പ്രവൃത്തിക്ക് ലഭിച്ച single bidder ആയ M/s Chicago Constructions International (P) Ltd കോട്ട് ചെയ്ത ദർഘാസ് Tendered PAC യേക്കാൾ 17.12% ഉം, നിലവിലെ SoR (2018) + 10% തുകയേക്കാൾ 6.07% ഉം, പ്രാദേശിക വിപണി നിരക്കിനേക്കാൾ (LMR) 0.8 % ഉം അധികരിച്ച തുകയായ 41,63,78,839.26/- രൂപ + ബാധകമായ ജി.എസ്.ടി എന്ന തുകയ്ക്ക് അനുവദിക്കുന്നതാണ്.</p>	<p>6/- രൂപ</p>	<p>17/2024/ജ.വി.വ തീയതി 14.03.2024.</p>
<p>14</p>	<p>ആലപ്പുഴ മുനിസിപ്പാലിറ്റിയിലേക്കുള്ള ജലവിതരണ പദ്ധതിയുടെ വർദ്ധനയും നവീകരണവും" എന്ന പദ്ധതിയുടെ പാക്കേജ് - VI ന്റെ പ്രവൃത്തി</p>	<p>AD is informed that the single tender received in the fourth tender call is beyond the admissible limits prescribed as per GO (P) No.16/2017/Fin dated 06.02.2017. As per para 4(v) of the GO, if L1 received is above approved amount even after re-tendering, the estimate should be reworked and revised estimate</p>	<p>ആലപ്പുഴ മുനിസിപ്പാലിറ്റിയിലേക്കുള്ള ജലവിതരണ പദ്ധതിയുടെ വർദ്ധനയും നവീകരണവും" എന്ന പദ്ധതിയുടെ പാക്കേജ് - VI പ്രവൃത്തിയ്ക്ക് ലഭിച്ച single bidder ആയ M/s. Om Dhar Engineering Pvt. Ltd. JV with M/s. Hai Greeva Infratech Projects Ltd കോട്ട് ചെയ്ത ദർഘാസ് Tendered PAC യേക്കാൾ 15.69 % ഉം, നിലവിലെ SoR (2018) + 10% തുകയേക്കാൾ 5.83% അധികരിച്ചതും,</p>	<p>18,25,02,310.13/ - രൂപ</p>	<p>സ.ഉ (സാധാ) നം. 359/2024/ജ.വി.വ തീയതി 09.05.2024.</p>

		<p>shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate.</p> <p>Since AD has not reworked the estimate as per the GO noted above AD is requested to follow para 4(v) of G.O(P) No. 16/2017/Fin dated 06.02.2017 recast the estimate as per actual site conditions and re-tender the work with wide publicity</p>	<p>പ്രാദേശിക വിപണി നിരക്കിനേക്കാൾ (LMR) 1.94 % കുറവും തുകയായ Rs. 18,25,02,310.13/- രൂപയ്ക്ക് ധനകാര്യ വകുപ്പിന്റെ അഭിപ്രായം മറികടന്ന് അനുവദിക്കാവുന്നതാണ്.</p>		
15	<p>കൂട്ടനാട് സമഗ്ര ക്ഷിമയുള്ള പദ്ധതിയുടെ ഘട്ടം- 2- ലെ പാക്കേജ്- I ന്റെ പ്രവൃത്തി</p>	<p>AD may take a judicious decision in view of the Vigilance case ongoing against the contractor and in any case the Tender Acceptance can be done only with the approval of the Council of Ministers as per the guidelines</p>	<p>കൂട്ടനാട് സമഗ്ര ക്ഷിമയുള്ള പദ്ധതിയുടെ ഘട്ടം- 2- ലെ പാക്കേജ്- I ന്റെ പ്രവൃത്തിയ്ക്ക് ലഭിച്ച single bidder ആയ M/s Chicago Constructions International (P) Ltd കോട്ട് ചെയ്ത ദർഘാസ് Tendered PAC യേക്കാൾ 31.98% ഉം, നിലവിലെ SoR (2018) + 10% തുകയേക്കാൾ 19.98% ഉം, പ്രാദേശിക വിപണി നിരക്കിനേക്കാൾ (LMR) 13.74 % ഉം അധികരിച്ച തുകയായ Rs.</p>	<p>47,06,35,285/- രൂപ</p>	<p>സ.ഉ (കൈ) നം. 34/2024/ജ.വി.വ തീയതി 01.06.2024.</p>



			47,06,35,285/- അനുവദിച്ചിട്ടില്ലാത്തതാണ്. രൂപയ്ക്ക്		
16	ആല, പുലിയൂർ, ബുധനൂർ, പാണ്ടനാട്, മുളക്കുഴ, വെൺമണി പഞ്ചായത്തുകളിലേയ്ക്കും ചെങ്ങന്നൂർ നഗരസഭയിലേയ്ക്കുമുള്ള ജലവിതരണ പദ്ധതിയുടെ പാക്കേജ് - 3 ന്റെ പ്രവൃത്തി	As per clause 7.2.5 of KIIFB guidelines (G.O (Ms) No.69/2018/Fin Dated 24-02-2018), Tenders beyond justifiable market rate shall not be accepted. In exceptional circumstances if the tenders are to be accepted at a higher amount than the justifiable market rate the same shall be done with the approval of the Council of Ministers only	ആല, പുലിയൂർ, ബുധനൂർ, പാണ്ടനാട്, മുളക്കുഴ, വെൺമണി പഞ്ചായത്തുകളിലേയ്ക്കും ചെങ്ങന്നൂർ നഗരസഭയിലേയ്ക്കുമുള്ള ജലവിതരണ പദ്ധതിയുടെ പാക്കേജ് - 3 പ്രവൃത്തിയ്ക്ക് ലഭിച്ച single bidder ആയ M/s. Chicago Constructions International Pvt. Ltd കോട്ട് ചെയ്ത ദർഘാസ് Tendered PAC യേക്കാൾ 27.98 % ഉം, നിലവിലെ SoR (2018) + 10% തുകയേക്കാൾ 17.19% ഉം, പ്രാദേശിക വിപണി നിരക്കിനേക്കാൾ (LMR) 11.57 % ഉം അധികരിച്ച തുകയായ 95,14,78,947.86/- രൂപയ്ക്ക് അനുവദിച്ചിട്ടില്ലാത്തതാണ്.	95,14,78,947.86/- രൂപ	സ.ഉ (കൈ) നം. 36/2024/ജ.വി.വ തീയതി 10.06.2024.
17	ചേർത്തല നിയോജക മണ്ഡലത്തിലെ, കടയ്ക്കരപ്പള്ളി പഞ്ചായത്തിലെ ഒറ്റമശ്ശേരിയിലെ CЕСSCP Stone 926 നം. 927 നം. ഇടയിലുള്ള	Administrative Department is requested to explore the possibility of finalising the tender as per GO(P) No 30/2022/Fin dated 14/3/2022 and if not, Administrative Department is requested to revise the estimate	Cabinet approved the proposal	₹19,20,910/-	സ.ഉ.(കൈ) നം. 42/2022/WRD തീയതി 24.06.2022

	കടൽഭിത്തി നിർമ്മാണ - തീരസംരക്ഷണ പ്രവൃത്തികൾക്കുള്ള അധികരിച്ച ടെണ്ടർ തുക അനുവദിച്ചത്	as per site conditions and as per GO(P) No 16/2017/Fin dated 6/2/2017 and then tender.			
18	ചേർത്തല നിയോജകമണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി പഞ്ചായത്തിലെ ഒറ്റമശ്ശേരിയിലെ CESC Stone 922 നും 925 നും ഇടയിലുള്ള കടൽഭിത്തി നിർമ്മാണ തീരസംരക്ഷണ പ്രവൃത്തികൾക്കുള്ള (Phase II) അധികരിച്ച ടെണ്ടർ തുക അനുവദിച്ചത്	Administrative Department is informed that since the L1 is exorbitant and also as the L1 is not within the admissible limit, it is requested to rework the estimate as per site conditions and as per GO(P) No 16/2017/Fin dated 6/2/2017 and retender the work	Cabinet approved the proposal	₹25,69,917/-	സ.ഉ.(കെ) നം. 40/2022/WRD തീയതി 24.06.2022
19	ചേർത്തല നിയോജകമണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി പഞ്ചായത്തിലെ ഒറ്റമശ്ശേരിയിലെ CP Stone 927 നും 929 നും	Administrative Department is informed that the admissible amount for the work is Rs.39,14,238 and the Quoted Amount is Rs.50,54,043.361/- which is	Cabinet approved the proposal	₹50,54,043/-	സ.ഉ.(കെ) നം. 41/2022/WRD തീയതി 24.06.2022

	<p>ഇടയിലുള്ള കടൽഭിത്തി നിർമ്മാണ തീരസംരക്ഷണ പ്രവൃത്തികൾക്കുള്ള അധികരിച്ച ടെണ്ടർ തുക അനുവദിച്ചത്</p>	<p>29.11% higher than the admissible rate of Rs. Rs.39,14,238/-. Hence the tender is liable for rejection. Hence AD is requested to direct the competent authority to rework the estimate after giving due consideration to the site specific conditions as per GO(Rt) No 16/2017/Fin dated 6/2/2017 and to invite fresh tenders based on the reworked estimate.</p>			
20	<p>ഭാരതപ്പുഴയ്ക്ക് കുറുകെയുള്ള തൃത്താലയിലെ വെള്ളിയാംകല്ല് റഗുലേറ്റർ കം ബ്രിഡ്ജിന്റെ രണ്ടാംഘട്ട പുനരധാരണം, തകർന്ന സംരക്ഷണഭിത്തിയുടെ പുനർനിർമ്മാണം എന്നിവയ്ക്ക് 33.40 കോടി രൂപ അധിക ധനാനുമതി മുഖേന അനുവദിക്കുന്നത്</p>	<p>(1) "Since no budget provision is available under the current year budget for the proposed project of Velliyankallu RCB Phase II including reconstruction of damaged retaining wall for an amount of Rs. 33.40 Crore, Administrative Department may explore the funding from other sources and also furnish detailed project report to RKI, if some fund augmentation is necessary from</p>	<p>ചീഫ് എൻജിനീയർ, പ്രോജക്ട് 1 സമർപ്പിച്ച വിശദമായ പ്രോജക്ട് റിപ്പോർട്ട് പ്രകാരം വെള്ളിയാംകല്ല് RCB യുടെ അറ്റകുറ്റപ്പണി അടിയന്തിരമായി നിർവ്വഹിക്കുന്നതിന് 33.4 കോടി രൂപ അധികമായി ധനാനുമതി മുഖാന്തിരം 4701 - 20 - 800-98 - reservoirs (Velliyankallu cause way) എന്ന ശീർഷകത്തിൽ അനുവദിക്കാമോ എന്ന തീരുമാനം മന്ത്രിസഭ അംഗീകരിച്ചു.</p>	33. 4 Crore	GO (MS) 35/2023/WRD dated 16.6.2023

	<p>സംബന്ധിച്ച പ്രപ്പോസൽ.</p>	<p>the RFI as opined by RFI Department"</p> <p>(2). "Administrative Department file is returned with remarks "Seen in Finance". Administrative Department is also informed that an amount of Rs.33.40 crore is provided under the head of account 4701-20-800-98-00-00-00-PV under e-anumathi for issuing Administrative Sanction towards the work 'rectification of Velliyamkallu Regulator Cum Bridge at Thrithala across Bharathapuzha-Phase II including reconstruction of damaged retaining wall (General Civil Work)'.</p>			
21	<p>ചെങ്കലാർ സ്കീമിനു കീഴിൽ പട്ടിശ്ശേരി ഡാമിന്റെയും കനാലിന്റെയും മറ്റ്</p>	<p>" a) The tender for the above work was invited before the introduction of GST. The work has been continuing after the</p>	<p>പട്ടിശ്ശേരി ഡാമിന്റെയും കനാലിന്റെയും മറ്റ് അനുബന്ധ നിർമ്മിതികളുടെയും പുനഃനിർമ്മാണ പ്രവർത്തനങ്ങളുടെ ശേഷിക്കുന്ന സിവിൽ പ്രവൃത്തികൾക്ക്,</p>	<p>2018 SoR പ്രകാരമുള്ള എസ്റ്റിമേറ്റിനു മുകളിൽ</p>	<p>G.O. (Ms)No.5/2024/ WRD Dated, 12-01-2024</p>

	അനുബന്ധ നിർമ്മിതികളുടെയും പുന:നിർമ്മാണ പ്രവർത്തനങ്ങൾ	implementation of GST and not completed yet. Hence the contractor is eligible for the GST compensation, if any, as per G.O (P) No. 02/2018/PWD dated 27-01-2018. b) The rate enhancement for the work over the estimate rate at 2012 SoR is not recommended."	2018 SoR പ്രകാരമുള്ള എസ്റ്റിമേറ്റിനകളിൽ 20% നിരക്ക് വർദ്ധനവ് അനുവദിച്ചു.	20% നിരക്ക് വർദ്ധനവ്	
22	ഡാം റീഹാബിലിറ്റേഷൻ ആൻഡ് ഇംപ്രൂവ്മെന്റ് പ്രോജക്ടിന് (DRIP) കീഴിൽ വാഹനങ്ങൾ വാങ്ങുന്നതിനുള്ള ശുപാർശ സംബന്ധിച്ച്	"Administrative Department is advised to take steps for arranging a vehicle on lease for the use of Superintending Engineer, Project Circle, Kannur".	DRIP പദ്ധതിയ്ക്ക് കീഴിൽ കണ്ണൂർ പ്രോജക്ട് സർക്കിൾ സൂപ്രണ്ടിംഗ് എഞ്ചിനീയറുടെ ഉപയോഗത്തിലേയ്ക്കായി "4701-80-800-70-EAP_DRIP എന്ന ശീർഷകത്തിൽ നിന്ന് GeM നിരക്കുകളിലെ വില വ്യതിയാനങ്ങളും എല്ലാ നികുതികളും രജിസ്ട്രേഷൻ ചിലവുകളും ഉൾപ്പെടെ കണക്കിലെടുത്ത്, മഹീന്ദ്ര ബൊലേറോ വാഹനം വാങ്ങുന്നതിന് അനുമതി നൽകി	(എസ്റ്റിമേറ്റ് തുക- 8.47 ലക്ഷം രൂപ - GeM പ്രകാരം)	G.O. (Ms)No.35/2024/W RD Dated, 06-06-2024.
23	നിയമ വകുപ്പിൽ ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക സൃഷ്ടിച്ച് അനവധി കോടതി വ്യവഹാരങ്ങളും പ്രശ്നങ്ങളും	സർക്കാരിന്റെ ഇപ്പോഴത്തെ സാമ്പത്തിക സ്ഥിതി പരിഗണിക്കുമ്പോൾ പുതുതായി ഒരു തസ്തിക സൃഷ്ടിക്കുന്നത് ഉചിതമല്ലാത്ത സാഹചര്യത്തിൽ, ഭൂജല വകുപ്പിൽ നിലവിൽ	നിയമ വകുപ്പിൽ ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക സൃഷ്ടിച്ച് അനവധി കോടതി വ്യവഹാരങ്ങളും പ്രശ്നങ്ങളും നിലനിൽക്കുന്ന ഭൂജല വകുപ്പിലേയ്ക്ക് വർക്കിംഗ് അറേഞ്ച്മെന്റ് അടിസ്ഥാനത്തിൽ നിയോഗിക്കുന്നത് സംബന്ധിച്ചുള്ള	ഒരു മാസം ഏകദേശം 51400/- (അമ്പത്തൊന്നായിരത്തി നാനൂറ് രൂപ	സ.ഉ.(കൈ ) നം.70/2023/LAW തീയതി, 27.07.2023

<p>നിലനിൽക്കുന്ന ഭൂജല വകുപ്പിലേയ്ക്ക് വർക്കിംഗ് അറേഞ്ച്മെന്റ് അടിസ്ഥാനത്തിൽ നിയോഗിക്കുന്നത് സംബന്ധിച്ച്.</p>	<p>ജോലിചെയ്യുന്ന ഒരു ഹെഡ് ക്ലർക്കിനെയോ ജൂനിയർ സൂപ്രണ്ടിനെയോ ലെയ്സൺ ഓഫീസറുടെ ചാർജ്ജ് കൊടുത്തു കേസുകളുടെ വിഷയം കൈകാര്യം ചെയ്യാൻ നിർദ്ദേശിക്കാവുന്നതാണ്.</p>	<p>കുറപ്പിലെ നിർദ്ദേശം അംഗീകരിച്ചു.</p>	<p>മാത്രം) രൂപയും, ഒരു വർഷം 6,78,000/- (ആറ് ലക്ഷത്തി എഴുപത്തി എട്ടായിരം രൂപ മാത്രം) രൂപയും.</p>	
--	---	---	---	--

GOVERNMENT OF KERALA	
<b>(SHRI. PINARAYI VIJAYAN MINISTRY)</b>	
<b>Note for the Council of Ministers</b>	

1.	File No.	: WS-B3/4/2024-WRD
2.	Department	: Water Resources (Water Supply - B) Department
3.	Subject	: Approval for awarding 11 tender approval proposal submitted by MD, KWA
4.	Date of Chief Minister's order for placing before the Council	: 09.03.2024
5.	(i) Does the case involve financial commitments/ implications  (ii) If the answer to the above is in the affirmative, whether Finance Dept. been consulted and their remarks incorporated in the Council Note.	: Yes  : Yes
6.	Are any other departments concerned with the case and if so, have they been consulted and their remarks incorporated in the Note for the Council	: No
7.	Name of Additional Secretary who submitted the Draft Note.	: Shri.G. Sukumaran Nair
8.	Name of Principal Secretary who approved the Draft Note.	: Shri. Ashok Kumar Singh
9.	Date of approval of the Draft note for the Council by the Principal Secretary.	: 11.03.2024
10.	Name of Chief Secretary who approved the Draft Note.	: DR.Venu.V.

11.	Date of approval of the Draft Note for the Council by the Chief Secretary.	:	12.03.2024	
12.	Name of Minister who approved the Draft note.	:	Sri.Roshy Augustine	
13.	Date of approval of the Draft Note for the Council by the Minister	:	12.03.2024	
14.	Date of Submission of Fair Copies	:	12.03.2024	
15.	Date of decision by the Council of Ministers.	:		
16.	Number and date of the G.O./letter communicating the decision.	:		



## NOTE FOR THE COUNCIL OF MINISTERS

This note relates to the approval for awarding 11 tender approval proposal submitted by MD, KWA. The general remarks offered by Finance Department is as follows:

*AD is informed as follows*

*FD has given its remarks based on GO(P) 16/2017/Fin in the respective AD files requiring retender after recasting of estimates as applicable in view of the tender excess. Thereafter, in the meeting chaired by CS on 22/2/2024, it was decided that only those projects where awarding of each work will lead to completion of all components of the project thereby giving immediate benefit to the public should be explored (Such projects if not implemented would lead to infructuos expenditure) and hence can be submitted to Council of Minister for a decision.*

*Accordingly, WRD has identified 11 works as noted below, which as per that department fulfills the conditions as decided in the meeting of CS.*

*It is seen that these projects are implemented by breaking them into various packages. WRD has stated that majority of packages in such projects are either completed or ongoing.*

*In view of this, it appears that executing remaining packages has become a fait accompli.*

*However, it may be noted that by agreeing to the implementation of the proposed package, none of the 11 works are going to be complete as few more packages are to be arranged in addition to these to make the entire system functional.*

*AD may ensure that 50 % of the tender excess if applied should be met by GoI as stated in their remarks.*

*Hence AD is requested to take further action as noted above.*

**The details of the proposals are as follows.**

**1. JJM-WSS to Maneedu, Mulamthuruthy, Edakkattuvayal and Amballoor Panchayaths in Ernakulam District – Part - I - Design and construction of Production components, OHSR 9LL capacity at WTP site and providing pump sets & allied works - General Civil Work**  
(File No. WS-B3/250/2023-WRD)

Administrative Sanction amount	Rs.11846.00 Lakhs (G.O.(Rt)No.489/2021/WRD Dated 18.09.2021)
TPAC	200437464.86/-
Quoted Value Amount	247391975/- (Single bidder in 2 <sup>nd</sup> tender-Consortium, M/s.Marymatha Infrastructure Pvt. Ltd, Ernakulam)
Quoted Value % above	23.43%
LMR estimate	229837323.3/- (14.67% above TPAC)
Current SoR + 10%	220481211.35/- (10% above TPAC)
Excess liability of State Govt.	26910763.70/-
Benefitted FHTCs	35000
Remarks of Finance Department	Administrative Department is informed that since this is the 2 <sup>nd</sup> tender and as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, it is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions, and re-tender the work with wide publicity.
Reason	As per the amended JJM guidelines, all schemes sanctioned under JJM shall be implemented without cost and time over run. In case of any cost escalation beyond the approved cost, it will have to be borne by the concerned state and UTs with

legislature and no additional expenditure out of resources available under JJM will be permitted. if the "approved cost is more than the estimated cost at which the tender for a project or a scheme was invited, approval by the head of the Apex Committee of the state Water and Sanitation Mission headed by the Chief Secretary, shall be taken before the award of the work. Considering the above facts and also the importance for the timely completion of the project, consider and issue orders on sanctioning the tender.

**Comparison statement with Negotiated amount**

<b>Negotiated Amount Rs. 24,73,91,975.00</b>		
	<b>Amount</b>	<b>Negotiated amount Percentage above or below</b>
Tendered PAC	20,04,37,464.86	23.43% above
Current SoR+10% (DSR 2018)	22,04,81,211.35	12.20% above
Local Market Rate (LMR)	22,98,37,323.30	7.66% above

**Point for decision**

Whether the work may be sanctioned to the single tender of M/s.Marymatha Infrastructure Pvt. Ltd, Marymatha Square, Arakkuzha Road, Muvattupuzha, Ernakulam District - Sri. Abu Mathew, Koyikel House, Karikode P.O, Peruva, Kottayam - (Consortium) at his negotiated rate of Rs. Rs.247391975/- which is 23.43% above Tendered PAC, 12.20% above the Current SoR+10% (DSR 2018) and 7.66% above the Local Market Rate.

**2. Jal Jeevan Mission (JJM) - WSS to Vakathanam Panchayath in Kottayam District-Phase 1 - Package-1(B) - Design, Construction of 2 LL OHSR at Jarusalem mount, 45000L capacity GLSR at Dayara and, Supply, laying, testing and Commissioning of Distribution network in Vakathanam Panchayath-Pipeline Work**

(File No. WS-B3/285/2023-WRD)

Administrative Sanction amount	Rs.81.10 Crore (GO (Rt) No541/2020/WRD Dated 21-08-2020)
TPAC	66520194/-
Quoted Negotiated Amount	79518330/- (Single bidder in 2 <sup>nd</sup> tender - Majestic constructions, Panamkatt House, Karimkunnam .P.O, Thodupuzha
Quoted Value % above	19.54%
LMR estimate	77619106.04/- (16.69% above TPAC)
Current SoR + 10%	73172213.4/-
Excess liability of State Govt.	6346116.60/-
Benefitted FHTCs	2000
Remarks of Finance Department	The single tender received in the second tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017. As per para 4(v) of the G.O., if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the second tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are

	to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.		
Reason	The work has been tendered two times. The first e-tender was extended four times and cancelled due to no bid participation. In the first re-tender also only a single offer received even though after fourth extension. In the present condition, recasting and retendering the work again is time consuming and may lead to non-participation of bidders or very high quote, thus delaying the mission mode project further. The Superintending Engineer has also reported that this is the only package remaining to be awarded in Vakathanam panchayath. AS savings is available for accommodating the final negotiated rate considering accepted PAC of already awarded works and amount reserved for utility charges combined.		
<b>Comparison statement with Negotiated amount</b>			
<b>Negotiated Amount Rs. 7,95,18,330.00</b>			
	<b>Amount</b>	<b>Negotiated amount Percentage above or below</b>	
Tendered PAC	6,65,20,194	19.54% above	
Current SoR+10% (DSR 2018)	7,31,72,213.40	8.67% above	
Local Market Rate (LMR)	7,76,19,106.04	2.46% above	
<b>Point for Decision</b>	<b>Whether the work may be sanctioned to the</b>		

	Single bidder Majestic constructions, Panamkatt House, Karimkunniam P.O, Thodupuzha at his negotiated rate of Rs. 7,95,18,330.00 which is 19.54% above Tendered PAC, 8.67% above the Current SoR+10% (DSR 2018) and 2.46% above the Local Market Rate.
--	--

**3. Jal Jeevan Mission (JJM)-JJM-WSS to Kuttampuzha Panchayath- Package - IV - Providing FHTCs in Wards VI - Kallelimeedu of Kuttampuzha Panchayath- General Civil -Work**  
(File No. WS-B3/239/2023-WRD)

Administrative Sanction amount	Rs.4040.32 Lakhs (GO (Rt) No.134/2022/WRD dated 23.02.2022)
TPAC	34354058/-
Quoted Negotiated Amount	40537789/- (Sri. Monse. T.Paul, Thazhethekudiyil Njarakkad, Kadavoor P.O, Muvattupuzha)
Quoted Value % above	18.00%
LMR estimate	36663172.4/- (6.72% above TPAC)
Current SoR + 10%	37789463.95/-
Excess liability of State Govt.	3874646.60/-
Benefitted FHTCs	1000
Remarks of Finance Department	AD has not reworked the estimate as per site conditions even after the 1 <sup>st</sup> and 2 <sup>nd</sup> tender. Also, as per the JJM guidelines, cost escalation beyond admissible limits are to be borne by the concerned State. Therefore, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.

Reason	Even after repeated tenders, offer satisfying the present rules are not received. First tender was cancelled due to non-participation and even in retender, only single offer was received which was 18% above after negotiation. Also Superintending Engineer, PH Cricle, Kochi tried for re-negotiation with the single bidder through PRICE, in which the bidder has not reduced further on the amount which he had already negotiated. The contractor has reported during negotiation in PRICE that the work site is at a distance of 10 kilometers of dense forest with wild animals after a river crossing and hence it is not possible to reduce the already negotiated amount further and there stands little chance of getting better offers if re tendered again.
--------	---

**Comparison statement with Negotiated amount**

Negotiated Amount Rs. 4,05,37,789.00		
	<b>Amount</b>	<b>Negotiated amount Percentage above or below</b>
Tendered PAC	3,43,54,058.00	18.00% above
Current SoR+10% (DSR 2018)	3,77,89,463.80	7.24% above
Local Market Rate (LMR)	3,66,63,172.40	10.76% above

<b>Point for Decision</b>	Whether the work may be sanctioned to the Single bidder Sri. Monse. T .Paul, Thazhethekudiyil Njarakkad, Kadavoor P.O, Muvattupuzha at his negotiated rate of Rs. 4,05,37,789.00 which is 18.00% above Tendered PAC, 7.24% above the Current SoR+10% (DSR 2018) and 10.76% above the Local Market Rate.
---------------------------	---

**4. Jal Jeevan Mission (JJM) - WSS to Vengola, Rayamangalam Panchayaths - Construction of 15 LL OHSR at Onamvelikunnu and Providing CWPM to Onamvelikunnu- General Civil Work**  
(File No. WS-B3/240/2023-WRD)

Administrative Sanction amount	Rs.9313.26 lakhs (G.O.(Rt) No. 401/2022/WRD Dated 13.05.2022)
TPAC	72504926/-
Quoted Value Amount	90103479.07/- (Single bidder in 2 <sup>nd</sup> tender - Sri. K J Varghese, Kooran House, Akaparambu, Kariyad, Mekkad)
Quoted value % above	24.27%
Current SoR + 10%	79755418.88/- (10% above TPAC)
LMR estimate	83233374.4/-
Excess liability of State Govt.	10348060.12/-
Benefitted FHTCs	6500
Remarks of Finance Department	AD is informed that the single tender received in the second tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017. As per para 4(v) of the G.O., if LI received is above the approved amount even after re-tendering the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the second tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are



	to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.	
Reason	The Superintending Engineer, PH Circle, Kochi negotiated through PRICE with the bidder but the contractor was not willing to reduce further from the quoted amount which is 24.27% above TPAC. Even after repeated tenders, offers satisfying present rules are not received. First e-tender was cancelled due to non-participation and even in retender, only single offer was received and there stands little chance of getting better offers if re-tendered again.	
<b>Comparison statement with Quoted amount</b>		
<b>Quoted Amount Rs. 9,01,03,479.00</b>		
	<b>Amount</b>	<b>Quoted amount Percentage above or below</b>
Tendered PAC	7,25,04,926.00	24.27% above
Current SoR+10% (DSR 2018)	7,97,55,418.60	12.91% above
Local Market Rate (LMR)	8,32,33,374.40	8.30% above
<b><u>Point for decision</u></b>	Whether the work may be sanctioned to the Single bidder Sri. K J Varghese, Kooran House, Mekkad at his quoted rate of Rs. 9,01,03,479.00 which is 24.27% above Tendered PAC, 12.91% above the Current SoR+10% (DSR 2018) and 8.30% above the Local Market Rate.	

**5. Jal Jeevan Mission (JJM) - WSS to Aikkaranadu, Mazhuvannoor & Kunnathunadu Panchayaths - Construction of OHSR at Pattimattam 20 LL**

(File No. WS-B3/299/2023-WRD)

Administrative Sanction amount	Rs.17143 Lakhs (GO (Rt) No.401/2022/WRD dated 13.05.2022)
TPAC	62238989/-
Quoted Value Amount	71248986.69/- (The lowest amount quoted by Sri. Abu Mathew, 14/307, Karamel Koyikel (H), Karikode P0, Peruv, Kottayam)
Quoted Value % above	14.48%
LMR estimate	75749320.73/- (21.71% above TPAC)
Current SoR + 10%	68462888/- (10%above TPAC)
Excess liability of State Govt.	2786099.00/-
Benefitted FHTCs	7800
Remarks of Finance Department	The lowest quote received in the second tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017. As per para 4(v) of the G.O., if LI received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the second tender and also as it is reported that as per the JJM guidelines cost escalation beyond

	admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.	
Reason	A cold approach is seen from contractors when attending tenders for production components. Further more, since JJM works are Mission mode projects and need to be completed in a timely manner and since another package for giving FHTC connection works are in progress, this work is essential for fulfilling the satisfactory completion of the scheme.	
<b>Comparison statement with Quoted amount</b>		
<b>Quoted Amount Rs. 7,12,48,987.00</b>		
	<b>Amount</b>	<b>Quoted amount Percentage above or below</b>
Tendered PAC	6,22,38,989.00	14.48% above
Current SoR+10% (DSR 2018)	6,84,62,887.90	4.17% above
Local Market Rate (LMR)	7,57,49,320.73	6.00% below
<b>Point for decision</b>	Whether the work may be sanctioned to Sri. Abu Mathew, 14/307, Karamel Koyikel (H), Karikode PO, Peruv, Kottayam at his quoted rate of 7,12,48,987.00 which is 14.48% above Tendered PAC, 4.17% above the Current SoR+10% (DSR 2018) and 6.00% below the Local Market Rate.	

**6. JJM - WSS to Vengoor, Asamannoor & Mudakkuzha panchayaths - Augmentation of Water Supply Scheme To Vengoor, Mudakkuzha & Assamannoor Panchayaths - Package I - Construction of 9m dia Well Cum Pump House at Panamkuzhy, Erection of RW pump sets, Laying Charges for RW Pumping Main from RW Pump House at Panamkuzhy to WTP at Chooramudy, Erection of Transformer And Allied Work, Road Restoration Charges etc.-General Civil Work**

(File No. WS-B3/303/2023-WRD)

Administrative Sanction amount	R s. 14197.00 lakhs (G.O. (Rt)No.134/2022/WRD Dated 23- 02-2022)
TPAC	104123269.12/-
Quoted Value Amount	116058248.00/- (Single bidder in 2 <sup>nd</sup> tender Sri. P. P. Abbas Palliparamban House, Kunniyil, Areekode, Malappuram)
Quoted Value % above	12.00%
LMR estimate	114196446.07/- (10.20%above TPAC)
Current SoR + 10%	113985596/- (10% above TPAC)
Excess liability of State Govt.	2072652.00/-
Benefitted FHTCs	2200
Remarks of Finance Department	AD is informed that the single tender received in the second tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/02/2017. As per para 4(v) of the G.O., If LI received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate.

	<p>Since this is the second tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.</p>	
Reason	<p>Chief Engineer Central Region recommended the sanctioning of tender stating that this is a second tender call in which only a single tenderer has participated and bidder is not ready to reduce his quoted rate of 12.00 % above TPAC. It is also reported that there stands little chance of getting better offer if gone for re-tender again.</p>	
<b>Comparison statement with Quoted amount</b>		
Quoted Amount Rs. 11,60,58,248.00		
	<b>Amount</b>	<b>Quoted amount Percentage above or below</b>
Tendered PAC	10,36,23,269.12	12.00% above
Current SoR+10% (DSR 2018)	11,39,85,596.03	1.83% above
Local Market Rate (LMR)	11,41,96,446.07	1.63% above
<b>Point for decision</b>	<p>Whether the work may be sanctioned to the Single bidder Sri. P. P. Abbas Palliparamban House, Kunniyil, Areekode, Malppuram at his quoted rate of 11,60,58,248.00 which is 12.00% above Tendered PAC, 1.83% above the Current SoR+10% (DSR 2018) and 1.63% above the Local Market Rate.</p>	

**7. JJM-RWSS to Kadambanadu Panchayath- Demolishing the existing GL tank & Construction of OH Tank near Nalammile Jn.- Tender Sanction**

(File No. WS-B3/3/2024-WRD)

Administrative Sanction amount	Rs. 4664.30 lakh (G.O.(Rt) No.134/2022/WRD dated 23.02.2022)
TPAC	12229100/-
Quoted Negotiated Amount	15969127/- (Single bidder - Sri. Ajith Kumar N., Narayanavilasam, Anayadi P.O, Sooranad, Kollam )
Quoted Value % above	30.58%
LMR estimate	14437879.79/- (18.06 % above TPAC)
Current SoR + 10%	13452010.44/-
Excess liability of State Govt.	2517116.56/-
Benefitted FHTCs	2500
Remarks of Finance Department	AD is informed that the single tender received in the third tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017. As per para 4(v) of the G.O., if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the third tender and also as it is reported that as per the JJM guidelines cost

escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.

**Reason**  
 The C.E , southern Region reported that the work was already tendered thrice and only one offer received in the third tender call. IT is also reported that construction site is at an elevated area, it is difficult to transport the construction material to the site. Heavy vehicles with large capacity vehicles cannot be used for conveying purpose as the access road to the tank site is steep and narrow. Shifting of machinery to the site is difficult. Major part of the work is RCC. Movement of ready mix vehicle is not possible, which is to be carried out manually. The contractor has also pointed out the price hike in cement and steel. In these circumstances, the chance of getting better offer on further re-tendering is very less. The lagging of the work will adversely affect the current JJM works.

**Comparison statement with Negotiated amount**

<b>Negotiated Amount Rs.1,59,69,127.00</b>		
	<b>Amount</b>	<b>Negotiated amount Percentage above or below</b>
Tendered PAC	1,22,29,100.00	30.58% above
Current SoR+10% (DSR 2018)	1,34,52,010.00	19.17% above
Local Market Rate (LMR)	1,44,37,879.79	10.90% above

<b>Point for decision</b>	Whether the work may be sanctioned to the Single bidder Sri. Ajith Kumar. N., Narayanavilasam, Anayadi P.O, Sooranad, Kollam negotiated rate of Rs. 1,59,69,127.00 which is 30.58% above Tendered PAC, 19.17% above the Current SoR+10% (DSR 2018) and 10.90% above the Local Market Rate.		

**8. Jal Jeevan Mission (JJM)- WSS to Vengola, Rayamangalam Panchayaths Construction of 7.4LL capacity OH Tank at Peechnamugal and Providing CWPM from Kanjirakad WTP to Peechnamugal - Pipeline Work**

(File No. WS-B3/302/2023-WRD)

Administrative Sanction amount	Rs. 16524 lakhs (G.O.(Rt)No. 401/ 2022/ WRD Dated: 13-05-2022
TPAC	73112748/-
Quoted Value Amount	86304994.10/- (Single bidder in 3 <sup>rd</sup> tender -Sri. Asharaf T A,Thandakkala House,Chengarakara,Pattimattom PO,Ernakulam)
Quoted Value % above	18.04%
LMR estimate	81791321.59/- (11.87% above TPAC)
Current SoR + 10%	80424023.16/-
Excess liability of State Govt.	5880970.84/-
Benefitted FHTCs	3500
Remarks of Finance Department	The single tender received in the third tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017. As per para 4(v) of the



	<p>G.O., if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is the third tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.</p>
Reason	<p>CE (Central Region) reported that presently water is being supplied through rural schemes without WTP from the Periyar valley canal and present water supply is insufficient to cater to the existing and further connections. The subject work involves construction of 7.4 LL OHSR at Peechnamugal and providing 350 mm DI K9 Clear Water Pumping Main from Kanjirakkad WTP to Peechnamugal. The work of constructing 29 MLD WTP at Kanjirakkad has already been tendered. DSR 2018 was used for preparing the estimate but due to the ban of local quarries, market rate for rubble, coarse aggregate and sand has risen and also the cost of steel, DI pipe and labour charges has also increased. The major portion of CWGM passes through PWD roads in Perumbavoor municipality necessitating night work which is also a reason for high quote. The JJM work for providing FHTCs and laying pipeline of diameter carrying from 90mm to</p>

	250mm is nearing completion and without the satisfactory completion of the components in the subject work, the commissioning of the scheme is not feasible.
--	---

**Comparison statement with Quoted amount**

**Quoted Amount Rs. 8,63,04,994.00**

	Amount	Quoted amount Percentage above or below
Tendered PAC	7,31,12,748.00	18.04% above
Current SoR+10% (DSR 2018)	8,04,24,022.80	7.34% above
Local Market Rate (LMR)	8,17,91,321.59	5.51% above

**Point for decision**

Whether the work may be sanctioned to the Single bidder Sri. Asharaf T A, Thandakkala House, Chengarakara, Pattimattom PO, Ernakulam at his quoted rate of 8,63,04,994.00 which is 18.04% above Tendered PAC, 7.34% above the Current SoR+10% (DSR 2018) and 5.51% above the Local Market Rate.

**9.Jal Jeevan Mission (JJM)- WSS to Vengoor, Asamannoor & Mudakkuzha panchayaths-6 LL OH SR at Kallil and laying 200 mm DI pumping main - General Civil Work**

(File No. WS-B3/294/2023-WRD)

Administrative Sanction amount	Rs. 14197.00 Lakhs (G.O (Rt)No .134/2022/WRD Dated 23.02.2022)
TPAC	50102089/-
Quoted Value Amount	64563105.80/-

	(Single bidder in 3 <sup>rd</sup> tender - Shri.K.J Mani, Koovelikalapurackal, Vazhakkulam (P.O). Muvattupuzha.)
Quoted Value % above	28.86%
LMR estimate	58117008.45/- (16% above TPAC)
Current SoR + 10%	55112297.91/-
Excess liability of State Govt.	9450807.09/-
Benefitted FHTCs	3000
Remarks of Finance Department	AD has forwarded the single tender received in the 3 <sup>rd</sup> tender call which is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/12/2017) for approval. As per para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017, if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account, the special physical conditions of the area where the work is being executed and retender shall be initiated based on the revised estimate. Since this is the 3 <sup>rd</sup> tender. Also it is seen that AD has not reworked the estimate as per site conditions even after the 1 <sup>st</sup> and 2 <sup>nd</sup> tender. Also it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD may be requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 recast the estimate as per actual site conditions, and retender the work with wide publicity.
Reason	The proposed site for OHSR at Kallil is remote and hilly terrain. The soil strata are mostly rocky in nature. The road to the site

is earthen road and the distance of site from the main road is more, hence the conveyance charges will be high. The rate of materials as per DSR 2018 is used for preparing estimate, but due to ban of local quarries the present market rates for rubble, coarse aggregate and sand raised. Also, there was a rise in cost of steel, DI pipe and the labour charges. The above work was re-tendered twice and a single offer received. For the satisfactory completion of the scheme, it is essential to provide water supply with required pressure. For this KWA has informed that the component OHSR is inevitable without which the scheme could not be commissioned satisfactorily.

**Comparison statement with Quoted amount**

<b>Quoted Amount Rs. 6,45,63,105.00</b>		
	<b>Amount</b>	<b>Quoted amount % above or below</b>
Tendered PAC	5,01,02,089.00	28.86% above
Current SoR+10% (DSR 2018)	5,51,12,297.90	17.17% above
Local Market Rate (LMR)	5,81,17,008.45	10.93% above

**Point for decision**

Whether the work may be sanctioned to the Single bidder Shri.K.J Mani, Vazhakkulam (P.O). Muvattupuzha.at at his quoted rate of 6,45,63,105.00 which is 28.86% above Tendered PAC, 17.17% above the Current SoR+10% (DSR 2018) and 10.93% above the Local Market Rate.

**10. Jal Jeevan Mission (JJM) - CWSS to Mundakayam, Koruthode Panchayaths – Package 5 - Construction of GLSR at Chakirimedu and**

**Kombukuthi, Providing Steel BP tanks 2 Nos. at Kombukuthy, CWPM, CWGM, Distribution system and providing FHTCs**  
(File No. WS-B3/6/2024-WRD)

Administrative Sanction amount	Rs.251.21 Crores. (G.O)(Rt).No. I34/2022/WRD, dated 23.02.2022)
TPAC	166009839/-
Quoted Negotiated Amount	194445491/- (Sri Azeez M.M, Muthirakalayil House, Pezhakkappilly P.O. Muvattupuzha JV with M/s. KMA Power Tech, KMA Tower, Municipal Stadium Road, Market P.O., Muvattupuzha, Emakulam, Kerala)
Quoted Value % above	17.13%
LMR estimate	196290267.48/- (18.24% above TPAC)
Current SoR + 10%	182610822.75/-
Excess liability of State Govt.	11834668.25/-
Benefitted FHTCs	2100
Remarks of Finance Department	The single tender received in the third tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/02/2017. As per para 4(v) of the G.O, if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Since this is

the third tender and also as it is reported that as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.

**Reason**  
 Subject work has been tendered 3 times. In the first e-tender only a single offer has been received even after floating the tender for a period of 49 days by extending the due date and opening date successively for four times. In the first retender only single offer received; however the bidder was not prequalified. The present tender is second retender. In the present conditions, recasting and retendering the work again may consume valuable time, delaying the mission mode project further. Also nowadays, the response from bidders in participating for tenders under JJM, are less compared to previous years, owing to various reasons such as paucity of funds, fund release time gaps, fluctuations in market rate of pipes and construction materials etc.

**Comparison statement with Negotiated amount**

<b>Negotiated Amount Rs. 19,44,45,491.00</b>		
	<b>Amount</b>	<b>Negotiated amount Percentage above or below</b>
<b>Tendered PAC</b>	16,60,09,839.00	17.13% above

Current SoR+10% (DSR 2018)	18,26,10,822.90	6.49% above
Local Market Rate (LMR)	19,62,90,267.48	0.89% below
<b><u>Point for decision</u></b>	Whether the work may be sanctioned to the Single bidder Sri Azeez M.M, Muthirakalayil House, Pezhakkappilly P.O. Muvattupuzha JV with M/s. KMA Power Tech, KMA Tower, Municipal Stadium Road, Market P.O., Muvattupuzha, Emakulam, Kerala at his negotiated rate of Rs. 19,44,45,491.00 which is 17.13% above Tendered PAC, 6.49% above the Current SoR+10% (DSR 2018) and 0.89% below above the Local Market Rate.	

**11.JJM - WSS to Vengoor, Asamannoor & Mudakkuzha Panchayaths Construction of 3 LL capacity OHSR at Munipara in Vengoor Panchayath, Construction of 1.8 LL capacity OHSR at Vakkuvalli in Vengoor Panchayath and Supplying and laying CWGM from WTP site at Chooramudi - General Civil Work**  
(File No. WS-B3/295/2023-WRD)

Administrative Sanction amount	G.O (Rt)No.134/2022/WRD Dated 23.02.2022 for an amount of Rs. 14197.00 Lakhs
TPAC	83813803/-
Quoted Value Amount	100572882.12/- (Sri. M.J Abraham, Maruthuvettiyanickal House, Veliyannoor P.O., Kottayam District, Kerala JV with Sri. A Dominic, Olickal House, Green park colony, Thodupuzha P.O., Idukki.)
Quoted Value % above	20.00%
LMR estimate	93635465.46/- (11.72% above TPAC)

Current SoR + 10%	92195183.50/-
Excess liability of State Govt.	8377698.62/-
Benefitted FHTCs	2400
Remarks of Finance Department	AD is informed that the single tender received in the second tender call is beyond the admissible limits prescribed as per GO (P) No. 16/2017/Fin dated 06/02/2017. As per para 4(v) of the G.O., if L1 received is above the approved amount even after re-tendering, the estimate should be reworked and revised estimate shall be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate. Also, as per the JJM guidelines cost escalation beyond admissible limits are to be borne by the concerned State, AD is requested to follow para 4(v) of G.O. (P) No. 16/2017/Fin dated 06/02/2017 and recast the estimate as per actual site conditions and re-tender the work with wide publicity.
Reason	The above work is for the construction of OHSR of capacity 3 LL capacity OHSR at Munipara and 1.8 LL capacity OHSR at Vakkuvalli in Vengoor Panchayath, and laying clear water gravity main 400 mm DI K9-3035M, 300mm DI K9-3019m, 200mm DI K9-239m, 150mm DI K9- 3051m to this OHSR. The JJM work for providing 3204 FHTCs and laying pipeline of diameter varying from 90mm to 400mm in Vengoor Panchayath is progressing. The construction of 10 MLD plant for the above scheme at Chooramudy has started and is also ongoing. At present the water supply to most of the areas in the said Panchayath is through rural schemes without WTP from the Periyar valley Canal. The present water



supply is insufficient for the existing connections and also to the proposed JiM connections since there already exists water scarcity in the area.

**Comparison statement with Quoted amount**

**Quoted Amount Rs.10,05,72,882.12**

	Amount	Negotiated amount Percentage above or below
Tendered PAC	8,38,13,803.00	20.00% above
Current SoR+10% (DSR 2018)	9,21,95,183.30	9.09% above
Local Market Rate (LMR)	9,36,35,465.46	7.41% above

**Point for decision**

Whether the work may be sanctioned to the bidder Sri. M.J Abraham, Maruthuvettiyanickal House, Veliyannoor P.O., Kottayam District, Kerala JV with Sri. A Dominic, Olickal House, Green park colony, Thodupuzha P.O., Idukki at his quoted rate of 10,05,72,882.12 which is 20.00% above Tendered PAC, 9.09% above the Current SoR+10% (DSR 2018) and 7.41% above the Local Market Rate.

12/3/24

12

**GOVERNMENT OF KERALA**  
**(SHRI. PINARAYI VIJAYAN MINISTRY)**  
**Draft Note for the Council of Ministers**

1.	File No.	: WS-B3/177/2022-WRD
2.	Department	: Water Resources (Water Supply-B) Department
3.	Subject	: Whether the work of UWSS to Changanachery -- design and construction of 15 LL capacity OH Tank at Perunna and allied works <sup>may be awarded</sup> at the rate quoted by the M/s.Uralungal Labour Contract Co-operative Society Ltd at Rs.882.97 lakhs which is 34 % above tendered PAC and 0.76 % below LMR PAC.
4.	Date of Chief Minister's order for placing before the Council	: 24.03.2023. <i>note #39</i>
5.	(i) Does the case involve financial commitments/ implications  (ii) If the answer to the above is in the affirmative, whether Finance Dept. been consulted and their remarks incorporated in the Council Note.	: Yes  : Yes
6.	Are any other departments concerned with the case and if so, have they been	: No

	consulted and their remarks incorporated in the Note for the Council	:	
7.	Name of Additional Secretary who submitted the Draft Note.	:	Subhash.R
8.	Name of Additional Chief Secretary who approved the Draft Note.	:	Dr. Venk. V. : : :
9.	Date of approval of the Draft note for the Council by the Additional Chief Secretary.	:	3.4.23
10.	Name of Chief Secretary who approved the Draft Note.	:	Dr. V. P. Joy
11.	Date of approval of the Draft Note for the Council by the Chief Secretary.	:	
12.	Name of Minister who approved the Draft note.	:	Shri. Ro Shy Augustine
13.	Date of approval of the Draft Note for the Council by the Minister	:	
14.	Date of Submission of Fair Copies	:	
15.	Date of decision by the Council of Ministers.	:	
16.	Number and date of the G.O./letter communicating the decision.	:	

## DRAFT NOTE FOR COUNCIL OF MINISTERS

This note relates to the approval for awarding the work of UWSS to Changanachery - design and construction of 15 LL capacity OH Tank at Perunna and allied works <sup>to</sup> at the rate quoted by the M/s. Uralungal Labour Contract Co-operative Society Ltd at Rs.882.97 lakhs which is <sup>of the rate</sup> 34% above tendered PAC and 0.76% below LMR PAC.

2. As per G.O(Rt) No.8/2022/WRD dated 04.01.2022, <sup>✓</sup> ~~Flg Z~~

Government ~~has~~ accorded Administrative Sanction for the work for an amount of 1000 lakhs under State Plan 2021-2022. The scope of the work includes construction of 15 LL OHSR at Perunna, supply and installation of pump sets, laying of pumping main and inter connection works, renovation of pump house at Perunna, construction of office building, installation of flow meter, construction of compound wall, solar panel power system installation etc. Technical Sanction for the work was issued for Rs.909 lakhs on 12.01.2022.

3. Tender for the work was invited with due date as on 04.02.2022. No offer was received and hence the tender was extended to 14.02.2022. Due to non-participation, the tender was cancelled and re-<sup>was invited</sup> ~~tendered~~ with due date as on 23.02.2022. No bidders participated and hence the tender was extended twice as on 28.02.2022 and 03.03.2022. Single offer was received on second extension and the quoted rate was

77.08% above TPAC. The tender was sanctioned at 10 % above TPAC and work order issued. <sup>As</sup> ~~the~~ firm ~~has~~ submitted their unwillingness to execute the work due to the price hike of PVC and DI pipes, ~~hence~~ the work was cancelled.

P.2CF  
X

4. The estimate was then re-casted and retendered for an amount of Rs.658.93 lakhs with due date <sup>as on</sup> 27.05.2022. The TS for the work was issued on 3.5.2022 for Rs.779 lakhs. There <sup>was</sup> ~~is~~ change in the scope of work in the two tender calls. In the First tender call pumping lines and distribution network from OHSR at Perunna, replacing old and damaged AC lines and laying new lines were included. But in the second tender call, only laying pumping main to Perunna OHSR <sup>was</sup> ~~is~~ included. Replacing old damaged AC lines and laying new lines are included in AMRUT-2 scheme for Changanassery Municipality. As such there was reduction in the estimate amount. The technical bid was opened on 27.05.2022. Two bidders participated in <sup>the</sup> ~~a~~ bid namely M/s.Uralungal Labour Contract Co-operative Society Ltd, Madapally (quoted an amount of Rs.88297592.49/-, 34% above TPAC) and M/s Noble Tech Engineering Pvt Ltd, Palarivattom (quoted an amount of Rs.91592278.75/-, 39% above TPAC).

P.2CF  
Y

5. The work was awarded to M/s. Uralungal Labour Contract Cooperative Society Ltd at an amount of Rs.724.83 lakhs (10% above TPAC and 18.54% below LMR PAC). But the contractor ~~has~~ reported their

P.2CF  
Z

unwillingness to execute the work at the awarded amount. The second lowest tenderer M/s Noble tech Engineering P.Ltd, Kochi ~~has~~ also stated their unwillingness to execute the work at 10% above DSR rate. Chief Engineer (Southern Region) ~~has~~ informed that the subject work is of urgent nature, since the same is for enhancing the drinking water supply rate to 150 lpcd to the inhabitants of Changanassery Municipal area. ~~It is~~ <sup>He</sup> also reported that if the tender is cancelled and proceeded for re-tendering, a chance to get a better offer is remote and ~~was~~ recommended to award the work at a rate higher than 10% above estimate as the LMR rate is 35.04% above TPAC. Hence KWA has requested sanction for awarding the work at the rate quoted by the M/s.Uralungal Labour Contract Co-operative Society Ltd at Rs.882.97 lakhs which is 34% above tendered PAC and 0.76% below LMR PAC.

P.3CF  
(A)

6. As per para 3(d) of G.O.(P) No. 375/15/Fin dated 24.08.2015, <sup>"</sup>~~N~~ormally no tender excess above 10% of estimated PAC will be allowed. If the lowest tender received exceeds 10% of the estimated cost, all such works shall be re-tendered under normal circumstances. However, if the Heads of Departments feel that some works exceeding 10% of PAC are to be urgently executed in the exigency of public service, then all such works shall be sanctioned at Government level with the concurrence of Finance Department. The Head of Department shall

Flg  
Y

exercise due diligence in recommending each such proposal and should personally evaluate the circumstances that warrants such special considerations and submit a detailed justification for the acceptance of each such proposals."

7. In addition to the above, in para 4(iv) of G.O.(P) No.16/2017/Fin dated 06.02.2017, it has been stipulated that, the Maximum admissible tender excess shall be limited either to the quoted rate of the lowest bidder or local market rates or current DSR plus 10% tolerance limit whichever is less. In case, the quoted rate of the lowest bidder is above Current DSR plus 10% tolerance limit, the tender inviting authority themselves shall re-tender the work without referring the case to higher authorities.

Flag  
X  
—

8. Hence the file was forwarded to Finance Department for remarks and that Department has remarked that the work may be re-tendered at the current estimates.

P.SNF  
Nite 10

9. The work is of very urgent nature in order to address the water shortage in Changanassery municipality. The quoted rate is less than LMR which means that the quote equates with actual market prices. The bid was invited in May 2022 and price rate revision of pipes was introduced in June 2022. If the revised rate is calculated, the bid price would be nearer to the estimate itself. Based on the rate revision, if fresh

tenders are invited, it is most certain that there would be escalation in the price quoted, thus there is more expenditure to the exchequer.

10. Considering the exceptional urgency of the work as mentioned above, file was circulated to Hon'ble Chief Minister through Minister (WRD); for orders. Hon'ble Chief Minister has ordered to place the matter before the Council of Ministers.

File 16M  
Note 39

Points for Decision

Whether the work of UWSS to Changanachery design and construction of 15 LL capacity OH Tank at Perunna and allied works at the rate quoted by the M/s.Uralungal Labour Contract Co-operative Society Ltd at Rs.882.97 lakhs <sup>to</sup> <sup>quoted by them,</sup> which is 34% above tendered PAC and 0.76% below LMR PAC, <sup>may be awarded</sup> overruling the advice of Rndtpt?

3/4/23

W  
1/A

B  
3/4/23

J  
6/4/23

V  
↓



B Am



**GOVERNMENT OF KERALA**

**Abstract**

Water Resources Department - Approval for awarding 11 tender proposal submitted by Kerala Water Authority - Orders issued.

**WATER RESOURCES (WATER SUPPLY-B) DEPARTMENT**

G.O.(Ms)No.16/2024/WRD Dated, Thiruvananthapuram, 14-03-2024

1. Letter No.KWA-JB/3529/2023AEE6 dated 11.10.2023 from Joint Managing Director, Kerala Water Authority.
2. Letter No. KWA-JB/3457/2023-AEE6 dated 12.10.2023 from Joint Managing Director, Kerala Water Authority.
3. Letter No.KWA-JB/3869/2023-AEE6 dated 20.10.2023 from Joint Managing Director, Kerala Water Authority.
4. Letter No.KWA-JB/4146/2023-AEE6 dated 21.11.2023 from Joint Managing Director, Kerala Water Authority.
5. Letter No.KWA-JB/4748/2023-AEE6 dated 06.12.2023 from Managing Director, Kerala Water Authority.
6. Letter No. KWA-JB/3890/2023-AEE6 dated 07.12.2023 from Managing Director, Kerala Water Authority.
7. Letter No.KWA-JB/4869/2023-AE14 dated 08.12.2023 from Joint Managing Director, Kerala Water Authority.
8. Letter No. KWA-JB/4683/2023-AE-12 dated 23.12.2023 from Managing Director, Kerala Water Authority.
9. Letter No.KWA-JB/4713/2023-AEE6 dated 23.12.2023 from Managing Director, Kerala Water Authority.

10. Letter No.KWA-JB/5158/2023-AE-11 dated 01.01.2024 from Managing Director, Kerala Water Authority.
11. Letter No. KWA-JB/5737/2023-AEE6 dated 01.01.2024 from Managing Director, Kerala Water Authority.

### ORDER

As per letters read as 1-11 papers above Managing Director / Joint Managing Director, Kerala Water Authority has submitted 11 tender approval proposals under Jal Jeevan Mission (JJM) water supply scheme. Government examined each proposals in details. The details of the proposals and decision taken by Government in each cases are as follows:

**2. JJM-WSS to Maneedu, Mulamthuruthy, Edakkattuvayal and Amballoor Panchayaths in Ernakulam District – Part - I - Design and construction of Production components, OHSR 9LL capacity at WTP site and providing pump sets & allied works - General Civil Work**

Administrative Sanction amount	Rs.11846.00 Lakhs (G.O.(Rt)No.489/2021/WRD Dated 18.09.2021)
TPAC	200437464.86/-
Quoted Value Amount	247391975/- (Single bidder in 2 <sup>nd</sup> tender-Consortium, M/s.Marymatha Infrastructure Pvt. Ltd, Ernakulam)
Quoted Value % above	23.43%
I.MR estimate	229837323 3/-

		(14.67% above TPAC)
Current SoR + 10%		220481211.35/- (10% above TPAC)
Excess liability of State Govt.		26910763.70/-
Benefited FHTCs		35000
<b>Comparison statement with Negotiated amount</b>		
<b>Negotiated Amount Rs. 24,73,91,975.00</b>		
	<b>Amount</b>	<b>Negotiated amount Percentage above or below</b>
Tendered PAC	20,04,37,464.86	23.43% above
Current SoR+10% (DSR 2018)	22,04,81,211.35	12.20% above
Local Market Rate (LMR)	22,98,37,323.30	7.66% above

3. As per the amended JJM guidelines, all schemes sanctioned under JJM shall be implemented without cost and time over run. In case of any cost escalation beyond the approved cost, it will have to be borne by the concerned state and UTs with legislature and no additional expenditure out of resources available under JJM will be permitted. if the "approved cost is more than the estimated cost at which the tender for a project or a scheme was invited, approval by the head of the Apex Committee of the state Water and Sanitation Mission headed by the Chief Secretary, shall be taken before the award of the work.

*4. Considering the above facts and also on the importance for*

*the timely completion of the project, Government are pleased to accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) water supply scheme to Maneedu, Mulamthuruthy, Edakkattuvayal and Amballoor Panchayaths in Ernakulam District – Part - I - Design and construction of Production components, OHSR 9LL capacity at WTP site and providing pump sets & allied works to the Single bidder M/s.Marymatha Infrastructure Pvt. Ltd, Marymatha Square, Arakkuzha Road, Muvattupuzha, Ernakulam District - Sri. Abu Mathew, Koyikel House, Karikode P.O, Peruva, Kottayarn - (Consortium) at his negotiated rate of Rs. Rs.247391975/- which is 23.43% above Tendered PAC, 12.20% above the Current SoR+10% (DSR 2018) and 7.66% above the Local Market Rate.*

**5. Jal Jeevan Mission (JJM) - WSS to Vakathanam Panchayath in Kottayam District-Phase 1 - Package-1(B) - Design, Construction of 2 LL OHSR at Jarusalem mount, 45000L capacity GLSR at Dayara and, Supply, laying, testing and Commissioning of Distribution network in Vakathanam Panchayath-Pipeline Work**

Administrative Sanction amount	Rs.81.10 Crore (GO (Rt) No541/2020/WRD Dated 21-08-2020)
TPAC	66520194/-
Quoted Negotiated Amount	79518330/-  (Single bidder in 2 <sup>nd</sup> tender - Majestic constructions, Panamkatt House, Karimkunnam .P.O, Thodupuzha

Quoted Value % above	19.54%	
LMR estimate	77619106.04/- (16.69% above TPAC)	
Current SoR + 10%	73172213.4/-	
Excess liability of State Govt.	6346116.60/-	
Benefitted FHTCs	2000	
<b>Comparison statement with Negotiated amount</b>		
<b>Negotiated Amount Rs. 7,95,18,330.00</b>		
	<b>Amount</b>	<b>Negotiated amount Percentage above or below</b>
Tendered PAC	6,65,20,194	19.54% above
Current SoR+10% (DSR 2018)	7,31,72,213.40	8.67% above
Local Market Rate (LMR)	7,76,19,106.04	2.46% above

6. The work has been tendered two times. The first e-tender was extended four times and cancelled due to no bid participation. In the first re-tender also only a single offer received even though after fourth extension. In the present condition, recasting and retendering the work again is time consuming and may lead to non-participation of bidders or very high quote, thus delaying the mission mode project further. The Superintending Engineer, Kerala Water Authority has also reported that this is the only package remaining to be awarded in Vakathanam panchayath. AS savings is available for accommodating the final negotiated rate considering accepted PAC of already awarded works and amount reserved for utility charges combined.

7. Considering the above facts and also on the importance for the timely completion of the project, Government are pleased to accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to Vakathanam Panchayath in Kottayam District-Phase 1 - Package-1(B) - Design, Construction of 2 LL OHSR at Jarusalem mount, 45000 L capacity GLSR at Dayara and, Supply, laying, testing and Commissioning of Distribution network in Vakathanam Panchayath-Pipeline Work to the Single bidder Majestic constructions, Panamkatt House, Karimkunnam P.O, Thodupuzha at his negotiated rate of Rs. 7,95,18,330.00 which is 19.54% above Tendered PAC, 8.67% above the Current SoR+10% (DSR 2018) and 2.46% above the Local Market Rate.

**8. Jal Jeevan Mission (JJM)-JJM-WSS to Kuttampuzha Panchayath-Package - IV - Providing EHTCs in Wards VI - Kallelimedu of Kuttampuzha Panchayath- General Civil -Work**

Administrative Sanction amount	Rs.4040.32 Lakhs (GO (Rt) No.134/2022/WRD dated 23.02.2022)
TPAC	34354058/-
Quoted Negotiated Amount	40537789/- (Sri. Monse. T.Paul, Thazhethekudiyil Njarakkad, Kadavoor P.O, Muvattupuzha)
Quoted Value % above	18.00%
TMP estimate	26662172.41

Current SoR + 10%		37789463.95/-
Excess liability of State Govt.		3874646.60/-
Benefitted FHTCs		1000
<b>Comparison statement with Negotiated amount</b>		
<b>Negotiated Amount Rs. 4,05,37,789.00</b>		
	<b>Amount</b>	<b>Negotiated amount Percentage above or below</b>
Tendered PAC	3,43,54,058.00	18.00% above
Current SoR+10% (DSR 2018)	3,77,89,463.80	7.24% above
Local Market Rate (LMR)	3,66,63,172.40	10.76% above

9. Even after repeated tenders, offer satisfying the present rules are not received. First tender was cancelled due to non participation and even in retender, only single offer was received which was 18% above after negotiation. Also Superintending Engineer, PH Cricle, Kochi tried for re-negotiation with the single bidder through PRICE, in which the bidder has not reduced further on the amount which he had already negotiated. The contractor has reported during negotiation in PRICE that the work site is at a distance of 10 kilometers of dense forest with wild animals after a river crossing and hence it is not possible to reduce the already negotiated amount further and there stands little chance of getting better offers if re tendered again.

10. Considering the above facts and also on the importance

for the timely completion of the project, Government are pleased to accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to Kuttampuzha Panchayath - Package - IV - Providing FHTCs in Wards VI - Kallelimedu of Kuttampuzha Panchayath to the Single bidder Sri. Monse.T.Paul, Thazhethekudiyil Njarakkad, Kadavoor P.O, Muvattupuzha at his negotiated rate of Rs. 4,05,37,789.00 which is 18.00% above Tendered PAC, 7.24% above the Current SoR+10% (DSR 2018) and 10.76% above the Local Market Rate.

**11. Jal Jeevan Mission (JJM) - WSS to Vengola, Rayamangalam Panchayaths - Construction of 15 LL OHSR at Onamvelikunnu and Providing CWPM to Onamvelikunnu- General Civil Work**

Administrative Sanction amount	Rs.9313.26 lakhs (G.O.(Rt) No. 401/2022/WRD Dated 13.05.2022)
TPAC	72504926/-
Quoted Value Amount	90103479.07/-  (Single bidder in 2 <sup>nd</sup> tender - Sri. K J Varghese, Kooran House, Akaparambu, Kariyad, Mekkad)
Quoted value % above	24.27%
Current SoR + 10%	79755418.88/-  (10% above TPAC)



LMR estimate	83233374.4/-	
Excess liability of State Govt.	10348060.12/-	
Benefitted FHTCs	6500	
<b>Comparison statement with Quoted amount</b>		
<b>Quoted Amount Rs. 9,01,03,479.00</b>		
	<b>Amount</b>	<b>Quoted amount Percentage above or below</b>
Tendered PAC	7,25,04,926.00	24.27% above
Current SoR+10% (DSR 2018)	7,97,55,418.60	12.91% above
Local Market Rate (LMR)	8,32,33,374.40	8.30% above

12. The Superintending Engineer, PH Circle, Kochi negotiated through PRICE with the bidder but the contractor was not willing to reduce further from the quoted amount which is 24.27% above TPAC. Even after repeated tenders, offers satisfying present rules are not received. First e-tender was cancelled due to non-participation and even in retender, only single offer was received and there stands little chance of getting better offers if re-tendered again.

13. Considering the above facts and also on the importance for the timely completion of the project, Government are pleased to

accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to Vengola, Rayamangalam Panchayaths - Construction of 15 LL OHSR at Onamvelikunnu and Providing CWPM to Onamvelikunnu to the Single bidder Sri. K J Varghese, Kooran House, Mekkad at his quoted rate of Rs. 9,01,03,479.00 which is 24.27% above Tendered PAC, 12.91% above the Current SoR+10% (DSR 2018) and 8.30% above the Local Market Rate.

**14. Jal Jeevan Mission (JJM) - WSS to Aikkaranadu, Mazhuyannoor & Kunnathunadu Panchayaths - Construction of OHSR at Pattimattam 20 LL**

Administrative Sanction amount		Rs.17143 Lakhs (GO (Rt) No.401/2022/WRD dated 13.05.2022
TPAC		62238989/-
Quoted Value Amount		71248986.69/- (The lowest amount quoted by Sri. Abu Mathew, 14/307, Karamel Koyikel (H), Karikode P0, Peruv, Kottayam)
Quoted Value % above		14.48%
LMR estimate		75749320.73/- (21.71% above TPAC)
Current SoR + 10%		68462888/- (10%above TPAC)
Excess liability of State Govt		2786099 00/-

GROSS BIDDING OF STATE GOVT.		27,000,000
Benefitted FHTCs		7800
<b>Comparison statement with Quoted amount</b>		
<b>Quoted Amount Rs. 7,12,48,987.00</b>		
	<b>Amount</b>	<b>Quoted amount Percentage above or below</b>
Tendered PAC	6,22,38,989.00	14.48% above
Current SoR+10% (DSR 2018)	6,84,62,887.90	4.17% above
Local Market Rate (LMR)	7,57,49,320.73	6.00% below

15. A cold approach is seen from contractors when attending tenders for production components. Further more, since JJM works are Mission mode projects and need to be completed in a timely manner and since another package for giving FHTC connection works are in progress, this work is essential for fulfilling the satisfactory completion of the scheme.

16. Considering the above facts and also on the importance for the timely completion of the project, Government are pleased to accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to Aikkaranadu, Mazhuvannoor & Kunnathunadu Panchayaths - Construction of OHSR at Pattimattam 20 LL to Sri. Abu Mathew, 14/307, Karamel Koyikel (H), Karikode P0, Peruv, Kottayam at his quoted rate of 7,12,48,987.00 which is 14.48%

above Tendered PAC, 4.17% above the Current SoR+10% (DSR 2018) and 6.00% below the Local Market Rate.

**17. JJM - WSS to Vengoor, Asamannoor & Mudakkuzha panchayaths - Augmentation of Water Supply Scheme To Vengoor, Mudakkuzha & Assamannoor Panchayaths - Package I - Construction of 9m dia Well Cum Pump House at Panamkuzhy, Erection of RW pump sets, Laying Charges for RW Pumping Main from RW Pump House at Panamkuzhy to WTP at Chooramudy, Erection of Transformer And Allied Work, Road Restoration Charges etc.-General Civil Work**

Administrative Sanction amount	R s. 14197.00 lakhs (G.O. (Rt)No.134/2022/WRD Dated 23- 02- 2022)
TPAC	104123269.12/-
Quoted Value Amount	116058248.00/- (Single bidder in 2 <sup>nd</sup> tender - Sri. P. P. Abbas Palliparamban House, Kunniyil, Areekode, Malappuram)
Quoted Value % above LMR estimate	12.00%
LMR estimate	114196446.07/- (10.20%above TPAC)
Current SoR + 10%	113985596/- (10% above TPAC)
Excess liability of State Govt.	2072652.00/

EXCESS LIABILITY OF STATE GOVTL.	20/2024.00/-	
Benefitted FHTCs	2200	
<b>Comparison statement with Quoted amount</b>		
<b>Quoted Amount Rs. 11,60,58,248.00</b>		
	<b>Amount</b>	<b>Quoted amount Percentage above or below</b>
Tendered PAC	10,36,23,269.12	12.00% above
Current SoR+10% (DSR 2018)	11,39,85,596.03	1.83%above
Local Market Rate (LMR)	11,41,96,446.07	1.63% above

18. Chief Engineer, Central Region, Kerala Water Authority has recommended the sanctioning of tender stating that this is a second tender call in which only a single tenderer has participated and bidder is not ready to reduce his quoted rate of 12.00 % above TPAC. It is also reported that there stands little chance of getting better offer if gone for re-tender again.

*19. Considering the above facts and also on the importance for the timely completion of the project, Government are pleased to accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to Vengoor, Asamannoor & Mudakkuzha panchayaths - Augmentation of Water Supply Scheme To Vengoor, Mudakkuzha & Assamannoor Panchayaths - Package I - Construction of 9m dia Well Cum Pump House at Panamkuzhy, Erection of RW pump sets, Laying Charges for RW Pumping Main from RW Pump House at Panamkuzhy to WTP at Chooramudy, Erection of Transformer And Allied Work, Road*

*Restoration Charges etc to the Single bidder Sri. P. P. Abbas Palliparamban House, Kunniyil, Areekode, Malppuram at his quoted rate of 11,60,58,248.00 which is 12.00% above Tendered PAC, 1.83% above the Current SoR+10% (DSR 2018) and 1.63% above the Local Market Rate.*

**20. JJM-RWSS to Kadambanadu Panchayath- Demolishing the existing GL tank & Construction of OH Tank near Nalammile Jn.- Tender Sanction**

Administrative Sanction amount		Rs. 4664.30 lakh (G.O.(Rt) No.134/2022/WRD dated 23.02.2022)
TPAC		12229100/-
Quoted Negotiated Amount		15969127/- (Single bidder - Sri. Ajith Kumar. N., Narayanavilasam, Anayadi P.O, Sooranad, Kollam )
Quoted Value % above		30.58%
LMR estimate		14437879.79/- (18.06 % above TPAC)
Current SoR + 10%		13452010.44/-
Excess liability of State Govt.		2517116.56/-
Benefitted FHTCs		2500
<b>Comparison statement with Negotiated amount</b>		
<b>Negotiated Amount Rs.1,59,69,127.00</b>		
	<b>Amount</b>	<b>Negotiated amount</b>

		Percentage above or below
Tendered PAC	1,22,29,100.00	30.58% above
Current SoR+10% (DSR 2018)	1,34,52,010.00	19.17% above
Local Market Rate (LMR)	1,44,37,879.79	10.90% above

21. The C.E, Southern Region reported that the work was already tendered thrice and only one offer received in the third tender call. It is also reported that construction site is at an elevated area, it is difficult to transport the construction material to the site. Heavy vehicles with large capacity vehicles cannot be used for conveying purpose as the access road to the tank site is steep and narrow. Shifting of machinery to the site is difficult. Major part of the work is RCC. Movement of ready mix vehicle is not possible, which is to be carried out manually. The contractor has also pointed out the price hike in cement and steel. In these circumstances, the chance of getting better offer on further re-tendering is very less. The lagging of the work will adversely affect the current JJM works.

**22. Considering the above facts and also on the importance for the timely completion of the project, Government are pleased to accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to Kadambanadu Panchayath- Demolishing the existing GL tank & Construction of OH Tank near Nalammile Jn to the Single bidder Sri. Ajith Kumar. N., Narayanavilasam, Anayadi P.O, Sooranad, Kollam at his negotiated rate of Rs. 1,59,69,127.00 which is 30.58% above Tendered PAC, 19.17% above the Current**

SoR+10% (DSR 2018) and 10.90% above the Local Market Rate.

**23. Jal Jeevan Mission (JJM) - WSS to Vengola, Rayamangalam Panchayaths Construction of 7.4LL capacity OH Tank at Peechnamugal and Providing CWPM from Kanjirakad WTP to Peechnamugal - Pipeline Work**

Administrative Sanction amount	Rs. 16524 lakhs (G.O.(Rt)No. 401/2022/ WRD Dated: 13-05-2022)	
TPAC	73112748/-	
Quoted Value Amount	86304994.10/- (Single bidder in 3 <sup>rd</sup> tender -Sri.Asharaf TA, Thandakkala House, Chengarakara, Pattimattom PO, Ernakulam)	
Quoted Value % above	18.04%	
LMR estimate	81791321.59/- (11.87% above TPAC)	
Current SoR + 10%	80424023.16/-	
Excess liability of State Govt.	5880970.84/-	
Benefitted FHTCs	3500	
<b>Comparison statement with Quoted amount</b>		
<b>Quoted Amount Rs. 8,63,04,994.00</b>		
	<b>Amount</b>	<b>Quoted amount</b>



		Percentage above or below
Tendered PAC	7,31,12,748.00	18.04% above
Current SoR+10% (DSR 2018)	8,04,24,022.80	7.34% above
Local Market Rate (LMR)	8,17,91,321.59	5.51% above

24. Chief Engineer (Central Region) reported that presently water is being supplied through rural schemes without WTP from the Periyar valley canal and present water supply is insufficient to cater to the existing and further connections. The subject work involves construction of 7.4 LL OHSR at Peechnamugal and providing 350 mm DI K9 Clear Water Pumping Main from Kanjirakkad WTP to Peechnamugal. The work of constructing 29 MLD WTP at Kanjirakkad has already been tendered. DSR 2018 was used for preparing the estimate but due to the ban of local quarries, market rate for rubble, coarse aggregate and sand has risen and also the cost of steel, DI pipe and labour charges has also increased. The major portion of CWGM passes through PWD roads in Perumbavoor municipality necessitating night work which is also a reason for high quote. The JJM work for providing FHTCs and laying pipeline of diameter carrying from 90mm to 250mm is nearing completion and without the satisfactory completion of the components in the subject work, the commissioning of the scheme is not feasible.

*25. Considering the above facts and also on the importance for the timely completion of the project, Government are pleased to*

*accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to Vengola, Rayamangalam Panchayaths Construction of 7.4LL capacity OH Tank at Peechnamugal and Providing CWPM from Kanjirakad WTP to Peechnamugal - Pipeline Work to the the Single bidder Sri. Asharaf T A, Thandakkala House, Chengarakara, Pattimattom PO, Ernakulam at his q uoted rate of 8,63,04,994.00 which is 18.04% above Tendered PAC, 7.34% above the Current SoR+10% (DSR 2018) and 5.51% above the Local Market Rate.*

**26.Jal Jeevan Mission (JJM) - WSS to Vengoor, Asamannoor & Mudakkuzha panchayaths-6 LL OH SR at Kallil and laying 200 mm DI pumping main - General Civil Work**

Administrative Sanction amount	Rs. 14197.00 Lakhs (G.O (Rt)No .134/2022/WRD Dated 23.02.2022)
TPAC	50102089/-
Quoted Value Amount	64563105.80/- (Single bidder in 3 <sup>rd</sup> tender - Shri.K.J Mani, Koovelikalapurackal, Vazhakkulam (P.O),, Muvattupuzha.)
Quoted Value % above	28.86%
LMR estimate	58117008.45/- (16% above TPAC)
Current SoR + 10%	55112297.91/-
Excess liability of State Govt.	9450807.09/-
Benefitted FHTCs	3000
<b>Comparison statement with Quoted amount</b>	

**Comparison statement with Quoted amount**

<b>Quoted Amount Rs. 6,45,63,105.00</b>		
	<b>Amount</b>	<b>Quoted amount % above or below</b>
Tendered PAC	5,01,02,089.00	28.86% above
Current SoR+10% (DSR 2018)	5,51,12,297.90	17.17% above
Local Market Rate (LMR)	5,81,17,008.45	10.93% above

27. The proposed site for OHSR at Kallil is remote and hilly terrain. The soil strata are mostly rocky in nature. The road to the site is earthen road and the distance of site from the main road is more, hence the conveyance charges will be high. The rate of materials as per DSR 2018 is used for preparing estimate, but due to ban of local quarries the present market rates for rubble, coarse aggregate and sand raised. Also, there was a rise in cost of steel, DI pipe and the labour charges. The above work was re-tendered twice and a single offer received. For the satisfactory completion of the scheme, it is essential to provide water supply with required pressure. For this KWA has informed that the component OHSR is inevitable without which the scheme could not be commissioned satisfactorily.

*28. Considering the above facts and also on the importance for the timely completion of the project, Government are pleased to accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to Vengoor, Asamannoor & Mudakkuzha panchayaths-6 LL OH SR at Kallil and laying 200 mm DI pumping main to the Single bidder*

*Shri.K.J Mani, Vazhakkulam (P.O),, Muvattupuzha at his quoted rate of 6,45,63,105.00 which is 28.86% above Tendered PAC, 17.17% above the Current SoR+10% (DSR 2018) and 10.93% above the Local Market Rate.*

**29. Jal Jeevan Mission (JJM) - CWSS to Mundakayam, Koruthode Panchayaths – Package 5 - Construction of GLSR at Chakirimedu and Kombukuthi, Providing Steel BP tanks 2 Nos. at Kombukuthy, CWPM, CWGM, Distribution system and providing FHTCs**

Administrative Sanction amount	Rs.251.21 Crores. (G.O (Rt).No. I34/2022/WRD, dated 23.02.2022)
TPAC	166009839/-
Quoted Negotiated Amount	194445491/-  (Sri Azeez M.M, Muthirakalayil House, Pezhakkappilly P.O. Muvattupuzha JV with M/s. KMA Power Tech, KMA Tower, Municipal Stadium Road, Market P.O., Muvattupuzha, Emakulam, Kerala)
Quoted Value % above	17.13%
LMR estimate	196290267.48/-  (18.24% above TPAC)
Current SoR + 10%	182610822.75/-
Excess liability of State Govt.	11834668.25/-
Benefitted FHTCs	2100
<b>Comparison statement with Negotiated amount</b>	
Negotiated Amount Rs. 19,44,45,491.00	

NEGOTIATED AMOUNT RS. 17,77,73,771.00		
	Amount	Negotiated amount Percentage above or below
Tendered PAC	16,60,09,839.00	17.13% above
Current SoR+10% (DSR 2018)	18,26,10,822.90	6.49% above
Local Market Rate (LMR)	19,62,90,267.48	0.89% below

30. Subject work has been tendered 3 times. In the first e-tender only a single offer has been received even after floating the tender for a period of 49 days by extending the due date and opening date successively for four times. In the first retender only single offer received; however the bidder was not prequalified. The present tender is second retender. In the present conditions, recasting and retendering the work again may consume valuable time, delaying the mission mode project further. Also nowadays, the response from bidders in participating for tenders under JJM, are less compared to previous years, owing to various reasons such as paucity of funds, fund release time gaps, fluctuations in market rate of pipes and construction materials etc.

*31. Considering the above facts and also on the importance for the timely completion of the project, Government are pleased to accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to CWSS to Mundakayam, Koruthode Panchayaths – Package 5 - Construction of GLSR at Chakirimedu and Kombukuthi, Providing Steel BP tanks 2 Nos. at Kombukuthy, CWPM, CWGM, Distribution*

*system and providing FHTCs to the Single bidder Sri Azeez M.M, Muthirakalayil House, Pezhakkappilly P.O. Muvattupuzha JV with M/s. KMA Power Tech, KMA Tower, Municipal Stadium Road, Market P.O., Muvattupuzha, Emakulam, Kerala at his negotiated rate of Rs. 19,44,45,491.00 which is 17.13% above Tendered PAC, 6.49% above the Current SoR+10% (DSR 2018) and 0.89% below above the Local Market Rate.*

**3 2 .JJM - WSS to Vengoor, Asamannoor & Mudakkuzha Panchayaths Construction of 3 LL capacity OHSR at Munipara in Vengoor Panchayath, Construction of 1.8 LL capacity OHSR at Vakkuvalli in Vengoor Panchayath and Supplying and laying CWGM from WTP site at Chooramudi - General Civil Work**

Administrative Sanction amount	G.O (Rt)No.134/2022/WRD Dated 23.02. 2022 for an amount of Rs. 14197.00 Lakhs
TPAC	83813803/-
Quoted Value Amount	100572882.12/- (Sri. M.J Abraham, Maruthuvettiyanickal House, Veliyannoor P.O., Kottayam District, Kerala JV with Sri. A Dominic, Olickal House, Green park colony, Thodupuzha P.O., Idukki.)
Quoted Value % above	20.00%
LMR estimate	93635465.46/- (11.72% above TPAC)
Current SoR + 10%	92195183.50/-
Excess liability of State Govt	8277608 62/

EXCESS LIABILITY OF STATE GOVT.		03/10/2024
Benefitted FHTCs		2400
<b>Comparison statement with Quoted amount</b>		
<b>Quoted Amount Rs.10,05,72,882.12</b>		
	Amount	Negotiated amount Percentage above or below
Tendered PAC	8,38,13,803.00	20.00% above
Current SoR+10% (DSR 2018)	9,21,95,183.30	9.09% above
Local Market Rate (LMR)	9,36,35,465.46	7.41% above

33. The above work is for the construction of OHSR of capacity 3 LL capacity OHSR at Munipara and 1.8 LL capacity OHSR at Vakkuvalli in Vengoor Panchayath, and laying clear water gravity main 400 mm DI K9-3035M, 300mm DI K9-3019m, 200mm DI K9-239m, 150mm DI K9-3051m to this OHSR. The JJM work for providing 3204 FHTCs and laying pipeline of diameter varying from 90mm to 400mm in Vengoor Panchayath is progressing. The construction of 10 MLD plant for the above scheme at Chooramudy has started and is also ongoing. At present the water supply to most of the areas in the said Panchayath is through rural schemes without WTP from the Periyar valley Canal. The present water supply is insufficient for the existing connections and also to the proposed JJM connections since there already exists water scarcity in the area.

*34. Considering the above facts and also on the importance for the timely completion of the project, Government are pleased to*

*accord sanction to the Managing Director, Kerala Water Authority to award the work of Jal Jeevan Mission (JJM) Water Supply Scheme to Vengoor, Asamannoor & Mudakkuzha Panchayaths Construction of 3 LL capacity OHSR at Munipara in Vengoor Panchayath, Construction of 1.8 LL capacity OHSR at Vakkuvalli in Vengoor Panchayath and Supplying and laying CWGM from WTP site at Chooramudi to the bidder Sri. M.J Abraham, Maruthuvettiyanickal House, Veliyannoor P.O., Kottayam District, Kerala JV with Sri. A Dominic, Olickal House, Green park colony, Thodupuzha P.O., Idukki at his quoted rate of 10,05,72,882.12 which is 20.00% above Tendered PAC, 9.09% above the Current SoR+10% (DSR 2018) and 7.41% above the Local Market Rate.*

(By order of the Governor)

ASHOK KUMAR SINGH I A S  
PRINCIPAL SECRETARY

1. The Managing Director, Kerala Water Authority,  
Thiruvananthapuram.
2. Principal Accountant General (Audit/A&E), Kerala,  
Thiruvananthapuram.
3. Finance Department.
4. General Administration (S.C) Department.
5. The Information Officer, Web & New Media, I&PRD.
6. Stock File/Office Copy.

Forwarded /By order

Section Officer



Copy to:

1. PS to Minister for Water Resources.
2. CA to Special Secretary (Water Resources Department).



GOVERNMENT OF KERALA



Abstract

Water Resources Department - UWSS to Changanachery - Design and construction of 15 LL capacity OH Tank at Perunna and allied works-According of sanction to the Managing Director, Kerala Water Authority to award the work to M/s. Uralungal Labour Contract Co-operative Society Ltd at Rs.882.97 lakhs which is 34 % above tendered PAC and 0.76 % below LMR PAC - Orders issued.

---

WATER RESOURCES (WATER SUPPLY-B) DEPARTMENT

G.O.(Ms)No.26/2023/WRD Dated.Thiruvananthapuram, 20-04-2023

---

Read 1 G.O(Rt) No.8/2022/WRD dated 04.01.2022.

2 Letter No.KWA/JB/PIU-1/AEE-1/8/2021-22 dated 24.08.2022 from Managing Director, Kerala Water Authority.

ORDER

As per Government order read as 1<sup>st</sup> paper above. Government accorded Administrative Sanction for the construction of 15 LL OHSR at Perunna, supply and installation of pump sets, laying of pumping main and inter connection works, renovation of pump house at Perunna, construction of office building, installation of flow meter, construction of compound wall, solar panel power system installation etc. for an amount of 1000 lakhs under State Plan 2021-2022. Technical Sanction for the work was issued for Rs.909 lakhs on 12.01.2022.

2) Tender for the work was invited with due date as on 04.02.2022. No offer was received and hence the tender was extended to 14.02.2022. Due to non-participation, the tender was cancelled and re-tender was invited with due date as on 23.02.2022. No bidders participated and hence the tender was extended twice as on 28.02.2022 and 03.03.2022. Single offer was received on second extension and the quoted rate was 77.08% above TPAC. The tender was sanctioned at 10 % above TPAC and work order was issued. As the firm submitted their unwillingness to execute the work due to the price hike of PVC and DI pipes, the work was cancelled.

3) The estimate was then re-casted and re-tendered for an amount of Rs.658.93 lakhs with due date as on 27.05.2022. The Technical Sanction for the work was issued on 3.5.2022 for Rs.779 lakhs. There was change in the scope of work in the two tender calls. In the First tender call pumping lines and distribution network from OHSR at Perunna.

replacing old and damaged AC lines and laying new lines were included. But in the second tender call, only laying pumping main to Perunna OHSR was included. Replacing old damaged AC lines and laying new lines are included in AMRUT-2 scheme for Changanassery Municipality. As such there was reduction in the estimate amount. The technical bid was opened on 27.05.2022. Two bidders participated in the bid namely M/s.Uralungal Labour Contract Co-operative Society Ltd, Madapally (quotes an amount of Rs.88297592.49/-, 34% above TPAC) and M/s Noble Tech Engineering Pvt Ltd, Palarivattom (Quotes an amount of Rs.91592278.75/-, 39% above TPAC).

4) The work was awarded to M/s. Uralungal Labour Contract Cooperative Society Ltd at an amount of Rs.724.83 lakhs (10% above TPAC and 18.54 % below LMR PAC). But the contractor reported their unwillingness to execute the work at the awarded amount. The second lowest tenderer M/s Noble tech Engineering P.Ltd, Kochi also stated their unwillingness to execute the work at 10 % above DSP rate. Chief Engineer (Southern Region) informed that the subject work is of urgent nature since the same is for enhancing the drinking water supply rate to 150 lpcd to the inhabitants of Changanassery Municipal area. As per letter read as 2<sup>nd</sup> paper above the Managing Director, Kerala Water Authority reported that if the tender is cancelled and proceeded for re-tendering, a chance to get a better offer is meagre and recommended to award the work at a rate higher than 10% above estimate as the LMR rate is 35.04% above TPAC. Hence he requested sanction for awarding the work at the rate quoted by the M/s. Uralungal Labour Contract Co-operative Society Ltd at Rs.882.97 lakhs which is 34 % above tendered PAC and 0.76 % below LMR PAC.

5) Government have examined the matter in detail. The work is of very urgent nature in order to address the water shortage in Changanassery municipality. The quoted rate is less than LMR which means that the quote equates with actual market prices. The bid was invited in May 2022 and price rate revision of pipes was introduced in June 2022. If the revised rate is calculated, the bid price would be nearer the estimate itself. Based on the rate revision, if fresh tenders are invited, it is most certain that there would be escalation in the price quoted, thus more expenditure to the exchequer.

6) In the circumstances, Government are pleased to accord sanction to the Managing Director, Kerala Water Authority to award the work of UWSS to Changanachery - design and construction of 15 LL capacity OH Tank at Perunna and allied works to M/s. Uralungal Labour Contract Co-operative Society Ltd at Rs.882.97 lakhs, quoted by them, which is 34 % above tendered PAC and 0.76 % below LMR PAC

(By order of the Governor)  
ASHOK KUMAR SINGH I A S

SECRETARY

To:

The Managing Director, Kerala Water Authority, Thiruvananthapuram.

Principal Accountant General (Audit/A&E), Kerala, Thiruvananthapuram.


Finance Department

General Administration (S.C) Department

✓ The Information Officer, Web & New Media, I&PRD

Stock File/Office Copy

Forwarded /By order



Section Officer

Copy to: PS to Minister for Water Resources

CA to Additional Chief Secretary (Water Resources Department)

CA to Secretary (Water Resources Department)

"ഭരണഘടനാ മാതൃഭാഷ"



**കേരള സർക്കാർ**

**സംഗ്രഹം**

ജലവിഭവ വകുപ്പ്- കിഫ്ബി മുഖേന നടപ്പിലാക്കുന്ന നെയ്യാറ്റിൻകര നിയമസഭാ മണ്ഡലത്തിലെ ചെങ്കൽ, കാരോട്, കളത്തൂർ പഞ്ചായത്തുകൾക്കുവേണ്ടിയുള്ള കാരോട് സമഗ്ര കുടിവെള്ള പദ്ധതി ഘട്ടം- I ലെ ഭാഗം- 2- ന്റെ പ്രവൃത്തിയ്ക്ക് ലഭിച്ച ഏക ദർഘാസ് അംഗീകരിക്കുന്നത് - അനുമതി നൽകി ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

**ജലവിഭവ (ജലവിതരണ-ബി) വകുപ്പ്**

സ.ഉ.(കെ) നം.17/2024/WRD തീയതി,തിരുവനന്തപുരം, 14-03-2024

- പരാമർശം:-
1. സ.ഉ (സാധാ) നം. 67/2018/ജ.വി.വ തീയതി 01.02.2018
  2. കിഫ്ബി ചീഫ് എക്സിക്യൂട്ടീവ് ഓഫീസറുടെ 07.09.2019 തീയതിയിലെ WRD025-09/APR-6/2019/KIIFB നമ്പർ നടപടിക്രമം.
  3. കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടറുടെ 14.09.2023 തീയതിയിലെ KWA/JB/P-1/1055KIIFB-2017-18- PART-4 നമ്പർ കത്ത്.
  4. സ.ഉ (പി) നം. 16/2017/ധന തീയതി 06.02.2017.

**ഉത്തരവ്**

നെയ്യാറ്റിൻകര നിയമസഭാ മണ്ഡലത്തിലെ ചെങ്കൽ, കാരോട്, കളത്തൂർ പഞ്ചായത്തുകൾക്കുവേണ്ടിയുള്ള കാരോട് സമഗ്ര കുടിവെള്ള പദ്ധതി ഘട്ടം- I ന്റെ പ്രവൃത്തിയ്ക്ക് പരാമർശം (1)- ലെ സർക്കാർ ഉത്തരവ് പ്രകാരം 86 കോടി രൂപയുടെ ഭരണാനുമതിയും, കിഫ്ബി സ്റ്റീമിൽ ഉൾപ്പെടുത്തി പരാമർശം (2) പ്രകാരം 89.189 കോടി രൂപ അനുവദിക്കുകയും ചെയ്തിട്ടുണ്ട്. പ്രസ്തുത പ്രവൃത്തിയ്ക്ക് 61.51 കോടി രൂപയുടെ സാങ്കേതികാനുമതിയും നൽകിയിരുന്നു.

2. കാരോട് സമഗ്ര കുടിവെള്ള പദ്ധതിയുടെ ഒന്നാം ഘട്ട പ്രവൃത്തിയുടെ ദർഘാസ് മൂന്ന് ക്ഷണിച്ചിരുന്നതും, എന്നാൽ പുന:ദർഘാസ് ക്ഷണിച്ചപ്പോൾ പോലും ലേലത്തിൽ പങ്കെടുത്ത single bidder കാട്ട് ചെയ്ത തുക Tendered PAC യെക്കാൾ 27.63% അധികമായതിനാലും, ഉദ്ധരിച്ച തുകയേക്കാൾ കുറഞ്ഞ നിരക്കിൽ പ്രവൃത്തി നിർവഹിക്കാൻ പ്രസ്തുത bidder തയ്യാറാകാത്തതിനാലും, കാരോട് സമഗ്ര കുടിവെള്ള പദ്ധതിയുടെ ഒന്നാം ഘട്ടത്തിന്റെ പ്രവൃത്തി കേരള വാട്ടർ അതോറിറ്റി രണ്ട് പാക്കേജുകളായി വിഭജിക്കുകയുണ്ടായി. പ്രസ്തുത പാക്കേജുകളിലൊന്നിൽ താഴെപ്പറയുന്ന ഘടകങ്ങൾ ഉൾക്കൊള്ളുന്നു.

1. 600 mm DI K9 Raw Water Pumping Main - 7800 m
2. 600 mm DI K9 Clear Water Pumping Main - 150 m
3. Clear Water Transmission Mains - 250 mm DI K9 - 2600 m, 300 mm DI

K9 - 4000 m, 450 mm DI K9 - 2910 m, 500 mm DI K9 - 3000 m including

Road Restoration

4. 17 LL OHSR at Chenkal and 10 LL OHSR at Ambalikonam.

3. പ്രസ്തുത പാക്കേജിലെ പ്രവൃത്തികൾക്ക് രണ്ടു തവണ ദർഘാസ് ക്ഷണിച്ചിട്ടും രണ്ടിലും ആരും പങ്കെടുക്കാത്തതിനാൽ ആയവ റദ്ദാക്കേണ്ടി വന്നുവെന്നും, രണ്ടാം പുന:ദർഘാസിൽ M/s Chicago Constructions International (P) Ltd സമർപ്പിച്ച ഏക ദർഘാസ് മാത്രമാണ് ലഭിച്ചതെന്നും, പ്രസ്തുത കരാറുകാരൻ ക്യാട്ട് ചെയ്ത 42,71,33,342/- രൂപ ദർഘാസ് തുകയേക്കാൾ 20.14% കൂടുതലായിരുന്നതായും കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർ റിപ്പോർട്ട് ചെയ്തു. കേരള വാട്ടർ അതോറിറ്റി കരാറുകാരനുമായി negotiation നടത്തിയതിനെ തുടർന്ന് ദർഘാസ് തുകയേക്കാൾ 17.12% അധികമായ 41,63,78,839.26/- രൂപയ്ക്ക് പ്രവൃത്തി ഏറ്റെടുക്കാൻ കരാറുകാരൻ സമ്മതിക്കുകയുണ്ടായി.

4. പരാമർശം (4)- ലെ സർക്കാർ ഉത്തരവ് പ്രകാരം DSoR + 10%, പ്രാദേശിക വിപണി നിരക്ക്, കരാറുകാരൻ ക്യാട്ട് ചെയ്ത തുക, ഇവയിൽ ഏതാണോ കുറവ് വരുന്നത് ആ തുകയ്ക്കാണ് ദർഘാസ് അംഗീകരിക്കേണ്ടത്. ഇതിൽ കുറഞ്ഞ തുകയായ DSR + 10% ആയ 39,10,69,725.75/- രൂപയ്ക്ക് മാത്രമേ പ്രസ്തുത ദർഘാസ് അനുവദിക്കാനാകുകയുള്ളൂ. എന്നാൽ കരാറുകാരൻ negotiate ചെയ്ത തുക പ്രാദേശിക വിപണി നിരക്കുമായും, നിലവിലെ DSoR + 10% തുകയുമായും താരതമ്യം ചെയ്യുമ്പോൾ കൂടുതലാണ്.

5. ഈ ദർഘാസ് റദ്ദാക്കി വീണ്ടും ദർഘാസ് ക്ഷണിച്ചാലും മികച്ച ഓഫർ ലഭിക്കാനുള്ള സാധ്യത വീരളമാണെന്ന് കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർ സർക്കാരിനെ അറിയിക്കുകയുണ്ടായി. ചെങ്കൽ, കാരോട്, കളത്തൂർ പഞ്ചായത്തുകളിൽ ജലവിതരണം നടത്തുന്നതിന് ഏറെ പ്രാധാന്യമുള്ളതാണ് ഈ പ്രവൃത്തി. ചെങ്കൽ, കാരോട്, കളത്തൂർ പഞ്ചായത്തുകളിലെ വിതരണ ശൃംഖലയും മൊത്തം 30840 FHTC കളും ജലജീവൻ മിഷൻ (JJM) വഴി വിഭാവനം ചെയ്യുന്നതായും, ആയതിന് ഭരണാനുമതി നൽകിയിട്ടുള്ളതും, ആയത് 2024 മാർച്ച് മാസത്തിന് മുമ്പ് പൂർത്തിയാക്കേണ്ടതുണ്ടെന്നും കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർ അറിയിച്ചു. ഈ കിഫ്ബി പദ്ധതി പൂർത്തീകരിച്ചാൽ മാത്രമേ ജൽ ജീവൻ മിഷൻ പ്രവർത്തനങ്ങൾ ഫലപ്രദമാകുകയുള്ളൂ.

6. സർക്കാർ ഈ വിഷയം വിശദമായി പരിശോധിക്കുകയുണ്ടായി. വർഷങ്ങൾക്ക് മുമ്പ് ഭരണാനുമതി നൽകിയതും വിവിധ കാരണങ്ങളാൽ നടക്കാതെ പോയതുമായ ഒരു പദ്ധതിയാണ് കാരോട് സമഗ്ര കുടിവെള്ള പദ്ധതി ഘട്ടം-I. ഇതു പൂർത്തിയാക്കാൻ മാത്രമേ ജൽ ജീവൻ മിഷൻ കീഴിലുള്ള കുടിവെള്ള കണക്ഷനുകൾ നൽകാനാകൂ എന്ന് മാത്രമല്ല സമയബന്ധിതമായി ജൽ ജീവൻ മിഷൻ പ്രവൃത്തികൾ പൂർത്തിയാക്കേണ്ടതുണ്ട്. മൂന്നു പ്രാവശ്യം ടെണ്ടർ ചെയ്തതാണ് ഈ പ്രവൃത്തി. നിലവിൽ കോട്ട് ചെയ്തിരിക്കുന്ന തുക മാർക്കറ്റ് നിരക്കിനേക്കാൾ 0.8 ശതമാനം മാത്രമാണ് കൂടുതൽ. ഇത് അംഗീകരിച്ചില്ലെങ്കിൽ സർക്കാരിന് കൂടുതൽ തുക ചെലവാക്കേണ്ടി വരും എന്ന് കാണുന്നു.

7. മേൽ സാഹചര്യത്തിൽ നെയ്യാറ്റിൻകര നിയമസഭാ മണ്ഡലത്തിലെ ചെങ്കൽ, കാരോട്,

കളത്തൂർ പഞ്ചായത്തുകൾക്കുവേണ്ടിയുള്ള കാരോട് സമഗ്ര കുടിവെള്ള പദ്ധതി ഘട്ടം- I ന്റെ ഭാഗം- 2 പ്രവൃത്തിക്ക് ലഭിച്ച single bidder ആയ M/s Chicago Constructions International (P) Ltd കോട്ട് ചെയ്ത ദർഘാസ് Tendered PAC യേക്കാൾ 17.12% ഉം, നിലവിലെ SoR (2018) + 10% തുകയേക്കാൾ 6.07% ഉം, പ്രാദേശിക വിപണി നിരക്കിനേക്കാൾ (LMR) 0.8 % ഉം അധികരിച്ച തുകയായ 41,63,78,839.26/- രൂപ (നാൽപ്പത്തിയൊന്ന് കോടി അറുപത്തി മൂന്ന് ലക്ഷത്തി എഴുപത്തി എട്ടായിരത്തി എണ്ണൂറ്റി മൂപ്പത്തി ഒമ്പത് രൂപ ഇരുപത്തിയാറ് പൈസ മാത്രം) + ബാധകമായ ജി.എസ്.ടി എന്ന തുകയ്ക്ക് അംഗീകരിക്കുന്നതിനുള്ള അനുമതി കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർക്ക് നൽകി ഉത്തരവാകുന്നു.

(ഗവർണ്ണറുടെ ഉത്തരവിൻ പ്രകാരം)  
അശോക് കുമാർ സിംഗ് ഐ എ എസ്  
പ്രിൻസിപ്പൽ സെക്രട്ടറി

1. മാനേജിംഗ് ഡയറക്ടർ, കേരള വാട്ടർ അതോറിറ്റി
2. പ്രിൻസിപ്പൽ അക്കൗണ്ടന്റ് ജനറൽ (എ&ഇ/ആഡിറ്റ്), കേരള, തിരുവനന്തപുരം.
3. ധനകാര്യ വകുപ്പ് (ഫയൽ നം. Infra2/02/2024/fin)
4. ഇൻഫർമേഷൻ ഓഫീസർ, വെബ് & ന്യൂ മീഡിയ, ഐ & പി.ആർ.ഡി
5. കരുതൽ ഫയൽ/ ഓഫീസ് കോപ്പി.

ഉത്തരവിൻ പ്രകാരം  
Signed by  
Khadeeja Alungal  
Date: 14-03-2024 15:48:02  
സെക്ഷൻ ഓഫീസർ

പകർപ്പ്:- ബഹു. ജലവിഭവ വകുപ്പ് മന്ത്രിയുടെ പി.എസ്- ന്  
ജലവിഭവ വകുപ്പ് പ്രിൻസിപ്പൽ സെക്രട്ടറിയുടെ പി.എ- യ്ക്ക്

13  
GOVERNMENT OF KERALA  
(SHRI. PINARAYI VIJAYAN MINISTRY)  
Note for the Council of Ministers

1. File No. : B1/87/2022/WRD
2. Department : Water Resources (Water Supply-B) Department
3. Subject : Approval of Single Tender received for the work of Karode Comprehensive Drinking Water Project Phase- I Part- 2 for Chenkal, Karode and Kulathoor Panchayaths under Neyyattinkara Legislative Constituency.
4. Date of Chief Minister's order for placing before the Council : 05/03/2024.
5. (i) Does the case involve financial commitments/implications : Yes.  
(ii) If the answer to the above is in the affirmative, whether Finance Dept. been consulted and their remarks incorporated in the Council Note. : Yes.
6. Are any other departments concerned with the case and if so, have they been consulted and their remarks incorporated in the Note for the Council : No.
7. Name of Additional Secretary who submitted the Draft Note. :
8. Name of Principal Secretary who approved the Draft Note. : Sri. Ashok Kumar Singh
9. Date of approval of the Draft note for the Council by the Secretary. : 11.03.2024
10. Name of Chief Secretary who approved the Draft Note. : Dr. Venu. V
11. Date of approval of the Draft Note for the Council by the Chief Secretary. : 12.03.2024
12. Name of Minister who approved the Draft note. : Sri. Roshy Augustine
13. Date of approval of the Draft Note for the Council by the Minister : 12.03.2024
14. Date of Submission of Fair Copies : 12.03.2024
15. Date of decision by the Council of Ministers. :
16. Number and date of the G.O./letter communicating the decision. :



**NOTE FOR COUNCIL OF MINISTERS**

This note relates to the approval of Single Tender received for the Part-II of the work of Karode Comprehensive Drinking Water Project Phase- I for Chenkal, Karode and Kulathoor Panchayaths under Neyyattinkara Legislative Constituency.

2. Administrative Sanction was accorded for the work of Karode Comprehensive Drinking Water Project Phase- I for Rs. 86 Crore as per G.O (Rt) No. 67/2018/WRD dated 01/02/2018 and an amount of Rs. 89.189 Crore was provided under KIIFB scheme vide AS No. WRD025-09/APR-6/2019/KIIFB dated 07.09.2019. Technical Sanction was awarded for Rs. 61.51 Crore.

3. Since the single bidder even in the re-tender for the Phase- I work of the Karode Comprehensive Drinking Water Project was not willing to execute the work at any lower rate other than their quoted amount, which was 27.63% above the Tendered PAC, Government have directed Kerala Water Authority to rework the estimate of the project and to invite fresh tender based on revised estimate. As per the direction from Government, the work of Karode Comprehensive Drinking Water Project Phase- I was split up into 2 packages by Kerala Water Authority. One of the package consists of the following components.

1. 600 mm DI K9 Raw Water Pumping Main - 7800 m
2. 600 mm DI K9 Clear Water Pumping Main - 150 m
3. Clear Water Transmission Mains - 250 mm DI K9 - 2600 m, "AD may take a judicious decision in view of the Vigilance case ongoing against the contractor and in any case the Tender Acceptance can be done only with the approval of the Council of Ministers as per the guidelines" 300 mm DI

K9 - 4000 m, 450 mm DI K9 - 2910 m, 500 mm DI K9 - 3000 m including Road Restoration

4. 17 LL OHSR at Chenkal and 10 LL OHSR at Ambalikonam.

4. After issuing Technical Sanction for the above package, Tender was invited with tendered PAC of Rs. 35,55,17,932.50/- excluding GST, with last date on 31.05.2023. Since no offer was received, the tender was cancelled. Re-tender was invited with last date on 26.06.2023 and extended to 30.06.2023. Again no offer was received and hence the tender was also cancelled. The second re-tender was invited with due date as 24.07.2023 and the price bid received from the single bidder, M/s Chicago Constructions International (P) Ltd was opened on 07.08.2023.

5. The quoted amount of the single bidder viz. M/s Chicago Constructions International (P) Ltd was Rs. 42,71,33,342/- which was 20.14% above the tendered PAC of Rs. 35,55,17,932.50/-.

Tendered PAC	-	Rs. 35,55,17,932.50/-
Quoted Amount	-	Rs. 42,71,33,342/- (20.14% above TPAC)
Current SoR(2018) + 10% amount-		Rs. 39,10,69,725.75/-
Local Market Rate (LMR)-		Rs. 41,28,10,028.91/-

6. Kerala Water Authority negotiated with the contractor and they agreed to execute the work at Rs. 41,63,78,839.26/- which was 17.12% above the tendered PAC of Rs. 35,55,17,932.50/-.

**Negotiated Amount - Rs. 41,63,78,839.26/-**

	Amount	Negotiated Amount Percentage Above or Below
Tendered PAC	Rs. 35,55,17,932.50/-	17.12 % Above
Current SoR (2018)+10% amount	Rs. 39,10,69,725.75/-	6.07% Above
Local Market Rate (LMR)	Rs. 41,28,10,028.91/-	0.8% Above

7. Since the maximum amount that could be sanctioned is the least of the above, as per prevailing Government Orders, the subject work can be awarded to the single bidder M/s Chicago Constuctions International (P) Ltd, at Current SoR + 10% amount ie. Rs. 39,10,69,725.75/-. The negotiated amount of the single bidder is more compared with Local Market Rate and Current SoR + 10%.

8. It is stated in G.O (P) No. 16/2017/Fin dated 06/02/2017 as follows:

"The maximum admissible tender excess shall be limited either to quoted rate of the lowest bidder or Local Market Rate or current DSoR plus 10% tolerance limit whichever is less. In case quoted rate of the lowest bidder is above the current DSoR plus 10% tolerance limit, the tender inviting authority themselves shall re-tender the work without referring the case to higher authorities"

9. Under the circumstances file has been forwarded to Finance Department for remarks with regard to the sanction for awarding the work to the single bidder M/s Chicago Constructions international (P) Ltd at their negotiated rate of Rs. 41,63,78,839.26 (ie; 17.12% above TPAC).

10. Finance Department remarked as follows:

"AD may take a judicious decision in view of the Vigilance case ongoing against the contractor and in any case the Tender Acceptance can be done only with the approval of the Council of Ministers as per the guidelines"

11. Vigilance Department recommended Government to blacklist M/s Chicago Constructions International Pvt Ltd, in connection with a Vigilance

Surprise Check Report related with irregularities in Kanjikuzhi-Kollad road construction. Subsequently on the basis of the report of Managing Director, Kerala Water Authority in this regard Administrative department has decided not to blacklist the company until further orders.

12. Managing Director, Kerala Water Authority reported to Government that, even if this tender is cancelled and further re-tendered, the chance of getting a better offer is remote. The work is of utmost importance for providing water supply to the Chenkal, Karode and Kulathoor Panchayaths. Managing Director, Kerala Water Authority further informed that the distribution network and a total number of 30840 FHTCs in Chenkal, Karode and Kulathoor Panchayaths are envisaged through Jal Jeevan Mission (JJM), for which Administrative Sanction has been issued in the 5<sup>th</sup> SLSSC which are to be completed before March 2024. Only after completing this KIIFB project, the Jal Jeevan Mission works will be fruitful.

13. Administrative Sanction for the Karode Comprehensive Drinking Water Project Phase- I was given many years back and failed to execute due to various reasons. Drinking water connections under Jal Jeevan Mission can be provided only after completing the said Project. If the JJM is not completed on time, substantial central assistance will be lost and the State Government will become liable. The subject work was tendered three times after it came to the government once and returned to the Kerala Water Authority. The currently quoted rate is only 0.8 % higher than the market rate. It is seen that if this is not accepted, the government will have to spend more money. Considering the urgent importance of the matter in the above situation, file was circulated to Hon'ble Chief Minister through Minister (WRD), for orders.

14. The Hon'ble Chief Minister has ordered to place the matter before the Council of Ministers.

**Point for Decision**

Whether the single tender of M/s Chicago Constuctions International (P) Ltd for the Part- II work of Karode Comprehensive Drinking Water Project Phase- I for Chenkal, Karode and Kulathoor Panchayaths under Neyyattinkara Legislative Constituency, for an amount of amount of Rs. 41,63,78,839.26/-, which is 17.12% above the tendered PAC, 6.07% above the Current SoR + 10% amount and 0.8% % above the Local Market Rate (LMR) plus applicable GST may be approved?

"ഭരണഭാഷാ മാതൃഭാഷ"



കേരള സർക്കാർ

സംഗ്രഹം

ജലവിഭവ വകുപ്പ് - "ആലപ്പുഴ മുനിസിപ്പാലിറ്റിയിലേക്കുള്ള ജലവിതരണ സംവിധാനത്തിന്റെ വർദ്ധനയും നവീകരണവും" എന്ന പദ്ധതിയുടെ പാക്കേജ് - VI പ്രവൃത്തിയ്ക്ക് ലഭിച്ച ഏക ദർഘാസ് അംഗീകരിക്കുന്നതിന് അനുമതി നൽകി - ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

ജലവിഭവ (ജലവിതരണ- ബി) വകുപ്പ്

സ.ഉ.(സാധാ) നം.359/2024/WRD

തീയതി, തിരുവനന്തപുരം, 09-05-2024

- പരാമർശം:-
1. സ.ഉ (സാധാ) നം. 707/2018/ജ.വി.വ തീയതി 02.10.2018.
  2. കിഫ്ബി ചീഫ് എക്സിക്യൂട്ടീവ് ഓഫീസറുടെ 25.06.2019 തീയതിയിലെ WRD004-01/APR-6/2019/KIIFB നമ്പർ നടപടിക്രമം.
  3. കിഫ്ബി ചീഫ് എക്സിക്യൂട്ടീവ് ഓഫീസറുടെ 24.04.2023 തീയതിയിലെ WRD004-01/APR-6/2023/KIIFB നമ്പർ നടപടിക്രമം.
  4. കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടറുടെ 08.11.2023 തീയതിയിലെ KWA-JB/3968/2023-AE9 നമ്പർ കത്ത്.
  5. സ.ഉ (പി) നം. 16/2017/ധന തീയതി 06.02.2017.

ഉത്തരവ്

"ആലപ്പുഴ മുനിസിപ്പാലിറ്റിയിലെ ജലവിതരണ സംവിധാനത്തിന്റെ വർദ്ധനയും നവീകരണവും - ശേഷിച്ച പ്രവൃത്തികൾ" എന്ന പദ്ധതിക്ക് പരാമർശം (1) പ്രകാരം 184 കോടി രൂപയുടെ ഭരണാനുമതി നൽകിയിട്ടുണ്ട്. പ്രസ്തുത പദ്ധതിയ്ക്ക് കിഫ്ബി സ്കീമിൽ ഉൾപ്പെടുത്തി പരാമർശം (2) പ്രകാരം 211.709 കോടി രൂപ അനുവദിക്കുകയും, തുടർന്ന് SoR 2016 നീനും SoR 2018 ലേക്കുള്ള പരിഷ്കരണവും, GST 12% ൽ നിന്ന് 18% ആയി വർദ്ധിപ്പിച്ചതും കാരണം പരാമർശം (3) പ്രകാരം 299.31 കോടി രൂപയുടെ പുതുക്കിയ ഫണ്ടിംഗ് അനുമതിയും നൽകിയിട്ടുണ്ട്. പ്രസ്തുത പദ്ധതിയിലെ "Construction of 9 LL OHSR, Supplying and Laying 280 mm HDPE Clear Water Pumping Main 620m, Supplying Laying Distribution lines in Aryad Panchayath, Road Restoration Works -Package VI – Pipeline Work" എന്ന പ്രവൃത്തിയ്ക്ക് 02.10.2022 തീയതിയിൽ 1862.00 ലക്ഷം രൂപയുടെ സാങ്കേതികാനുമതി നൽകിയിരുന്നു.

2. പ്രസ്തുത പ്രവൃത്തിയ്ക്ക് ക്ഷണിച്ച ആദ്യ മൂന്നു ദർഘാസുകളിലും ആരും പങ്കെടുക്കാത്തതിനാൽ ആയവ റദ്ദാക്കുകയാണുണ്ടായത്. തുടർന്നുള്ള ദർഘാസിൽ M/s. Om Dhar Engineering Pvt. Ltd. JV with M/s. Hai Greeva Infratech Projects Ltd- ന്റെ ഏക ദർഘാസ് മാത്രമാണ് ലഭിച്ചതെന്നും, പ്രസ്തുത കാരുകാരൻ ക്വാട്ട് ചെയ്ത 18,25,02,310.13/- രൂപ ദർഘാസ് തുകയേക്കാൾ 15.69% കൂടുതലായിരുന്നതായും പരാമർശം (4) പ്രകാരം കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർ റിപ്പോർട്ട് ചെയ്യുകയുണ്ടായി.

3. പരാമർശം (5) ലെ സർക്കാർ ഉത്തരവ് പ്രകാരം DSoR + 10%, പ്രാദേശിക വിപണി

നിരക്ക്, കരാറുകാരൻ ക്വാട്ട് ചെയ്ത തുക, ഇവയിൽ ഏതാണോ കുറവ് വരുന്നത് ആ തുകയ്ക്കാണ് ദർഘാസ് അംഗീകരിക്കേണ്ടത്. ഇതിൽ കുറഞ്ഞ തുകയായ DSoR + 10% ആയ 17,24,43,958/- രൂപയ്ക്കു മാത്രമേ പ്രസ്തുത ദർഘാസ് അനുവദിക്കാനാകുകയുള്ളൂ. തുടർന്ന് കരാറുകാരനുമായി negotiation നടത്തിയെങ്കിലും ഉദ്ധരിച്ച നിരക്കിനേക്കാൾ കുറഞ്ഞ തുകയ്ക്ക് പ്രവൃത്തി ഏറ്റെടുക്കാൻ വിസമ്മതിക്കുകയാണുണ്ടായത്.

4. പ്രസ്തുത പ്രവൃത്തി സമയബന്ധിതമായി പൂർത്തിയാക്കേണ്ടതുണ്ടെന്നും, ഇപ്പോൾ ക്ഷണിച്ചിട്ടുള്ളത് നാലാമത്തെ ടെൻഡർ ആയതിനാൽ ഇനിയും മികച്ച ഓഫറുകൾ ലഭിക്കാനുള്ള സാധ്യത കുറവാണെന്നും കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർ സർക്കാരിനെ അറിയിക്കുകയുണ്ടായി. പ്രസ്തുത പദ്ധതി സമയബന്ധിതമായി പൂർത്തീകരിക്കേണ്ടതിന്റെ പ്രാധാന്യം കണക്കിലെടുത്ത് ലഭിച്ച ഓഫർ പരിഗണിച്ച് ഈ ടെൻഡർ അനുവദിക്കണമെന്നും കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർ അഭ്യർത്ഥിച്ചു.

5. സർക്കാർ ഈ വിഷയം വിശദമായി പരിശോധിക്കുകയുണ്ടായി. ഈ പ്രവൃത്തി കട്ടനാടിന്റെ സമഗ്ര കുടിവെള്ളപദ്ധതിയുടെ ഭാഗമായ പ്രോജക്ടാണ്. നാലു പ്രാവശ്യം ടെണ്ടർ ചെയ്തുകഴിഞ്ഞ ഈ പ്രവൃത്തിയ്ക്ക് ഇനിയും കാലതാമസം ഉണ്ടാകുന്നത് പദ്ധതി ചെലവ് കൂടാനേ സഹായിക്കൂ. കൂടാതെ കട്ടനാട് പോലെ സങ്കീർണ്ണത നേരിടുന്ന സ്ഥലത്ത് സമയബന്ധിതമായി ജനങ്ങൾക്ക് കുടിവെള്ളം നൽകാനും കഴിയും. ഏറ്റവും പ്രധാനകാര്യം ഈ കേസിന് ക്വാട്ട് ചെയ്തിരിക്കുന്ന റേറ്റ് മാർക്കറ്റ് റേറ്റിനേക്കാൾ താഴെയാണ്.

6. മേൽ സാഹചര്യത്തിൽ "ആലപ്പുഴ മുനിസിപ്പാലിറ്റിയിലേക്കുള്ള ജലവിതരണ പദ്ധതിയുടെ വർദ്ധനയും നവീകരണവും" എന്ന പദ്ധതിയുടെ പാക്കേജ് - VI പ്രവൃത്തിയ്ക്ക് ലഭിച്ച single bidder ആയ M/s. Om Dhar Engineering Pvt. Ltd. JV with M/s. Hai Greeva Infratech Projects Ltd ക്വാട്ട് ചെയ്ത ദർഘാസ്, Tendered PAC യേക്കാൾ 15.69 % ഉം, നിലവിലെ SoR (2018) + 10% തുകയേക്കാൾ 5.83% അധികിച്ചതും, പ്രാദേശിക വിപണി നിരക്കിനേക്കാൾ (LMR) 1.94% കുറവും തുകയായ 18,25,02,310.13/- രൂപയ്ക്ക് (പതിനെട്ട് കോടി ഇരുപത്തിയഞ്ച് ലക്ഷത്തി രണ്ടായിരത്തി മൂന്നുറ്റി പത്ത് രൂപ പതിമൂന്ന് പൈസ മാത്രം) അംഗീകരിക്കുന്നതിനുള്ള അനുമതി കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർക്ക് നൽകി ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

(ഗവർണ്ണറുടെ ഉത്തരവിൻ പ്രകാരം)  
അശോക് കുമാർ സിംഗ് ഐ എ എസ്  
പ്രിൻസിപ്പൽ സെക്രട്ടറി

1. മാനേജിംഗ് ഡയറക്ടർ, കേരള വാട്ടർ അതോറിറ്റി, തിരുവനന്തപുരം.
2. പ്രിൻസിപ്പൽ അക്കൗണ്ടന്റ് ജനറൽ (എ&ഇ/ ആഡിറ്റ്), കേരള, തിരുവനന്തപുരം.
3. പൊതുഭരണ (എസ്.സി) വകുപ്പ് (20.03.2024 ലെ ഇനം നം.2134 പ്രകാരം)
4. ധനകാര്യ വകുപ്പ് (ഫയൽ നം. E-2641870/PU-C1/2023/Fin)
5. ഇൻഫർമേഷൻ ഓഫീസർ, വെബ് & ന്യൂ മീഡിയ, ഐ&പി.ആർ.ഡി
6. കരുതൽ ഫയൽ/ ഓഫീസ് കോപ്പി.

ഉത്തരവിൻ പ്രകാരം

Signed by  
Khadeeja Alungal  
Date: 09-05-2024 13:16:34

സെക്ഷൻ ഓഫീസർ

പകർപ്പ്:-

ബഹു. ജലവിഭവ വകുപ്പ് മന്ത്രിയുടെ പി.എസ്-ന്  
ജലവിഭവ വകുപ്പ് പ്രിൻസിപ്പൽ സെക്രട്ടറിയുടെ പി.എ-യ്ക്ക്



14

GOVERNMENT OF KERALA  
(SHRI. PINARAYI VIJAYAN MINISTRY)  
Note for the Council of Ministers

1. File No. : B1/195/2023/WRD
2. Department : Water Resources (Water Supply-B)  
Department
3. Subject : Approval of Single Tender received for  
the Package- VI of the Project  
"Augmentation and Modernization of  
Water Supply Scheme to Alappuzha  
Municipality"
4. Date of Chief Minister's order for  
placing before the Council : 12/03/2024.
5. (i) Does the case involve : Yes.  
financial commitments/  
implications  
(ii) If the answer to the : Yes.  
above is in the  
affirmative, whether  
Finance Dept. been  
consulted and their  
remarks incorporated in  
the Council Note.
6. Are any other departments concerned : No.  
with the case and if so, have they  
been consulted and their remarks  
incorporated in the Note for the  
Council *Joint*
7. Name of *Joint* Additional Secretary who : *P. K. Anand*  
submitted the Draft Note.
8. Name of Principal Secretary who : ~~ASHOK KUMAR SINGH~~ ASHOK KUMAR SINGH  
approved the Draft Note.
9. Date of approval of the Draft note for : 14-03-2024  
the Council by the Secretary.
10. Name of Chief Secretary who : *Dr. Venu V*  
approved the Draft Note.
11. Date of approval of the Draft Note : 14.3.24  
for the Council by the Chief  
Secretary.
12. Name of Minister who approved the : *Sri. Rosby Augustine*  
Draft note.
13. Date of approval of the Draft Note :  
for the Council by the Minister
14. Date of Submission of Fair Copies :  
15. Date of decision by the Council of :  
Ministers.
16. Number and date of the G.O./letter :  
communicating the decision.

## DRAFT NOTE FOR COUNCIL OF MINISTERS

This note relates to the approval of the Single Tender received for the work Package - VI of the project "Augmentation and Modernization of Water Supply Scheme to Alappuzha Municipality".

2. Administrative sanction was accorded for the work for the project "Augmentation and Modernization of Water Supply Distribution System in Alappuzha Municipality – Balance Works" for an amount of Rs.184 Crore (Rupees One Hundred and Eighty Four Crore), for sourcing funds from KIIFB as per G.O (Rt) No. 707/2018/WRD dated 02.10.2018. Funding sanction was issued by KIIFB vide WRD004-01/APR-6/2019/KIIFB dated 25.06.2019 for an amount of Rs. 211.709 Crore against the proposed cost of Rs. 211.81 Crores. Revised funding sanction was also received from KIIFB for Rs. 299.31 Crore, due to revision from SoR 2016 to SoR 2018 and increase in GST from 12% to 18%. The Technical Sanction for the "Construction of 9 LL OHSR, Supplying and Laying 280 mm HDPE Clear Water Pumping Main 620m, Supplying Laying Distribution lines in Aryad Panchayath, Road Restoration Works -Package VI – Pipeline Work " was issued by Chief Engineer (CR) for an amount of Rs.1862.00 lakhs on 02.10.2022.

3. Tender for the above package was invited by the Superintending Engineer, PH Circle, Alappuzha and that tender was cancelled due to non participation of bidders and hence re- tendered. Subsequently second and third tenders invited were also cancelled due to non participation of bidders. The work was re-tendered and only single bid was received from "M/s. Om Dhar Engineering Pvt. Ltd. JV with M/s. Hai Greeva Infratech Projects Ltd". The Tender committee which met on 22-08-2023 pre-qualified the bidder " M/s. Om Dhar Engineering Pvt. Ltd. JV with M/s. Hi Greeva Infratech Projects Ltd" and the price bid was opened on 05.09.2023.

4. The quoted amount of the Single bidder viz "M/s. Om Dhar Engineering Pvt. Ltd. JV with M/s. Hai Greeva Infratech Projects Ltd is Rs.18,25,02,310.13/ which

as 15.69% above Tendered PAC of Rs. 15,77,46,063/- The Tender Committee convened on 25.09.2023, evaluated the tender as below:

P-3cf

Tendered PAC	-	Rs. 15,77,46,063/-
Quoted Amount	-	Rs. 18,25,02,310.13/- (15.69% above TPAC)
Current SoR + 10%	-	Rs. 17,24,43,958/- (From PRICE)
Local Market Rate	-	Rs. 18,61,25,519.37/- (17.99% above TPAC)

Comparison Statement

Quoted Amount - Rs. 18,25,02,310.13/-		
	Amount	<u>Quoted</u> Negotiated Amount Percentage Above or Below
Tendered PAC	Rs. 15,77,46,063/-	15.69 % Above
Current SoR (2018)+10% amount	Rs. 17,24,43,958/- (From PRICE)	5.83 % Above
Local Market Rate (LMR)	Rs.18,61,25,519.37/- (17.99% above TPAC)	1.94 % <u>Above below</u>

3

5. As per prevailing rule, the tender can be sanctioned to the lowest among the above, which is Current SOR+10% - Rs.17,24,43,958/-. Hence the Tender Committee decided to sanction the tender to the bidder M/s Om Dhar Engineering Pvt Ltd JV with M/s Hai Greeva Infratech Projects Ltd at current SoR +10%, i.e limiting to Rs.17,24,43,958/-. Kerala Water Authority negotiated with the bidder through PRICE but he expressed his unwillingness to reduce the quoted rate to current SOR+10% (Rs.17,24,43,958/-).

6. Managing Director, Kerala Water Authority reported that the Construction of 9 LL OHSR, Supplying and Laying 280 mm HDPE Clear Water Pumping Main 620m, Supplying Laying Distribution lines in Aryad Panchayath, Road Restoration Works -Package VI – Pipeline Work is to be completed in a time bound manner. The Managing Director further reported that this being the fourth tender call and chances of getting better offers is less and requested to consider the offer received and to sanction this tender.

● 7. It is stated in G.O (P) No. 16/2017/Fin dated 06/02/2017 as follows:

*"The maximum admissible tender excess shall be limited either to quoted rate of the lowest bidder or local market rate or current DSR plus 10% tolerance limit whichever is less. In case quoted rate of the lowest bidder is above the current DSR plus 10% tolerance limit, the tender inviting authority themselves shall re-tender the work without referring the case to higher authorities".*

8. As per the G.O (P) No. 375/15/Fin dated 24.08.2015 the guidelines for awarding tenders for excess amount are as follows :

*"Normally no tender excess above 10% of estimated PAC will be allowed. If the lowest tender received exceeds 10% of the estimated cost, all such works shall be re-tendered under normal circumstances. However, if the Heads of Departments feel that some works exceeding 10% of PAC are to be urgently executed in the exigency of public service, then all such works shall be sanctioned at Government level with the concurrence of Finance Department. The Head of Department shall exercise due diligence in recommending each such proposal and should personally evaluate the circumstances that warrants such special considerations and submit a detailed justification for the acceptance of each such proposals".*

9. When the file was forwarded to Finance Department for remarks, that department remarked as follows:

9-10NF { *"AD is informed that the single tender received in the fourth tender call is beyond the admissible limits prescribed as per GO (P) No.16/2017/Fin dated 06.02.2017. As per para 4(v) of the GO, if L1 received is above approved amount even after re-tendering, the estimate should be reworked and revised estimate should be prepared taking into account of the special physical conditions of the area where the work is being executed and re-tender shall be initiated based on the revised estimate.*

*Since AD has not reworked the estimate as per the GO noted above AD is requested to follow para 4(v) of G.O(P) No. 16/2017/Fin dated 06.02.2017 recast the estimate as per actual site conditions and re-tender the work with wide publicity."*

10. When the file was submitted to Hon'ble Minister for Water Resources, Hon'ble Minister observed as follows:

"ഈ പ്രവൃത്തി കട്ടനാടിന്റെ സമഗ്ര കുടിവെള്ളപദ്ധതിയുടെ ഭാഗമായ പ്രോജക്റ്റാണ്. നാലു പ്രാവശ്യം ടെണ്ടർ ചെയ്തുകഴിഞ്ഞ ഈ കേസിൽ ഇനിയും കാലതാമസം ഉണ്ടാകുന്നത് പദ്ധതി ചെലവ് കൂടാനേ സഹായിക്കൂ എന്ന് കാണുന്നു. കൂടാതെ കട്ടനാടുപോലെ സങ്കീർണ്ണത നേരിടുന്ന സ്ഥലത്ത് സമയബന്ധിതമായി ജനങ്ങൾക്ക് കുടിവെള്ളം നൽകാനും കഴിയും. ഏറ്റവും പ്രധാനമായി ഈ കേസിന് കാട്ട് ചെയ്തിരിക്കുന്ന റേറ്റ് മാർക്കറ്റ് റേറ്റിനേക്കാൾ താഴെയാണ്. ആയതിനാൽ ഇക്കാര്യം അടിയന്തിരമായി മന്ത്രിസഭയിൽ വയ്ക്കാൻ ബഹു. മുഖ്യമന്ത്രി സദയം ഉത്തരവായാലും."

11. When the file was circulated to Hon'ble Chief Minister through the Hon'ble Minister for Water Resources it is ordered to place the matter before the Cabinet for approval.

Points for Decision

Whether the Single tender of "M/s. Om Dhar Engineering Pvt. Ltd. JV with M/s. Hai Greeva Infratech Projects Ltd for the work of Package- VI of the project "Augmentation and Modernization of Water Supply Scheme to Alappuzha Municipality", which was 15.69% above Tendered PAC and 1.94% above the Local Market Rate (LMR) is an amount of Rs. 18,25,02,310.13 ~~18,61,25,519.37~~ + applicable GST may be approved, *overruling the remarks of the Department.*

⑤ 5.82% above the Cement SOR (2018) + 10%

*Handwritten signature and date: 13/3, 14/3*

*Handwritten signature and date: 14/3/2024*

*Handwritten signature and number: 14324*



കേരള സർക്കാർ

സംഗ്രഹം



ജലവിഭവ വകുപ്പ് - കിഫ്ബി മുഖേന നടപ്പിലാക്കുന്ന കട്ടനാട് സമഗ്ര കടിവെള്ള പദ്ധതിയുടെ ഘട്ടം- 2- ലെ പാക്കേജ്- I ന്റെ പ്രവൃത്തിയ്ക്ക് ലഭിച്ച ഏക ദർഘാസ് അംഗീകരിക്കുന്നത് അനുമതി നൽകി ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

ജലവിഭവ (ജലവിതരണ- ബി) വകുപ്പ്

സ.ഉ.(കൈ) നം.34/2024/WRD

തീയതി,തിരുവനന്തപുരം, 01-06-2024

- പരാമർശം:-
1. സ.ഉ (സാധാ) നം. 406/2018/ജ.വി.വ തീയതി 04.06.2018.
  2. കിഫ്ബി ചീഫ് എക്സിക്യൂട്ടീവ് ഓഫീസറുടെ 25.06.2019 തീയതിയിലെ WRD025-29/APR-6/2019/KIIFB നമ്പർ നടപടിക്രമം.
  3. സ.ഉ (സാധാ) നം. 421/2023/ജ.വി.വ തീയതി 02.05.2023.
  4. കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടറുടെ 25.09.2023 തീയതിയിലെ KWA-JB/3173/2023- AE9 നമ്പർ കത്ത്.
  5. കിഫ്ബി ചീഫ് എക്സിക്യൂട്ടീവ് ഓഫീസറുടെ 23.11.2023 തീയതിയിലെ WRD025-29/APR-5/2023/KIIFB നമ്പർ നടപടിക്രമം.
  6. സ.ഉ (പി) നം. 16/2017/ധന തീയതി 06.02.2017.

ഉത്തരവ്

കട്ടനാട് താലൂക്കിൽപ്പെട്ട 13 പഞ്ചായത്തുകളായ തലവടി, എടത്യാ, തകഴി, മുട്ടാർ, നെടുമുടി, രാമങ്കരി, ചമ്പക്കുളം, നീലംപേരൂർ, കാവാലം, പുളിങ്കുന്ന്, കൈനകരി, വെളിയനാട്, വീയപുരം എന്നിവയ്ക്ക് വേണ്ടിയുള്ള സമഗ്ര കടിവെള്ള പദ്ധതിയായുടെ ഘട്ടം- 2- ന്റെ പ്രവൃത്തിയ്ക്ക് പരാമർശം (1)- ലെ സർക്കാർ ഉത്തരവ് പ്രകാരം 241 കോടി രൂപയുടെ ഭരണാനുമതിയും, കിഫ്ബി സ്കീമിൽ ഉൾപ്പെടുത്തി പരാമർശം (2) പ്രകാരം 289.54 കോടി രൂപ അനുവദിക്കുകയും ചെയ്തിരുന്നു. എന്നാൽ PRICE 3.0 പ്രകാരം പുതുക്കി തയ്യാറാക്കിയ എസ്റ്റിമേറ്റ് അനുസരിച്ച് GST കൂടിയതിനാലും DSoR 2018 Rate revision വന്നതിനാലും LSGD റോഡ് റിസ്റ്റോറേഷൻ ഉൾപ്പെടുത്തിയതിനാലും ടി പദ്ധതി തുക ₹ 387.91 കോടിയായി വർദ്ധിച്ചതിനാൽ, അധിക തുകയായ 98.371 കോടി രൂപ കൂടി ഉൾപ്പെടുത്തി 387.91 കോടി രൂപയുടെ പുതുക്കിയ ഭരണാനുമതി പരാമർശം (3) പ്രകാരം നൽകിയിട്ടുണ്ട്. പ്രസ്തുത പദ്ധതിയ്ക്ക് അനുവദിച്ച വിഹിതം 385.01 കോടി രൂപയായി വർദ്ധിപ്പിച്ച് ഫണ്ടിംഗ് പരിഷ്കരിക്കുന്നതിന് പരാമർശം (5) പ്രകാരം കിഫ്ബി ഉത്തരവായിട്ടുണ്ട്. പുതുക്കിയ ഭരണാനുമതിയുടെ അടിസ്ഥാനത്തിൽ ഈ പദ്ധതി പ്രവൃത്തികൾ 9 പാക്കേജുകളായി നടപ്പിലാക്കുന്നതിന് പുന:ക്രമീകരണം ചെയ്യുകയുണ്ടായി.

2. തലവടി പഞ്ചായത്തിലെ നീരേറ്റുപറത്ത് ഇൻടേക്ക് സൂക്ഷർ കം പമ്പ് ഹൗസ് സ്ഥാപിക്കൽ, റോ വാട്ടർ ക്ലിയർ വാട്ടർ പമ്പിംഗ് മെയിൻ സ്ഥാപിക്കൽ, 30 MLD ജലശുദ്ധീകരണ ശാല സ്ഥാപിക്കൽ, അനുബന്ധ ജോലികൾ എന്നിവയാണ് കട്ടനാട് സമഗ്ര

കുടിവെള്ള പദ്ധതി ഘട്ടം- 2- ലെ പാക്കേജ് - 1 - ൽ ഉൾപ്പെടുന്നത്. പ്രസ്തുത പാക്കേജിനായി 42.08 കോടി രൂപയുടെ സാങ്കേതികാനുമതി 14.03.2023-ൽ കേരള വാട്ടർ അതോറിറ്റി നൽകിയിട്ടുണ്ട്.

3. പ്രസ്തുത പാക്കേജിലെ പ്രവൃത്തിയ്ക്കായി ആദ്യം ക്ഷണിച്ച രണ്ടു ടെണ്ടറുകളും ഒരു ദർഘാസ്യം ലഭിക്കാത്ത സാഹചര്യത്തിലും, NIT യിലെ Error കാരണവും റദ്ദാക്കേണ്ടി വന്നുവെന്നും, രണ്ടാം പുന:ദർഘാസ്യത്തിൽ M/s. Chicago Constructions International Pvt. Ltd സമർപ്പിച്ച ഏക ദർഘാസ്യ മാത്രമാണ് ലഭിച്ചതെന്നും, പ്രസ്തുത കരാറുകാരൻ ഉദ്ധരിച്ച തുകയായ ₹ 47,42,31,074.51/- , ദർഘാസ്യ തുകയേക്കാൾ 33% കൂടുതലായിരുന്നതായും കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർ പരാർശം (4) പ്രകാരം റിപ്പോർട്ട് ചെയ്തു. കേരള വാട്ടർ അതോറിറ്റി കരാറുകാരനുമായി negotiation നടത്തിയതിനെ തുടർന്ന് ദർഘാസ്യ തുകയേക്കാൾ 31.98% അധികമായ 47,06,35,285/- രൂപയ്ക്ക് പ്രവൃത്തി ഏറ്റെടുക്കാൻ കരാറുകാരൻ സമ്മതിക്കുകയുണ്ടായി.

4. പരാമർശം (6) ലെ സർക്കാർ ഉത്തരവ് പ്രകാരം DSoR + 10%, പ്രാദേശിക വിപണി നിരക്ക്, കരാറുകാരൻ ക്വാട്ട് ചെയ്ത തുക, ഇവയിൽ ഏതാണോ കുറവ് വരുന്നത് ആ തുകയ്ക്കാണ് ദർഘാസ്യ അംഗീകരിക്കേണ്ടത്. ഇതിൽ കുറഞ്ഞ തുകയായ DSoR + 10% ആയ 39,22,32,681/- രൂപയ്ക്ക് മാത്രമേ പ്രസ്തുത ദർഘാസ്യ അനുവദിക്കാനാകുകയുള്ളൂ. എന്നാൽ കരാറുകാരൻ negotiate ചെയ്ത തുക പ്രാദേശിക വിപണി നിരക്കുമായും, നിലവിലെ DSoR + 10% തുകയുമായും താരതമ്യം ചെയ്യുമ്പോൾ കൂടുതലാണ്.

5. ആവർത്തിച്ചുള്ള ഇ-ടെൻഡറുകൾക്ക് ശേഷവും നിലവിലെ നിയമങ്ങൾ അനുവർത്തിക്കുന്ന പ്രകാരമുള്ള ഓഫറുകൾ ലഭിക്കുന്നില്ല എന്നും, കട്ടനാടൻ മേഖലകളിൽ കുടിവെള്ളക്ഷാമം രൂക്ഷമാണെന്നും. വളരെ വർഷങ്ങൾക്ക് മുമ്പ് കമ്മീഷൻ ചെയ്ത നിലവിലുള്ള പഴയ പദ്ധതികളിൽ നിന്നുള്ള പരിമിതമായ ജലലഭ്യത കാരണം ജലവിതരണം അപര്യാപ്തവും ഇടവീടുള്ളതുമാണെന്നും കട്ടനാട് പ്രദേശത്തിന്റെ ഇന്നത്തെയും ഭാവിയ്ക്കുമായും ആവശ്യങ്ങൾ തൃപ്തിപ്പെടുത്താൻ ഭാഗികമായ പ്രദേശങ്ങൾ ഉൾക്കൊള്ളുന്ന നിലവിലുള്ള പദ്ധതികൾക്ക് കഴിയില്ല എന്നും കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർ സർക്കാരിനെ അറിയിക്കുകയുണ്ടായി. ജൽ ജീവൻ മിഷൻ കീഴിൽ, സർവ്വീസ് കണക്ഷനുകളും 41081 ഫംഗ്ഷണൽ ഹൗസ്ഹോൾഡ് ടാപ്പ് കണക്ഷനുകളും (FHTCs) നൽകുന്നതിനുള്ള പ്രവർത്തനങ്ങൾ ഇതിനകം ക്രമീകരിച്ചിട്ടുണ്ടെന്നും, ഈ പ്രവൃത്തിയ്ക്ക് കീഴിലുള്ള ഉൽപ്പാദന ഘടകങ്ങൾ നിർമ്മിക്കുകയും കമ്മീഷൻ ചെയ്യുകയും ചെയ്തില്ലെങ്കിൽ, 2 ലക്ഷം ജനങ്ങൾക്ക് പ്രയോജനം ചെയ്യേണ്ട FHTC കൾ പ്രവർത്തനക്ഷമമാക്കാൻ കഴിയില്ലെന്നും കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർ അറിയിക്കുകയുണ്ടായി.

6. സർക്കാർ ഇക്കാര്യം വിശദമായി പരിശോധിക്കുകയുണ്ടായി. അനവധി പ്രാവശ്യം ടെണ്ടർ ചെയ്തിട്ടും ഏകദേശം ഒരു വർഷം മുമ്പ് ഭരണാനുമതി കൊടുത്ത ഈ പ്രവൃത്തിക്ക് ദർഘാസ്യ അന്തിമം ആയില്ല. കട്ടനാട്ടിലെ കുടിവെള്ള ലഭ്യതയ്ക്കായി തയ്യാറാക്കിയ സമഗ്ര പ്രവൃത്തിയുടെ ഭാഗമാണ് ഈ പ്രവൃത്തി. ഇതു പൂർത്തിയാക്കിയില്ലെങ്കിൽ മറ്റ് പഞ്ചായത്തുകളിലേക്ക് കുടിവെള്ളം നൽകാനും കഴിയില്ല. കരാറുകാരൻ ക്വാട്ട് ചെയ്ത തുക എസ്റ്റിമേറ്റിനേക്കാൾ 31 ശതമാനം കൂടുതലാണെങ്കിലും മാർക്കറ്റ് റേറ്റിനേക്കാൾ 14 ശതമാനമാണ് ഉയർന്നിട്ടുള്ളത്. മാത്രമല്ല 07/08/2023-ൽ തുറന്ന ഈ ദർഘാസ്യിന്റെ firm period ഇനിയും അധികം നീട്ടിക്കിട്ടാൻ

സാധ്യത കാണുന്നില്ല.

7. മേൽ സാഹചര്യത്തിൽ കട്ടനാട് സമഗ്ര കുടിവെള്ള പദ്ധതിയുടെ ഘട്ടം- 2- ലെ പാക്കേജ്- I ന്റെ പ്രവൃത്തിയ്ക്ക് ലഭിച്ച single bidder ആയ M/s Chicago Constructions International (P) Ltd കോട്ട് ചെയ്ത ദർഘാസ് Tendered PAC യേക്കാൾ 31.98% ഉം, നിലവിലെ SoR (2018) + 10% തുകയേക്കാൾ 19.98% ഉം, പ്രാദേശിക വിപണി നിരക്കിനേക്കാൾ (LMR) 13.74 % ഉം അധികരിച്ച തുകയായ ₹ 47,06,35,285/- രൂപയ്ക്ക് അംഗീകരിക്കുന്നതിനുള്ള അനുമതി കേരള വാട്ടർ അതോറിറ്റി മാനേജിംഗ് ഡയറക്ടർക്ക് നൽകി ഉത്തരവാകുന്നു.

(ഗവർണ്ണറുടെ ഉത്തരവിൻ പ്രകാരം)  
അശോക് കമാർ സിംഗ് ഐ എ എസ്  
പ്രിൻസിപ്പൽ സെക്രട്ടറി

1. മാനേജിംഗ് ഡയറക്ടർ, കേരള വാട്ടർ അതോറിറ്റി
2. പ്രിൻസിപ്പൽ അക്കൗണ്ടന്റ് ജനറൽ (എ&ഇ/ ആഡിറ്റ്), കേരള, തിരുവനന്തപുരം.
3. പൊതു ഭരണ (എസ്.സി) വകുപ്പ് (20.03.2024 ലെ ഇനം നം. 2135 പ്രകാരം)
4. ധനകാര്യ വകുപ്പ് (29.01.2024 ലെ ഫയൽ നം. Infra2/02/2024/fin പ്രകാരം)
5. ഇൻഫർമേഷൻ ഓഫീസർ, വെബ് & ന്യൂ മീഡിയ, ഐ&പി.ആർ.ഡി
6. കരുതൽ ഫയൽ/ ഓഫീസ് കോപ്പി.

ഉത്തരവിൻ പ്രകാരം  
Signed by  
Khadeeja Alungal  
Date: 01-06-2024 15:21:19  
സെക്ഷൻ ഓഫീസർ

പകർപ്പ്: ബഹു. ജലവിഭവ വകുപ്പു മന്ത്രിയുടെ പി.എസ്- ന്  
ജലവിഭവ വകുപ്പ് പ്രിൻസിപ്പൽ സെക്രട്ടറിയുടെ പി.എ- യ്ക്ക്.



**GOVERNMENT OF KERALA**  
**(SHRI. PINARAYI VIJAYAN MINISTRY)**  
**Note for the Council of Ministers**

- 15
1. File No. : B1/120/2021/WRD
  2. Department : Water Resources (Water Supply-B)  
Department
  3. Subject : Approval of Single Tender received for  
the Package- I work of the Kuttanad  
Comprehensive Drinking Water Project  
Phase- II.
  4. Date of Chief Minister's order for  
placing before the Council : 12/03/2024.
  5. (i) Does the case involve : Yes.  
financial commitments/  
implications  
(ii) If the answer to the : Yes.  
above is in the  
affirmative, whether  
Finance Dept. been  
consulted and their  
remarks incorporated in  
the Council Note.
  6. Are any other departments concerned : No.  
with the case and if so, have they  
been consulted and their remarks  
incorporated in the Note for the  
Council
  7. Name of Joint Secretary who : Sri.Sukumaran Nair G  
submitted the Draft Note.
  8. Name of Principal Secretary who : Sri.Ashok Kumar Singh  
approved the Draft Note.
  9. Date of approval of the Draft note for : 14-03-2024  
the Council by the Secretary.
  10. Name of Chief Secretary who : Dr.Venu.V  
approved the Draft Note.
  11. Date of approval of the Draft Note : 14-03-2024  
for the Council by the Chief  
Secretary.
  12. Name of Minister who approved the : Sri.Roshy Augustine  
Draft note.
  13. Date of approval of the Draft Note : 15-03-2024  
for the Council by the Minister
  14. Date of Submission of Fair Copies : 15-03-2024
  15. Date of decision by the Council of :  
Ministers.
  16. Number and date of the G.O./letter :  
communicating the decision.

54/

**NOTE FOR COUNCIL OF MINISTERS**

This note relates to the approval of Single Tender received for the Package- I work of the Kuttanad Comprehensive Drinking Water Project Phase- II.

2. This is a comprehensive drinking water project with KIIFB funding for 13 panchayats of Kuttanad taluk namely Talavadi, Edatwa, Thakazhi, Muttar, Nedumudi, Ramankari, Champakulam, Neelamperur, Kavalam, Pulingunnu, Kainkari, Veliyanad and Veeyapuram. As per G.O (Rt) No. 406/2018/WRD dated 04/06/2018 in principle Administrative sanction for Kuttanad Comprehensive Drinking Water Project Phase- II was accorded for Rs. 241 Crores and an amount of Rs.289.54 crore has been allotted under KIIFB scheme, as per Order No. WRD025-29/APR-6/2019/KIIFB dated 25.06.2019.

3. As per the revised estimate prepared under PRICE 3.0, the project amount has been increased to 387.91 crore due to increase in GST, DSR 2018 Rate revision and inclusion of LSGD road restoration. A revised administrative sanction of Rs 387.91 crore including an additional amount of Rs 98.371 crore has been accorded as per G.O (Rt) No. 421/2023/WRD dated 02.05.2023. KIIFB has accorded sanction for revising the funding by enhancing the total approved outlay to Rs. 385,01,38,929.54/- as per Order No. WRD025-29/APR-5/2023/KIIFB dated 23.11.2023. Based on the administrative sanction, this project has been restructured to implement the works in 9 packages.

4. The Package- I of Kuttanad Comprehensive Drinking Water Project Phase- II includes Construction of Intake structure cum pump house at Neerettupuram in Thalavady Panchayath, Laying of Raw water and clear water pumping main, Construction of 30 MLD Water Treatment Plant and allied works. The Technical Sanction for Rs. 42.08 Crores was issued to the said package on 14.03.2023 by Kerala Water Authority.

5. E- Tender was invited for the work of said Package on 23.03.2023. Since no offer was received, the tender was cancelled. Re-tender invited on 26.04.2023 was also cancelled due to an error in NIT. When the second re-tender was invited, single offer was received from M/s. Chicago Constructions International Pvt. Ltd. The tender committee which met on 26.07.2023 pre-qualified the bidder M/s Chicago Constructions International (P) Ltd and the price bid was opened on 07.08.2023.

6. The quoted amount of the single bidder viz. M/s Chicago Constructions International (P) Ltd was Rs. 47,42,31,074.51/- which was 33% above the tendered PAC of Rs. 35,65,75,164/-.

Tendered PAC - Rs. 35,65,75,164/-

Quoted Amount - Rs. 47,42,31,074.51/- (33% above TPAC)

Current SoR(2018) + 10% amount- Rs. 39,22,32,680/-

Local Market Rate (LMR)- Rs. 41,37,49,199.76 (16.03% above TPAC)

7. Kerala Water Authority negotiated with the contractor and they agreed to execute the work at Rs. 47,06,35,285/- which was 31.98% above the tendered PAC of Rs. 35,65,75,164/-.

Comparison Statement

Negotiated Amount - Rs..47,06,35,285/-			
	Amount	Negotiated Amount Percentage Above or Below	
Tendered PAC	Rs. 35,65,75,164/-	31.98 %	Above
Current SoR (2018) + 10% amount	Rs.39,22,32,680.86/- (from PRICE)	19.98 %	Above
Local Market Rate (LMR)	Rs.41,37,49,199.76 (16.03% above TPAC)	13.74 %	Above

8. Since the maximum amount that could be sanctioned is the least of the above, as per prevailing Government Orders, the subject work can be awarded to the single bidder M/s Chicago Constuctions International (P) Ltd, at Current SoR (2018) + 10% amount ie. Rs.39,22,32,680.86/-. The negotiated amount of the single bidder is more compared with Local Market Rate and Current SoR + 10%.

9. It is stated in G.O (P) No. 16/2017/Fin dated 06/02/2017 as follows:

“The maximum admissible tender excess shall be limited either to quoted rate of the lowest bidder or Local Market Rate or current DSoR plus 10% tolerance limit whichever is less. In case quoted rate of the lowest bidder is above the current DSoR plus 10% tolerance limit, the tender inviting authority themselves shall re-tender the work without referring the case to higher authorities”

10. Under the circumstances file has been forwarded to Finance Department for remarks with regard to the sanction for awarding the work to the single

bidder M/s Chicago Constructions international (P) Ltd at their negotiated rate of Rs. 47,06,35,285/- (ie; 31.98% above TPAC).

11. Finance Department remarked as follows:

"AD may take a judicious decision in view of the Vigilance case ongoing against the contractor and in any case the Tender Acceptance can be done only with the approval of the Council of Ministers as per the guidelines"

12. Vigilance Department recommended Government to blacklist M/s Chicago Constructions International Pvt Ltd, in connection with a Vigilance Surprise Check Report related with irregularities in Kanjikuzhi-Kollad road construction. Subsequently on the basis of the report of Managing Director, Kerala Water Authority in this regard Administrative department has decided not to blacklist the company until further orders.

13. Managing Director, Kerala Water Authority reported to Government that, Even after repeated e-tenders, offers satisfying present rules are not receiving. Areas in the Kuttanad region are facing acute scarcity of drinking water. Water supply is inadequate and intermittent because of limited water availability from present old schemes commissioned years back. The present schemes in the area are old covering partial areas and cannot satisfy the present and future needs of Kuttanad area. The tubewells in these areas are also not functional due to the peculiar geography and poor groundwater quality including saline ingression. The lack of reliable and safe water supply system not only affects the daily lives but also poses significant health risk to the community. Degradation of surface water bodies also contributed to the region's water woes. Poor people in the area are in great affliction and are purchasing water for their daily consumption at high rates which makes the

life of poor people miserable in the area. The canals and thodu in the locality has been filled with "pola" and the water is turbid and not good for domestic purposes also adding to threats in health of infants & children in the area. The present project not only alleviate the immediate concerns but also contribute to the long term demand of the community.

14. Under Jal Jeevan Mission, works has already been arranged for providing service connections and 41081 Functional Household Tap Connections (FHTC). If the production components under the subject work is not constructed and commissioned, 41081 number of FHTCs benefitting 2 lakh population cannot be made functional.

15. The reason for high quote is attributed to the fact that the proposed location for WTP is in Kuttanad area which is below sea level due to which seasonal working is only possible. As the land being highly water logged, the civil construction especially for foundations requires specific construction technologies including special machineries and skilled labour. The water table being so high, laying of higher diameter pipelines is more time and money consuming compared to normal terrain.

16. The Tender for the subject work was not finalized, which was given administrative approval about a year ago, despite several tenders. This work is part of the comprehensive work prepared for drinking water supply in Kuttanad. If this is not completed, drinking water cannot be provided to other panchayaths. At present many complaints have been received that the estimate in the PRICE system of the government is lower than the actual market rate. In this case the quoted amount is 31% higher than the estimate

amount, but 14 % higher than the market rate. The firm period of this Tender, which was opened on 07/08/2023, is unlikely to be extended further. Considering the urgent importance of the matter in the above situation, file was circulated to Hon'ble Chief Minister through Minister (WRD), for orders.

17. The Hon'ble Chief Minister has ordered to place the matter before the Council of Ministers.

**Point for Decision**

Whether the single tender of M/s Chicago Constuctions International (P) Ltd for the Package- I work of Kuttand Comprehensive Drinking Water Project Phase- II, for an amount of Rs. 47,06,35,285/-, which is 31.98% above the tendered PAC, 19.98% above the Current SoR + 10% amount and 13.74% % above the Local Market Rate (LMR) may be approved?

**GOVERNMENT OF KERALA**  
**(SHRI. PINARAYI VIJAYAN MINISTRY)**  
**Note for the Council of Ministers**

1. File No: IR2/137/2022/WRD
2. Department Water Resources (IR) Department
3. Subject Acceptance of the bid submitted by Sri.N.M.John, Naduvilekolliyil House, Vazhakulam P.O, Kavana, Moovattupuzha for an amount of Rs.19,20,910/- in connection with the work "Urgent protection work in between CЕСCP 926 and 927 at Ottamasserry in Kadakkarapally Panchayath of Cherthala LAC in Alappuzha District which is 42.03% above the estimate rate" – Reg.
4. Date of Chief Minister's order for placing before the Council 21/06/2022
5. (i) Does the case involve financial commitments/ implications Yes  
(ii) If the answer to the above is in the affirmative, whether Finance Dept. been consulted and their remarks incorporated in the Council Note. Yes
6. Are any other departments concerned with the case and if so, have they been consulted and their remarks incorporated in the Note for the Council No
7. Name of Joint Secretary who submitted the Draft Note. Sri.Nazarudeen.A
8. Name of Additional Chief Secretary who approved the Draft Note. Sri.T.K.Jose
9. Date of approval of the Draft note for the Council by the Additional Chief Secretary. 21/06/2022
10. Name of Chief Secretary who approved the Draft Note. Dr.V.P. Joy
11. Date of approval of the Draft Note for the Council by the Chief Secretary. 21/06/2022
12. Name of Minister who approved the Draft note. Sri.Roshy Augustine
13. Date of approval of the Draft Note for the Council by the Minister 21/06/2022
14. Date of Submission of Fair Copies 21/06/2022
15. Date of decision by the Council of Ministers.
16. Number and date of the G.O./letter communicating the decision.



## Note for Council of Ministers

This note deals with acceptance of the bid submitted by Sri.N.M.John, Naduvilekolliyil House, Vazhakkulam P.O, Kavana, Moovattupuzha for an amount of Rs.19,20,910/- in connection with the work "Urgent protection work in between CЕСCP 926 and 927 at Ottamasserry in Kadakkarapally Panchayath of Cherthala LAC in Alappuzha District" which is 42.03% above the estimate rate."

2) Administrative Sanction for the above work was issued as per the Government Order GO(Rt).296/2021/WRD dated 25.05.2021 towards the Head of Account "2711-02-103-99-00-001 ASE Works" and Technical Sanction was accorded vide IDAlp/2021-2022/2722/IA dated 08.06.2021 by the Asst.Executive Engineer. Irrigation Sub Division Alappuzha as per DSR 2016.

3) Due to non response from the contractors, the work was re-tendered four times and on 08.03.2022 two contractors were qualified. In this the lowest rate was quoted by Sri.N.M.John, Naduvilekolliyil House, Vazhakkulam P.O, Kavana, Moovattupuzha for an amount of Rs.19,61,059/-. He reduced the quoted amount to Rs.19,20,910/- after negotiation.

As per the prevailing Government Order G.O(P)No.67/2021/Fin dated 28/04/2021 the acceptance rate of tender shall be the least of the following.

- Quoted rate of the Lowest bidder
- PWD Local Market Rates

Current DSR with latest Cost index + 10% tolerance limit

**In this case these rates comes as follows.(as per DSR 2016)**

Quoted rate of the lowest bidder - 19,20,910/-

PWD Local Market Rates - 46,59,196/-

Current DSR with latest Cost-  
index + 10% tolerance limit - 14,67,363/-

5) The lowest rates of Rs.19,20,910/- comes 44% above the estimate rate (as per DSR 2016) .

6) When consulted, the Finance Department offered the following remarks.

" Administrative Department is requested to explore the possibility of finalising the tender as per GO(P) No 30/2022/Fin dated 14/3/2022 and if not, Administrative Department is requested to revise the estimate as per site conditions and as per GO(P) No 16/2017/Fin dated 6/2/2017 and then tender"

7) As per the remarks of the Finance Department a detailed comparison statement of the project with DSR 2018 has been prepared and considered.

8) Even after bidding the works several times, only two bidders were participated in the tender. The major reason is shortage of rocks. It has to be brought from other districts, besides above, sea erosion is severe. So it is very essential to complete the above work.

9) When circulated, the Hon'ble Chief Minister has ordered to place the matter before the Council of Ministers for consideration.

### Point for Decision

Whether the e bid submitted by Sri.N.M.John, Naduvilekolliyil House, Vazhakkulam P.O, Kavana, Moovattupuzha in connection with the work "Urgent protection work in between CЕСCP 926 and 927 at Ottamasserry in Kadakkarapally Panchayath of Cherthala LAC in Alappuzha District" for an amount of Rs.19,20,910/- (Rupees Nineteen Lakh Twenty Thousand Nine hundred and ten only) which is 42.03 % above the estimate rate and 29.11% above the admissible rate (ie as per the current DSR 2018 with latest cost index +10% tolerance rate) may be considered and accepted as a special / emergency case, overruling the remarks of the Finance Department.

"ഭരണഭാഷ- മാതൃഭാഷ"



**കേരള സർക്കാർ**

**സംഗ്രഹം**

ജല വിഭവ വകുപ്പ് - ആലപ്പുഴജില്ലയിലെ ചേർത്തല നിയോജക മണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി ഒറ്റമശ്ശേരി പ്രദേശത്തെ തീരങ്ങളിൽ (CESCP 926 നം. 927 നം. ഇടയിൽ) കടൽ ഭിത്തി നിർമ്മിക്കുന്നത് സംബന്ധിച്ച പ്രവൃത്തിക്ക് എസ്റ്റിമേറ്റ് തുകയേക്കാൾ 42.03% ഉയർന്ന നിരക്കിൽ L1 കരാറുകാരൻ സമർപ്പിച്ച ബിഡ് അംഗീകരിച്ച് ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

**ജലവിഭവ (ഐ ആർ) വകുപ്പ്**

സ.ഉ.(കെ) നം.42/2022/WRD തീയതി, തിരുവനന്തപുരം, 24-06-2022

- പരാമർശം:-
1. സ.ഉ.(പി)നം. 67/2021/ധന തീയതി 28.04.2021.
  2. സ.ഉ.(സാധാ)നം.296/2021/ജവീവ തീയതി 25.05.2021
  3. ജലസേചനവും ഭരണവും ചീഫ് എഞ്ചിനീയറുടെ 19.04.2022, 19.05.2022, 24.05.2022 തീയതികളിലെ W3/57743/2022/TR/DB- II നമ്പർ കത്തുകൾ.

**ഉത്തരവ്**

ആലപ്പുഴ ജില്ലയിലെ ചേർത്തല നിയോജകമണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി പഞ്ചായത്തിലെ ഒറ്റമശ്ശേരി പ്രദേശത്തെ തീരങ്ങളിൽ (CESCP 926 നം. 927 നം. ഇടയിൽ) കടൽ ഭിത്തി നിർമ്മിക്കുന്നത് സംബന്ധിച്ച പ്രവൃത്തിക്ക് "2711-02-103-99-00-00-V ASE" എന്ന ശീർഷകത്തിൽ പരാമർശം 2 സർക്കാർ ഉത്തരവ് പ്രകാരം ഭരണാനുമതിയും 08.06.2021 -ലെ IDA/p/2021-2022/2722/IA നമ്പർ ഉത്തരവ് പ്രകാരം ആലപ്പുഴ ഇറിഗേഷൻ സബ് ഡിവിഷൻ അസിസ്റ്റന്റ് എക്സിക്യൂട്ടീവ് എഞ്ചിനീയർ DSR 2016 പ്രകാരം സാങ്കേതികാനുമതിയും നൽകിയിരുന്നു.

2. പ്രസ്തുത പ്രവൃത്തി ടെൻഡർ ചെയ്തതിൽ കരാറുകാരിൽ നിന്നും പ്രതികരണമൊന്നും ലഭിക്കാത്തതിനാൽ നാല് തവണയോളം റീടെൻഡർ നടത്തുകയും 08.03.2022-ൽ റീ ടെൻഡർ നടത്തിയതിൽ രണ്ടുകരാറുകാർ യോഗ്യരാവുകയും അതിൽ ശ്രീ എൻ.എം.ജോൺ, നടുവിലെകൊള്ളിയിൽ വീട്, വാഴക്കുളം പോസ്റ്റ്, കാവന, മുവാറ്റുപുഴ എന്ന കരാറുകാരനാണ് ഏറ്റവും കുറഞ്ഞ തുകയായ ₹19,61,059/- രൂപ ക്വാട്ട് ചെയ്തത്. പിന്നീട് വിശദമായ ചർച്ചകൾക്ക് ശേഷം മേൽ തുക 19,20,910/- രൂപയായി കുറയ്ക്കുകയും ചെയ്യുകയുണ്ടായി.

3. പരാമർശം 1 ഉത്തരവ് പ്രകാരം താഴെ പറയുന്നതിൽ ഏറ്റവും കുറഞ്ഞ തുകയാണ് നിലവിലുള്ള അനുവദനീയമായ ടെൻഡർ നിരക്ക്.

\*ഏറ്റവും കുറഞ്ഞ ടെൻഡർ തുക

\*പിഡബ്ല്യുഡി അംഗീകരിച്ച പ്രാദേശിക വിപണി നിരക്കുകൾ

\*ഏറ്റവും പുതിയ കോസ്റ്റ് ഇൻഡക്സ് പ്രകാരമുള്ള നിലവിലെ ഡിഎസ്ആർ+10% ടോളറൻസ്

പരിധി

ഇവിടെ മേൽ നിരക്കുകൾ താഴെപ്പറയുംപ്രകാരമാണ്.(DSR 2016 പ്രകാരം)

ഏറ്റവും കുറഞ്ഞ ടെൻഡർ തുക	- 19,20,910/-
വീഡിയോ അംഗീകരിച്ച പ്രാദേശിക വിപണി നിരക്ക്	- 46,59,196/-
ഏറ്റവും പുതിയ കോസ്റ്റ് ഇൻഡക്സ് പ്രകാരമുള്ള നിലവിലെ ഡിഎസ്ആർ+10% ടോളറൻസ് പരിധി	- 14,67,363/-

4. മേല്പറഞ്ഞതിൽ ഏറ്റവും കുറഞ്ഞ തുകയായ ₹14,67,363/- ആണ് അനുവദനീയമായ ടെൻഡർ തുക. എന്നാൽ ക്വാട്ട് ചെയ്ത തുകയായ 19,20,910/- രൂപ എസ്റ്റിമേറ്റ് തുകയേക്കാൾ 44% കൂടുതലാണ്.

5. സർക്കാർ ഈ വിഷയം വിശദമായി പരിശോധിച്ചു. പലപ്രാവശ്യം ടെണ്ടർ ചെയ്തിട്ടാണ് രണ്ട് പേർ ടെണ്ടറിൽ പങ്കെടുത്തത്. അതിന്റെ പ്രധാന കാരണം കല്ലിന്റെ ലഭ്യതക്കുറവാണ്. അന്യ ജില്ലകളിൽനിന്നും കല്ല് കൊണ്ടുവരേണ്ടതുണ്ട്; കൂടാതെ കടൽക്ഷോഭം വളരെ രൂക്ഷവുമാണ്. ആയതിനാൽ തന്നെ മേൽപ്പറഞ്ഞ പ്രവൃത്തി പൂർത്തീകരിക്കേണ്ടത് വളരെ അത്യാവശ്യവുമാണ്. അതിനാൽ ആലപ്പുഴ ജില്ലയിൽ ചേർത്തല നിയോജകമണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി പഞ്ചായത്തിലെ ഒറ്റമശ്ശേരി പ്രദേശത്തെ തീരങ്ങളിൽ (CESCP 926 നും 927 നും ഇടയിൽ) കടൽഭിത്തി നിർമ്മിക്കുന്നത് സംബന്ധിച്ച പ്രവൃത്തിക്ക് എസ്റ്റിമേറ്റ് തുകയേക്കാൾ 42.03% ഉയർന്നതും, അനുവദനീയമായ തുകയേക്കാൾ 29.11% ഉയർന്നതുമായ (ഏറ്റവും പുതിയ കോസ്റ്റ് ഇൻഡക്സ് പ്രകാരമുള്ള നിലവിലെ ഡിഎസ്ആർ+10% ടോളറൻസ് പരിധി DSR 2018) നിരക്കിൽ L1 കരാറുകാരൻ സമർപ്പിച്ചു. ₹19,20,910/- (പത്തൊൻപത് ലക്ഷത്തി ഇരുപതിനായിരത്തി തൊള്ളായിരത്തിപത്ത്) രൂപയുടെ e-ബിഡ് ഒരു പ്രത്യേക കേസായി പരിഗണിച്ച് അംഗീകരിച്ച് ഉത്തരവാകുന്നു.

(ഗവർണ്ണറുടെ ഉത്തരവിൻ പ്രകാരം)  
റ്റി.കെ.ജോസ്  
അഡീഷണൽ ചീഫ് സെക്രട്ടറി

ചീഫ് എഞ്ചിനീയർ(ജലസേചനവും ഭരണവും), തിരുവനന്തപുരം  
പ്രിൻസിപ്പൽ അക്കൗണ്ടന്റ് ജനറൽ (എ&ഇ)/(ഓഡിറ്റ്), കേരളം, തിരുവനന്തപുരം.  
പൊതുഭരണ (എസ്.സി) വകുപ്പ് (22/06/2022 തീയതിയിലെ ഇനം.നം.868)  
ധനകാര്യ ( I&PW.B) വകുപ്പ് (04/05/2022-ലെ പരാമർശം നം. I&PW-B3/138/2022/Fin)  
കരുതൽ ഫയൽ/ഓഫീസ് കോപ്പി.

ഉത്തരവിൻ പ്രകാരം  
സെക്ഷൻ ഓഫീസർ

പകർപ്പ് :-

ബഹു.മുഖ്യമന്ത്രിയുടെ പ്രിൻസിപ്പൽ സെക്രട്ടറിക്ക്  
ബഹു.മുഖ്യമന്ത്രിയുടെ പ്രൈവറ്റ് സെക്രട്ടറിക്ക്  
ബഹു.ജലവിഭവ വകുപ്പ് മന്ത്രിയുടെ പ്രൈവറ്റ് സെക്രട്ടറിക്ക്  
ജലവിഭവ വകുപ്പ് അഡീഷണൽ ചീഫ് സെക്രട്ടറിയുടെ പി.എസ്  
ജലവിഭവ വകുപ്പ് സെക്രട്ടറിയുടെ പി.എസ്

**GOVERNMENT OF KERALA**  
**(SHRI. PINARAYI VIJAYAN MINISTRY)**  
**Note for the Council of Ministers**

- |   |   |
|---|---|
| 1. File No:   | IR2/136/2022/WRD  |
| 2. Department   | Water Resources (IR) Department   |
| 3. Subject  | Acceptance of the bid submitted by Sri.N.M.John, Naduvilekolliyil House, Vazhakulam P.O, Kavana, Moovattupuzha for an amount of Rs.25,69,917/- in connection with the work "Urgent protection work in between CЕСCP 922 and 925 at Ottamasserry in Kadakkarapally Panchayath of Cherthala LAC in Alappuzha District which is 42.03% above the estimate rate" – Reg. |
| 4. Date of Chief Minister's order for placing before the Council  | 21/06/2022  |
| 5. (i) Does the case involve financial commitments/ implications  | Yes   |
| (ii) If the answer to the above is in the affirmative, whether Finance Dept. been consulted and their remarks incorporated in the Council Note.     | Yes   |
| 6. Are any other departments concerned with the case and if so, have they been consulted and their remarks incorporated in the Note for the Council | No  |
| 7. Name of Joint Secretary who submitted the Draft Note.  | Sri.Nazarudeen.A  |
| 8. Name of Additional Chief Secretary who approved the Draft Note.  | Sri.T.K.Jose  |
| 9. Date of approval of the Draft note for the Council by the Additional Chief Secretary.  | 21/06/2022  |
| 10. Name of Chief Secretary who approved the Draft Note.  | Dr.V.P. Joy   |
| 11. Date of approval of the Draft Note for the Council by the Chief Secretary.  | 21/06/2022  |
| 12. Name of Minister who approved the Draft note.   | Sri.Roshy Augustine   |
| 13. Date of approval of the Draft Note for the Council by the Minister  | 21/06/2022  |
| 14. Date of Submission of Fair Copies   | 21/06/2022  |
| 15. Date of decision by the Council of Ministers.   |   |
| 16. Number and date of the G.O./letter communicating the decision.  |   |

## Note for Council of Ministers

This note deals with acceptance of the bid submitted by Sri.N.M.John, Naduvilekollyil House, Vazhakkulam P.O, Kavana, Moovattupuzha for an amount of Rs.25,69,917/- in connection with the work "Urgent protection work in between CЕССР 922 and 925 at Ottamasserry in Kadakkarapally Panchayath of Cherthala LAC in Alappuzha District" which is 42.03% above the estimate rate."

2) Administrative Sanction for the above work was issued as per the Government Order GO(Rt).296/2021/WRD dated 25.05.2021 towards the Head of Account "2711-02-103-99-00-001 ASE Works" and Technical Sanction was accorded vide IDA/p/2021-2022/1895/IA dated 13.06.2021 by the Executive Engineer, Irrigation Division Alappuzha as per DSR 2016.

3) Due to the non response from the contractors, the work was re-tendered four times and on 14.03.2022 two contractors, have been qualified. In this Sri.N.M.John, Naduvilekollyil House, Vazhakkulam P.O, Kavana, Moovattupuzha quoted the lowest rate of Rs.25,87,764/-. And after a detailed discussion, he reduced the amount to Rs.25,69,917/-.

As per the prevailing Government Order G.O(P)No.67/2021/Fin dated 28/04/2021 the acceptance rate of tender shall be the least of the following.

- Quoted rate of the Lowest bidder
- PWD Local Market Rates
- Current DSR with latest Cost index + 10% tolerance limit



**In this case these rates comes as follows.(as per DSR 2016)**

Quoted rate of the lowest bidder	-	25,69,917/-
PWD Local Market Rates	-	62,33,372/-
Current DSR with latest Cost- index + 10% tolerance limit	-	19,63,132/-

5) The minimum allowable tender amount is Rs. 19,63,132/- but the quoted amount Rs. 25,69,917/- comes to 43.99% above the estimate rate .

6) When consulted, the Finance Department offered the following remarks.

"Administrative Department is requested to explore the possibilities of finalising the tender as per the provisions in GO(P) No 30/2022/Fin dated 14/3/2022. If not Administrative Department shall revise the estimate as per site conditions and as per GO(P) No 16/2017/Fin dated 6/2/2017 and then tender the work."

7) As per the remarks of the Finance Department a detailed comparison statement of the project with DSR 2018 has been prepared and forwarded for the consideration of the Finance department. In this regard the remarks of the Finance Department is as follows .

" Administrative Department is informed that since the L1 is exorbitant and also as the L1 is not within the admissible limit, it is requested to rework the estimate as per site conditions and as per GO(P) No 16/2017/Fin dated 06/02/2017 and retender the work."

8) Even after bidding the works several times, only two bidders were participated in the tender. The major reason is shortage of rocks. It has to to be brought from other districts, besides the above sea erosion is severe. So it is very essential to complete the above work.

9) When circulated, the Hon'ble Chief Minister has ordered to place the matter before the Council of Ministers for consideration.

**Point for Decision**

Whether the e-bid submitted by Sri.N.M.John, Naduvilekolliyil House, Vazhakkulam P.O, Kavana, Moovattupuzha in connection with the work "Urgent protection work in between CЕСSCP 922 and 925 at Ottamasserry in Kadakkarapally Panchayath of Cherthala LAC in Alappuzha District" for an amount of Rs.25,69,917/- (Rupees Twenty Five lakhs Sixty Nine Thousand Nine Hundred and Seventeen only) which is 42.03 % above the estimate rate and 29.11% above the admissible rate may be considered and accepted as a special / emergency case, overruling the remarks of the Finance Department.

JR

"ഭരണഭാഷ- മാതൃഭാഷ"



കേരള സർക്കാർ

സംഗ്രഹം

ജല വിഭവ വകുപ്പ് - ആലപ്പുഴ ജില്ലയിലെ ചേർത്തല നിയോജക മണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി ഒറ്റമശ്ശേരി പ്രദേശത്തെ തീരങ്ങളിൽ (CESCP 922 നം 925 നം ഇടയിൽ) കടൽ ഭിത്തി നിർമ്മിക്കുന്നത് സംബന്ധിച്ച പ്രവൃത്തിക്ക് എസ്റ്റിമേറ്റ് തുകയേക്കാൾ 42.03% ഉയർന്ന നിരക്കിൽ L1 കരാറുകാരൻ സമർപ്പിച്ച ബിഡ് അംഗീകരിച്ച് ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

**ജലവിഭവ (ഐ ആർ) വകുപ്പ്**

സ.ഉ.(കെ) നം.40/2022/WRD തീയതി,തിരുവനന്തപുരം, 24-06-2022

- പരാമർശം:-
1. സ.ഉ.(പി) നം. 67/2021/ധന തീയതി 28 .04 .2021
  2. സ.ഉ.(സാധ)നം. 296/2021/ജവിവ തീയതി 25.05.2021
  3. ജലസേചനവും ഭരണവും ചീഫ് എഞ്ചിനീയറുടെ 19.04.2022, 17.05.2022, 24.05.2022 തീയതികളിലെ W3-57733/2022/TR/DB-II നമ്പർ കത്തുകൾ

**ഉത്തരവ്**

ആലപ്പുഴ ജില്ലയിലെ ചേർത്തല നിയോജകമണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി പഞ്ചായത്തിലെ ഒറ്റമശ്ശേരി പ്രദേശത്തെ തീരങ്ങളിൽ (CESCP 922 നം 925 നം ഇടയിൽ) കടൽ ഭിത്തി നിർമ്മിക്കുന്നത് സംബന്ധിച്ച പ്രവൃത്തിക്ക് "2711-02-103-99-00-00-V ASC" എന്ന ശീർഷകത്തിൽ പരാമർശം 2 സർക്കാർ ഉത്തരവ് പ്രകാരം ഭരണാനുമതിയും 13.06.2021 -ലെ IDA/p/2021-2022/1895/IA നമ്പർ ഉത്തരവ് പ്രകാരം ആലപ്പുഴ ഇറിഗേഷൻ ഡിവിഷൻ എക്സിക്യൂട്ടീവ് എഞ്ചിനീയർ DSR 2016 പ്രകാരം സാങ്കേതികാനുമതിയും നൽകിയിരുന്നു.

2. പ്രസ്തുത പ്രവൃത്തി ടെൻഡർ ചെയ്തതിൽ കരാറുകാരിൽനിന്നും പ്രതികരണമൊന്നും ലഭിക്കാത്തതിനാൽ നാല് തവണയോളം റീടെൻഡർ നടത്തുകയും 14.03.2022-ൽ റീ ടെൻഡർ നടത്തിയതിൽ രണ്ടുകരാറുകാർ യോഗ്യരാവുകയും അതിൽ ശ്രീ എൻ.എം ജോൺ, നടുവിലകൊള്ളിയിൽ വീട്, വാഴക്കുളം പോസ്റ്റ്, കാവന, മുവാറ്റുപുഴ എന്ന കരാറുകാരനാണ് ഏറ്റവും കുറഞ്ഞതുകയായ ₹25,87,764/- രൂപ (L1) ക്വാട്ട് ചെയ്തത്. പിന്നീട് വിശദമായ ചർച്ചകൾക്ക് ശേഷം മേൽ തുക ₹25,69,917/- രൂപയായി കുറയ്ക്കുകയും ചെയ്യുകയുണ്ടായി.

3. പരാമർശം 1 ലെ സർക്കാർ ഉത്തരവ് പ്രകാരം താഴെ പറയുന്നതിൽ ഏറ്റവും കുറഞ്ഞ തുകയാണ് നിലവിലുള്ള അനുവദനീയമായ ടെൻഡർ നിരക്ക്.

ഏറ്റവും കുറഞ്ഞ ടെൻഡർ തുക

പിഡബ്ല്യുഡി അംഗീകരിച്ച പ്രാദേശിക വിപണി നിരക്കകള്

ഏറ്റവും പുതിയ കോസ്റ്റ് ഇൻഡക്സ് പ്രകാരമുള്ള നിലവിലെ ഡിഎസ്ആർ+10% ടോളറൻസ് പരിധി

ഇവിടെ മേൽ നിരക്കുകൾ താഴെപ്പറയും പ്രകാരമാണ്.(DSR 2016 പ്രകാരം)

ഏറ്റവും കുറഞ്ഞ ടെൻഡർ തുക	- ₹25,69,917/-
വിഡബ്ല്യുഡി അംഗീകരിച്ച പ്രാദേശിക വിപണി നിരക്ക്	- ₹62,33,372/-
ഏറ്റവും പുതിയ കോസ്റ്റ് ഇൻഡക്സ് പ്രകാരമുള്ള നിലവിലെ ഡിഎസ്ആർ+10% ടോളറൻസ് പരിധി	- ₹ 19,63,132/-

മേല്പറഞ്ഞതിൽ ഏറ്റവും കുറഞ്ഞ തുകയായ ₹19,63,132/- ആണ് അനുവദനീയമായ ടെൻഡർ തുക. എന്നാൽ ക്വാട്ട് ചെയ്ത തുകയായ ₹25,69,917/- രൂപ എസ്റ്റിമേറ്റ് തുകയേക്കാൾ 43.99% കൂടുതലാണ്.

4. സർക്കാർ ഈ വിഷയം വിശദമായി പരിശോധിച്ചു. പലപ്രാവശ്യം ടെണ്ടർ ചെയ്തിട്ടാണ് രണ്ട് പേർ ടെണ്ടറിൽ പങ്കെടുത്തത്. അതിന്റെ പ്രധാന കാരണം കല്ലിന്റെ ലഭ്യതക്കുറവാണ്. അന്യ ജില്ലകളിൽനിന്നും കല്ല് കൊണ്ടുവരേണ്ടതുണ്ട്; കൂടാതെ കടൽ ക്ഷോഭം വളരെ രൂക്ഷവുമാണ്. ആയതിനാൽ മേൽപ്പറഞ്ഞ പ്രവൃത്തി പൂർത്തീകരിക്കേണ്ടത് വളരെ അത്യാവശ്യവുമാണ്. അതിനാൽ ആലപ്പുഴ ജില്ലയിലെ ചേർത്തല നിയോജകമണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി പഞ്ചായത്തിലെ ഒറ്റമശ്ശേരി പ്രദേശത്തെ തീരങ്ങളിൽ (CESCP 922 നം 925 നം ഇടയിൽ) കടൽഭിത്തി നിർമ്മിക്കുന്നത് സംബന്ധിച്ച പ്രവൃത്തിക്ക് എസ്റ്റിമേറ്റ് തുകയേക്കാൾ 42.03% ഉയർന്നതും അനുവദനീയമായ തുകയേക്കാൾ 29.11% ഉയർന്നതുമായ (ഏറ്റവും പുതിയ കോസ്റ്റ് ഇൻഡക്സ് പ്രകാരമുള്ള നിലവിലെ ഡിഎസ്ആർ+10% ടോളറൻസ് പരിധി, DSR 2018) നിരക്കിൽ L1 കരാറുകാരൻ സമർപ്പിച്ച ₹25,69,917/- (ഇരുപത്തഞ്ച് ലക്ഷത്തി അറുപത്തി ഒൻപതിനായിരത്തി തൊള്ളായിരത്തി പതിനേഴ്) രൂപയുടെ e-ബിഡ് ഒരു പ്രത്യേക കേസായി പരിഗണിച്ച് അംഗീകരിച്ച് ഉത്തരവാകുന്നു.

(ഗവർണ്ണറുടെ ഉത്തരവിൻ പ്രകാരം)  
റ്റി.കെ.ജോസ്  
അഡീഷണൽ ചീഫ് സെക്രട്ടറി

ചീഫ് എഞ്ചിനീയർ (ജലസേചനവും ഭരണവും), തിരുവനന്തപുരം  
പ്രിൻസിപ്പൽ അക്കൗണ്ടന്റ് ജനറൽ (എ&ഇ)/(ഓഡിറ്റ്), കേരളം, തിരുവനന്തപുരം.  
പൊതുഭരണ (എസ്.സി) വകുപ്പ് (22/06/2022 തീയതിയിലെ ഇനം.നം.867)  
ധനകാര്യ (I&PW.B) വകുപ്പ് (20/05/2022-ലെ ഫയൽ നം. I&PW-B3/136/2022/Fin)  
കരുതൽ ഫയൽ/ഓഫീസ് കോപ്പി.

ഉത്തരവിൻ പ്രകാരം  
  
സെക്ഷൻ ഓഫീസർ

പകർപ്പ് :-

- ബഹു.മുഖ്യമന്ത്രിയുടെ പ്രിൻസിപ്പൽ സെക്രട്ടറിക്ക്
- ബഹു.മുഖ്യമന്ത്രിയുടെ പ്രൈവറ്റ് സെക്രട്ടറിക്ക്
- ബഹു.ജലവിഭവ വകുപ്പ് മന്ത്രിയുടെ പ്രൈവറ്റ് സെക്രട്ടറിക്ക്
- ജലവിഭവ വകുപ്പ് അഡീഷണൽ ചീഫ് സെക്രട്ടറിയുടെ പി.എയ്ക്ക്
- ജലവിഭവ വകുപ്പ് സെക്രട്ടറിയുടെ പി.എയ്ക്ക്

5

**GOVERNMENT OF KERALA**  
**(SHRI. PINARAYI VIJAYAN MINISTRY)**  
**Note for the Council of Ministers**

- |   |  |
|---|--|
| 1. File No.   | IR2/135/2022/WRD   |
| 2. Department   | Water Resources (IR) Department  |
| 3. Subject  | Acceptance of the bid submitted by Sri.N.M.John, Naduvilekolliyil House, Vazhakulam P.O, Kavana, Moovattupuzha for an amount of Rs.50,54,043/- in connection with the work "Urgent protection work in between CЕСP 927 and 929 at Ottamasserry in Kadakkarapally Panchayath of Cherthala LAC in Alappuzha District which is 42.03% above the estimate rate" – Reg. |
| 4. Date of Chief Minister's order for placing before the Council  | 21/06/2022   |
| 5 (i) Does the case involve financial commitments/ implications   | Yes  |
| (ii) If the answer to the above is in the affirmative, whether Finance Dept. been consulted and their remarks incorporated in the Council Note.     | Yes  |
| 6. Are any other departments concerned with the case and if so, have they been consulted and their remarks incorporated in the Note for the Council | No   |
| 7. Name of Joint Secretary who submitted the Draft Note.  | Sri.Nazarudeen.A   |
| 8. Name of Additional Chief Secretary who approved the Draft Note.  | Sri.T.K.Jose   |
| 9. Date of approval of the Draft note for the Council by the Additional Chief Secretary.  | 21/06/2022   |
| 10. Name of Chief Secretary who approved the Draft Note.  | Dr.V.P. Joy  |
| 11. Date of approval of the Draft Note for the Council by the Chief Secretary.  | 21/06/2022   |
| 12. Name of Minister who approved the Draft note.   | Sri.Roshy Augustine  |
| 13. Date of approval of the Draft Note for the Council by the Minister  | 21/06/2022   |
| 14. Date of Submission of Fair Copies   | 21/06/2022   |
| 15. Date of decision by the Council of Ministers.   |  |
| 16. Number and date of the G.O./letter communicating the decision.  |  |

### Note for Council of Ministers

This note deals with acceptance of the bid submitted by Sri.N.M.John, Naduvilekollyil House, Vazhakkulam P.O, Kavana, Moovattupuzha for an amount of Rs.50,54,043/- in connection with the work "Urgent protection work in between CЕСCP 927 and 929 at Ottamasserry in Kadakkarapally Panchayath of Cherthala LAC in Alappuzha District" which is 42.03% above the estimate rate."

2) Administrative Sanction for the above work was issued by Chief Engineer (Irrigation & Administration) as per the Order IDAlp/2022/255/IA dated 17.02.2022 towards the Head of Account "2711-02-103-99-00-00-V Maintenance of ASE work" and Technical Sanction was accorded vide IDAlp/2021-2022/255/IA dated 18.02.2022 for an amount of Rs.40 Lakhs by the Executive Engineer, Irrigation Division Alappuzha.

3) Due to the non response from the contractors the work was re-tendered on 05.03.2022 and two contractors have been qualified. The lowest rate was quoted by Sri.N.M.John, Naduvilekollyil House, Vazhakkulam P.O, Kavana, Moovattupuzha for an amount of Rs.51,59,668/-. He reduced the quoted amount to **Rs.50,54,043/-** (42.03% above the estimate rate as per DSR 2018) after negotiation.

As per the prevailing Government Order G.O(P)No.67/2021/Fin dated 28/04/2021 the acceptance rate of tender shall be the least of the following.

- Quoted rate of the Lowest bidder
- PWD Local Market Rates

- Current DSR with latest Cost index + 10% tolerance limit

In this case these rates comes as follows.

Quoted rate of the lowest bidder -	50,54,043/-
PWD Local Market Rates -	1,22,58,659/-
Current DSR with latest Cost- index + 10% tolerance limit -	39,14,238/-

5) The lowest rates of Rs.50,54,043/- comes 42.03% above the estimate rate (Rs.35,58,398/-)and 29.11% above the admissible rate. (Rs.39,14,238/-).

6) When consulted, the Finance Department offered the following remarks.

“Administrative Department is informed that the admissible amount for the work is Rs.39,14,238 and the Quoted Amount is Rs.50,54,043.361/- which is 29.11% higher than the admissible rate of Rs. Rs.39,14,238/-. Hence the tender is liable for rejection. Hence AD is requested to direct the competent authority to rework the estimate after giving due consideration to the site specific conditions as per GO(Rt) No 16/2017/Fin dated 6/2/2017 and to invite fresh tenders based on the reworked estimate.”

7)Even after bidding the works several times, only two bidders were participated in the tender. The major reason is shortage of rocks. It has to be brought from other districts, besides above the sea erosion is severe. So it is very essential to complete the above work.

8) When circulated, the Hon'ble Chief Minister has ordered to place the matter before the Council of Ministers for consideration.

**Point for Decision**

Whether the e-bid submitted by Sri.N.M.John, Naduvilekolliyil House, Vazhakkulam P.O, Kavana, Moovattupuzha in connection with the work "Urgent protection work in between CЕСCP 927 and 929 at Ottamasserry in Kadakkarapally Panchayath of Cherthala LAC in Alappuzha District" for an amount of Rs.50,54,043/- (Rupees Fifty Lakhs Fifty Four Thousand and Forty Three only) which is 42.03% above the estimate rate and 29.11% above the admissible rate (ie as per the current DSR with latest cost index +10% tolerance rate) may be accepted as a special / emergency case, over ruling the remarks of the Finance Department.



**Note # 13**

**E. 2063559 No. I&PW-B3/138/2022-FIN**

**Fin (I & PW.B) Dept**

**E. 2059867 No. IR2/137/2022-WRD**

**Dated. 04-05-2022**

Administrative Department is requested to explore the possibility of finalising the tender as per GO(P) No 30/2022/Fin dated 14/3/2022 and if not, Administrative Department is requested to revise the estimate as per site conditions and as per GO(P) No 16/2017/Fin dated 6/2/2017 and then tender.

For Additional Chief Secretary

(Finance)

05/05/2022 04:58 PM

**LATHIKA.P**  
**SO (IND&PW-B, FIN)**

**Note # 33**

**E. 2063568 No. I&PW-B3/139/2022-FIN**

**E. 2059797 No. IR2/136/2022-WRD**

**Fin (I & PW.B) Dept**

**Dated:20-05-2022**

Administrative Department is informed that since the L1 is exorbitant and also as the L1 is not within the admissible limit, it is requested to rework the estimate as per site conditions and as per GO(P) No 16/2017/Fin dated 6/2/2017 and retender the work.

Secretary(Finance)

For Additional Chief

20/05/2022 01:18 PM

**LATHIKA.P**  
**SO (IND&PW-B, FIN)**

Note # 14

E.2063288No.I&PW-B3/137/2022-FIN  
E. 2059497 No. IR2/135/2022-WRD

Finance(I &PW B)Department  
Dated. 19-05-2022

Administrative Department is informed that the admissible amount for the work is Rs.39,14,238 and the Quoted Amount is Rs.50,54,043.361/- which is 29.11% higher than the admissible rate of Rs. Rs.39,14,238/-. Hence the tender is liable for rejection. Hence AD is requested to direct the competent authority **to rework the estimate** after giving due consideration to the site specific conditions as per GO(Rt) No 16/2017/Fin dated 6/2/2017 and to **invite fresh tenders** based on the reworked estimate.

Secretary(Finance)

For Additional Chief

19/05/2022 10:21 AM

LATHIKA.P  
SO (IND&PW-B, FIN)

---

"ഭരണഭാഷ മാതൃഭാഷ"



കേരള സർക്കാർ



സംഗ്രഹം

ജല വിഭവ വകുപ്പ് - ആലപ്പുഴ ജില്ലയിലെ ചേർത്തല നിയോജക മണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി ഒറ്റമശ്ശേരി പ്രദേശത്തെ തീരങ്ങളിൽ (CESCP 927 നം 929 നം ഇടയിൽ) കടൽ ഭിത്തി നിർമ്മിക്കുന്നത് സംബന്ധിച്ച പ്രവൃത്തിക്ക് എസ്റ്റിമേറ്റ് തുകയേക്കാൾ 42.03% ഉയർന്ന നിരക്കിൽ L1 കരാറുകാരൻ സമർപ്പിച്ച ബിഡ് അംഗീകരിച്ച് ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

ജലവിഭവ (ഐ ആർ) വകുപ്പ്

സ.ഉ.(കെ) നം.41/2022/WRD തീയതി, തിരുവനന്തപുരം, 24-06-2022

- പരാമർശം:-
1. സ.ഉ.(പി) നം. 67 /2021/ധന തീയതി 28.04.2021
  2. ജലസേചനവും ഭരണവും ചീഫ് എഞ്ചിനീയറുടെ 19.04.2022 തീയതിയിലെ W3-57732/2022/TR/DB-II നമ്പർ കത്ത്.

ഉത്തരവ്

ആലപ്പുഴ ജില്ലയിലെ ചേർത്തല നിയോജകമണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി പഞ്ചായത്തിലെ ഒറ്റമശ്ശേരി പ്രദേശത്തെ തീരങ്ങളിൽ (CESCP 927 നം 929 നം ഇടയിൽ) കടൽ ഭിത്തി നിർമ്മിക്കുന്നത് സംബന്ധിച്ച പ്രവൃത്തിക്ക് "2711-02-103-99-00-00-V Maintenance of ASE work" എന്ന ശീർഷകത്തിൽ ഭരണാനുമതിയും 18.02.2022 -ലെ IDA/p/2021-2022/255/IA നമ്പർ ഉത്തരവ് പ്രകാരം ആലപ്പുഴ ഇറിഗേഷൻ ഡിവിഷൻ എക്സിക്യൂട്ടീവ് എഞ്ചിനീയർ ₹40,00,000/- (നാൽപ്പത് ലക്ഷം രൂപ) രൂപയുടെ സാങ്കേതികാനുമതിയും നൽകിയിരുന്നു.

2. പ്രസ്തുത പ്രവൃത്തി ടെൻഡർ ചെയ്തതിൽ കരാറുകാരിൽനിന്നും പ്രതികരണമൊന്നും ലഭിക്കാത്തതിനാൽ 05.03.2022-ൽ റീ ടെൻഡർ നടത്തിയതിൽ രണ്ടു കരാറുകാർ യോഗ്യരാവുകയും അതിൽ ശ്രീ എൻ.എം.ജോൺ, നടുവിലെകൊള്ളിയിൽ വീട്, വാഴക്കുളം പോസ്റ്റ്, കാവന, മുവാറ്റുപുഴ ആണ് ഏറ്റവും കുറഞ്ഞ തുകയായ ₹51,59,668/- രൂപയാണ് (L1) ക്വാട്ട് ചെയ്തത്. പിന്നീട് വിശദമായ ചർച്ചകൾക്ക് ശേഷം മേൽ തുക ₹50,54,043/- രൂപയായി കുറയ്ക്കുകയും (ഡിഎസ്ആർ 2018 പ്രകാരം എസ്റ്റിമേറ്റ് തുകയേക്കാൾ 42.03% ഉയർന്ന നിരക്ക്) ചെയ്യുകയുണ്ടായി.

3. പരാമർശം 1 സർക്കാർ പ്രകാരം താഴെ പറയുന്നതിൽ ഏറ്റവും കുറഞ്ഞ തുകയാണ് നിലവിലുള്ള അനുവദനീയമായ ടെൻഡർ നിരക്ക്.

1. ഏറ്റവും കുറഞ്ഞ ടെൻഡർ തുക
2. പിഡബ്ല്യുഡി അംഗീകരിച്ച പ്രാദേശിക വിപണി നിരക്കുകൾ
3. ഏറ്റവും പുതിയ കോസ്റ്റ് ഇൻഡക്സ് പ്രകാരമുള്ള നിലവിലെ ഡിഎസ്ആർ+10% ടോളറൻസ് പരിധി

ഇവിടെ മേൽ നിരക്കുകൾ താഴെപ്പറയും പ്രകാരമാണ്.

ഏറ്റവും കുറഞ്ഞ ടെൻഡർ തുക	- ₹ 50,54,043/-
പിഡബ്ല്യുഡി അംഗീകരിച്ച പ്രാദേശിക വിപണി നിരക്ക്	- ₹ 1,22,58,659/-
ഏറ്റവും പുതിയ കോസ്റ്റ് ഇൻഡക്സ് പ്രകാരമുള്ള നിലവിലെ ഡിഎസ്ആർ+10% ടോളറൻസ് പരിധി	- ₹ 39,14,238/-

4. മേല്പറഞ്ഞതിൽ ഏറ്റവും കുറഞ്ഞ തുകയായ ₹39,14,238/- ആണ് അനുവദനീയമായ ടെൻഡർ തുക. എന്നാൽ ക്വാട്ട് ചെയ്ത തുകയായ ₹50,54,043/-രൂപ എസ്റ്റിമേറ്റ് തുകയേക്കാൾ (₹35,58,398/-) 42.03% കൂടുതലും അനുവദനീയമായ തുകയേക്കാൾ 29.11% കൂടുതലുമാണ്.

5. സർക്കാർ ഈ വിഷയം വിശദമായി പരിശോധിച്ചു. പലപ്രാവശ്യം ടെണ്ടർ ചെയ്തിട്ടാണ് രണ്ട് പേർ ടെണ്ടറിൽ പങ്കെടുത്തത് . അതിന്റെ പ്രധാന കാരണം കല്ലിന്റെ ലഭ്യതക്കുറവാണ്. അന്യ ജില്ലകളിൽനിന്നും കല്ല് കൊണ്ടുവരേണ്ടതുണ്ട്, കൂടാതെ ടി പ്രദേശത്ത് കടൽ ക്ഷോഭം വളരെ രൂക്ഷവുമാണ്. ആയതിനാൽ മേൽപ്പറഞ്ഞ പ്രവൃത്തി പൂർത്തീകരിക്കേണ്ടത് വളരെ അത്യാവശ്യവുമാണ്. അതിനാൽ ആലപ്പുഴ ജില്ലയിൽ ചേർത്തല നിയോജകമണ്ഡലത്തിലെ കടയ്ക്കരപ്പള്ളി പഞ്ചായത്തിലെ ഒറ്റമശ്ശേരി പ്രദേശത്തെ തീരങ്ങളിൽ (CESCP 927 നം 929 നം ഇടയിൽ) കടൽഭിത്തി നിർമ്മിക്കുന്നത് സംബന്ധിച്ച പ്രവൃത്തിക്ക് എസ്റ്റിമേറ്റ് തുകയേക്കാൾ 42.03% ഉയർന്നതും അനുവദനീയമായ തുകയേക്കാൾ 29.11% ഉയർന്നതുമായ (ഏറ്റവും പുതിയ കോസ്റ്റ് ഇൻഡക്സ് പ്രകാരമുള്ള നിലവിലെ ഡിഎസ്ആർ + 10% ടോളറൻസ് പരിധി) നിരക്കിൽ L1 കരാറുകാരൻ സമർപ്പിച്ച ₹50,54,043/- (അൻപത് ലക്ഷത്തി അൻപത്തിനാലായിരത്തി നാല്പത്തിമൂന്ന് രൂപ മാത്രം) രൂപയുടെ e-ബീഡ് ഒരു പ്രത്യേക കേസായി പരിഗണിച്ച് അംഗീകരിച്ച് ഉത്തരവാകുന്നു.

(ഗവർണ്ണറുടെ ഉത്തരവിൻ പ്രകാരം)  
റ്റി.കെ.ജോസ്  
അഡീഷണൽ ചീഫ് സെക്രട്ടറി

ചീഫ് എഞ്ചിനീയർ(ജലസേചനവും ഭരണവും), തിരുവനന്തപുരം  
പ്രിൻസിപ്പൽ അക്കൗണ്ടന്റ് ജനറൽ (എ&ഇ)/(ഓഡിറ്റ്), കേരളം, തിരുവനന്തപുരം.  
പൊതുഭരണ (എസ്.സി) വകുപ്പ് (22/06/2022 തീയതിയിലെ ഇനം.നം.866)  
ധനകാര്യ (I&PW.B) വകുപ്പ് (19/05/2022-ലെ പരാമർശം നം. I&PW-B3/137/2022/Fin)  
കരുതൽ ഫയൽ/ഓഫീസ് കോപ്പി.

ഉത്തരവിൻ പ്രകാരം  
സെക്ഷൻ ഓഫീസർ

പകർപ്പ് :- ബഹു.മുഖ്യമന്ത്രിയുടെ പ്രിൻസിപ്പൽ സെക്രട്ടറിക്ക്  
ബഹു.മുഖ്യമന്ത്രിയുടെ പ്രൈവറ്റ് സെക്രട്ടറിക്ക്  
ബഹു.ജലവിഭവ വകുപ്പ് മന്ത്രിയുടെ പ്രൈവറ്റ് സെക്രട്ടറിക്ക്  
ജലവിഭവ വകുപ്പ് അഡീഷണൽ ചീഫ് സെക്രട്ടറിയുടെ പി.എച്ച്  
ജലവിഭവ വകുപ്പ് സെക്രട്ടറിയുടെ പി.എച്ച്

കേരള സർക്കാർ  
 (ശ്രീപിണറായി വിജയൻ മന്ത്രിസഭ)  
 മന്ത്രിസഭായോഗത്തിനുള്ള കുറിപ്പ്

1483  
MP Sn

- |    |   |   |  |
|----|---|---|--|
| 1  | ഫയൽ നമ്പർ   | : | എം.പി 3/50/2022-ജവിവ   |
| 2  | വകുപ്പ്   | : | ജലവിഭവ (എം.പി) വകുപ്പ്   |
| 3  | വിഷയം   | : | ഭാരതപ്പുഴയ്ക്ക് കുറുകെയുള്ള തൃത്താലയിലെ വെള്ളിയാംകല്ല് റെഗുലേറ്റർ കം ബ്രിഡ്ജിന്റെ രണ്ടാം ഘട്ടം പുനരുദ്ധാരണവും തകർന്ന സംരക്ഷണ ഭിത്തിയുടെ പുനർനിർമ്മാണവും - 33.40 കോടി രൂപ അധിക ധനാനുമതി അനുവദിക്കുന്നത്-സംബന്ധിച്ച് |
| 4  | മന്ത്രിസഭാ യോഗത്തിൽ സമർപ്പിക്കാനുള്ള മുഖ്യമന്ത്രിയുടെ ഉത്തരവ് തീയതി   | : | 29/03/2023   |
| 5  | (i) ഇത് സാമ്പത്തിക ബാധ്യതയുള്ളതാണോ?   | : | ഉണ്ട്  |
|    | (ii) സാമ്പത്തിക ബാധ്യതയുള്ളതാണെങ്കിൽ ധനകാര്യ വകുപ്പുമായി ആലോചിച്ചിട്ടുണ്ടോ? ഉണ്ടെങ്കിൽ അവരുടെ അഭിപ്രായം മന്ത്രിസഭാ യോഗത്തിനുള്ള കുറിപ്പിൽ ഉൾക്കൊള്ളിച്ചിട്ടുണ്ടോ? | : | ഉണ്ട്  |
| 6  | മറ്റേതെങ്കിലും വകുപ്പുമായി ആലോചിച്ചിട്ടുണ്ടോ? ഉണ്ടെങ്കിൽ അവരുടെ അഭിപ്രായം മന്ത്രിസഭാ യോഗത്തിനുള്ള കുറിപ്പിൽ ഉൾക്കൊള്ളിച്ചിട്ടുണ്ടോ?                               | : | ഉണ്ട്  |
| 7  | കുറിപ്പ് സമർപ്പിച്ച അഡീഷണൽ സെക്രട്ടറിയുടെ പേര്  | : | ശ്രീ. സുഭാഷ്.ആർ  |
| 8  | കുറിപ്പ് അംഗീകരിച്ച അഡി. ചീഫ് സെക്രട്ടറിയുടെ പേര്   | : | ഡോ. വേണു.വി  |
| 9  | മന്ത്രിസഭയ്ക്കുള്ള കരട് കുറിപ്പ് അഡി.ചീഫ് സെക്രട്ടറി അംഗീകരിച്ച തീയതി   | : | 05/04/2023   |
| 10 | കുറിപ്പ് അംഗീകരിച്ച ചീഫ് സെക്രട്ടറിയുടെ പേര്  | : | ഡോ. വി.പി ജോയ്   |
| 11 | മന്ത്രിസഭയ്ക്കുള്ള കരട് കുറിപ്പ് ചീഫ് സെക്രട്ടറി അംഗീകരിച്ച തീയതി   | : | 10/04/2023   |
| 12 | കുറിപ്പ് അംഗീകരിച്ച മന്ത്രിയുടെ പേര്  | : | ശ്രീ.റോഷി അഗസ്റ്റിൻ  |
| 13 | മന്ത്രിസഭയ്ക്കുള്ള കരട് കുറിപ്പ് മന്ത്രി അംഗീകരിച്ച തീയതി   | : | 12/04/2023   |
| 14 | കുറിപ്പിന്റെ പകർപ്പുകൾ സമർപ്പിച്ച തീയതി   | : | 13/04/2023   |
| 15 | മന്ത്രിസഭായോഗം തീരുമാനമെടുത്ത തീയതി   | : |  |
| 16 | തീരുമാനം പുറപ്പെടുവിച്ച സർക്കാർ ഉത്തരവ്/ കത്തിന്റെ നമ്പറും തീയതിയും   | : |  |

മന്ത്രിസഭായോഗത്തിനുള്ള കുറിപ്പ്

ഭാരതപ്പുഴയ്ക്ക് കുറുകെയുള്ള തൃത്താലയിലെ വെള്ളിയാങ്കല്ല് റഗുലേറ്റർ കം ബ്രിഡ്ജിന്റെ രണ്ടാം ഘട്ട പുനരുദ്ധാരണം, തകർന്ന സംരക്ഷണഭിത്തിയുടെ പുനർനിർമ്മാണം എന്നിവയ്ക്ക് 33.40 കോടി രൂപ അധിക ധനാനുമതി മുഖേന അനുവദിക്കുന്നത് സംബന്ധിച്ചുള്ളതാണ് ഈ കുറിപ്പ്.

2. ചീഫ് എൻജിനീയർ, ജലസേചനം, പ്രോജക്ട്-1, 1/6/2022-ലെ കത്ത് പ്രകാരം വെള്ളിയാങ്കല്ല് റഗുലേറ്റർ കം ബ്രിഡ്ജിന്റെ രണ്ടാം ഘട്ട പുനരുദ്ധാരണവും തകർന്ന സംരക്ഷണ ഭിത്തിയുടെ പുനർനിർമ്മാണവും സംബന്ധിച്ച വിശദമായ പ്രോജക്ട് റിപ്പോർട്ട് അംഗീകാരവും റീബിൽഡ് കേരള ഇനീഷ്യേറ്റീവിന് കീഴിൽ "5475-00-115-94-05-00-00-P-V" എന്ന ശീർഷകത്തിൽ 33.40 കോടി രൂപയുടെ ഭരണാനുമതിയും നൽകുന്നതിനായി സമർപ്പിക്കുകയുണ്ടായി.

3. ചീഫ് എൻജിനീയർ, പ്രോജക്ട്-1-ന്റെ ശിപാർശ റീ ബിൽഡ് കേരള ഇനീഷ്യേറ്റീവിന്റെ "5475-00-115-94-05-00-00 P-V" എന്ന ശീർഷകത്തിന് കീഴിൽ ഫണ്ടിനായി ഹൈ ലെവൽ എംപവേർഡ് കമ്മിറ്റി മുമ്പാകെ സമർപ്പിക്കുന്നതിനായി ആസൂത്രണ സാമ്പത്തിക കാര്യ (RKI) വകുപ്പിന് അയച്ചപ്പോൾ പ്രസ്തുത വകുപ്പ് താഴെ പറയും പ്രകാരം അഭിപ്രായപ്പെട്ടു:-

" In view of the paucity of funds, the RKI is not in a position to fund the project in full. The WRD is requested to explore funding for the project from the plan fund or from other sources. The WRD may furnish detailed request to the RKI, if some fund augmentation is necessary from the RKI as a gap funding " .

4. RKI വകുപ്പിന്റെ അഭിപ്രായം പ്രോജക്ട്-1 ലെ ചീഫ് എഞ്ചിനീയറെ അറിയിച്ചപ്പോൾ, തകർന്ന സംരക്ഷണഭിത്തിയുടെ പുനർനിർമ്മാണം ഉൾപ്പെടെയുള്ള വെള്ളിയാങ്കല്ല് RCB രണ്ടാം ഘട്ടത്തിന്റെ പ്രവർത്തനങ്ങൾക്ക് ആവശ്യമായ ഫണ്ട് അധിക ധനാനുമതി വഴി 4701-20-800-98-reservoirs (Velliyankallu Causeway) എന്ന അക്കൗണ്ട് ഹെഡിലേക്ക് അനുവദിക്കാമെന്ന് നിർദ്ദേശിക്കപ്പെട്ടു. ധനകാര്യ വകുപ്പുമായി കൂടിയാലോചിച്ചപ്പോൾ പ്രസ്തുത വകുപ്പ് ഇപ്രകാരം അഭിപ്രായപ്പെട്ടു.

" Since no budget provision is available under the current year budget for the proposed project of Velliyankallu RCB Phase II including reconstruction of damaged retaining wall for an amount of, Rs. 33.40 Crore, Administrative Department may explore the funding from other sources and also furnish detailed project report to RKI, if some fund augmentation is necessary from the

RKI as opined by RKI Department."

5. ധനകാര്യ വകുപ്പിന്റെ അഭിപ്രായത്തോടെ ഫയൽ ബഹു. ജലവിഭവ വകുപ്പ് മന്ത്രിക്ക് ചംക്രമണം ചെയ്തപ്പോൾ, അദ്ദേഹം താഴെപ്പറയുന്ന നിരീക്ഷണങ്ങളോടെ ഫയൽ ബഹു. ധനവകുപ്പ് മന്ത്രിക്ക് അയച്ചു:-

"This work is of a very urgent nature. Besides, lack of these crucial rectification works will even endanger the security and strength of the existing structure. Damages caused to the apron downstream of regulator could potentially damage the RCB. In these exceptional circumstances, additional allocation of half the required amount [considering that the work requires 2 years for execution] may be requested from Honourable Minister, Finance."

ധനകാര്യ വകുപ്പ് താഴെപറയുന്ന അഭിപ്രായം രേഖപ്പെടുത്തി ഫയൽ മടക്കി.

"Since this is a Nil provision work, Finance defers the proposal.

**This has the approval of Hon'ble Minister(Finance)."**

6. ധനകാര്യ വകുപ്പിന്റെ പരാമർശങ്ങൾ ബഹു.ജലവിഭവ വകുപ്പ് മന്ത്രിയുടെ ശ്രദ്ധയിൽപ്പെടുത്തിയപ്പോൾ അദ്ദേഹം ചുവടെ ചേർക്കുന്ന കുറിപ്പ് സഹിതം ഫയൽ ബഹു. മുഖ്യമന്ത്രി മുമ്പാകെ സമർപ്പിച്ചു:-

"പാലക്കാട് ജില്ലയിലെ തൃത്താലയിൽ ഭാരതപ്പുഴ് കരകയറ്റുള്ള വളരെ പ്രധാനപ്പെട്ട റഗുലേറ്റർ കും ബ്രിഡ്ജ് ആണ് വെള്ളിയാംകല്ല് ആർ.സി.ബി 295 മീറ്റർ നീളം ഉള്ള പ്രസ്തുത റഗുലേറ്ററിന് 27 ഷട്ടറുകളും അതോടൊപ്പം പാലത്തിന് രണ്ട് ലൈൻ ട്രാഫിക് സൗകര്യവും ഉണ്ട്. പട്ടാമ്പി താലൂക്കിൽ ഏകദേശം 4,000 ഹെക്ടർ സ്ഥലത്തേക്ക് ലിഫ്റ്റ് ഇറിഗേഷൻ പദ്ധതി ഉപയോഗിച്ച് ജലസേചനം നടത്തുന്ന പ്രസ്തുത പദ്ധതി ജനസേവനത്തിന് വളരെ അത്യാവശ്യമാണ്. എന്നാൽ കഴിഞ്ഞ കുറച്ചു വർഷങ്ങൾക്ക് മുമ്പ് പാലത്തിന്റെ ഡൗൺ സീം എപ്രൺ ഗുരുതരമായ തകരാറിലായി. കാര്യത്തിന്റെ ഗൗരവം കണക്കിലെടുത്ത് കോഴിക്കോട് എൻ.ഐ.റ്റി മുഖാന്തിരം ഇതിൽ പഠനം നടത്തുകയും അടിയന്തിരമായി ഈ അറ്റകുറ്റപ്പണികൾ നിർവ്വഹിച്ചില്ലെങ്കിൽ ആർ.സി.ബിയ്ക്ക് തന്നെ ഗുരുതരമായ നാശനഷ്ടം ഉണ്ടാകും എന്ന് കണ്ടെത്തിയിട്ടുണ്ട്. കൂടാതെ പാലത്തിന്റെ റിട്ടെയ്നിംഗ് ചുമതലകളും 2018-ലെയും 2019-ലെയും പ്രളയത്തിൽ നാശനഷ്ടം നേരിട്ടു. പ്രസ്തുത അടിയന്തിര സ്വഭാവമുള്ള പ്രവൃത്തികൾക്കായി 33.4 കോടി രൂപയുടെ ആവശ്യമുണ്ട്. ഇക്കാര്യം ആർ.കെ.ഐയിൽ സമീപിച്ചപ്പോൾ അവർ ധനത്തിന്റെ അപര്യാപ്തത അറിയിച്ചു. ഈ വർഷത്തെ ബജറ്റിൽ പ്രൊവിഷൻ ഇല്ലാത്തതിനാൽ പണം തരാൻ ആകില്ലെന്ന് ധനവകുപ്പും അഭിപ്രായപ്പെട്ടിരുന്നു. നിലവിൽ കിഫ്ബിയുടെ കീഴിൽ ധനം ലഭിക്കുന്നതിനുള്ള സാധ്യതയും വിരളമാണ്. എന്നാൽ ഈ അറ്റകുറ്റപ്പണികൾ അടിയന്തിരമായി ചെയ്തില്ലെങ്കിൽ ആർ.സി.ബിയ്ക്ക് ഗുരുതരമായ നാശനഷ്ടം ഉണ്ടാവുകയും ഖജനാവിന് കനത്ത ചെലവ് വരികയും അതോടൊപ്പം ജനങ്ങൾക്ക് ഏറ്റവും




10

ആവശ്യമായ സേവനം നൽകാൻ കഴിയാതെ പോകാൻ വിഷയം മന്ത്രിസഭയുടെ പരിഗണനയ്ക്ക് കൊണ്ടുവന്നിട്ടുണ്ട്. അനുവദിക്കുന്നതിന് ബഹു. മുഖ്യമന്ത്രി സദയം ഉത്തരവായിട്ടുണ്ട്. ഈ പ്രശ്നം ഉടൻ തന്നെ മുഴുവൻ തുകയും ആവശ്യമില്ല."

7. ഇക്കാര്യം മന്ത്രിസഭയുടെ പരിഗണനയ്ക്ക് സമർപ്പിക്കാൻ ബഹുമാനപ്പെട്ട മുഖ്യമന്ത്രി ഉത്തരവായിട്ടുണ്ട്.

തീ.അച്ഛൻകോണ്ട വിഷയം

ചീഫ് എഞ്ചിനീയർ, പ്രോജക്ട്-1 സമർപ്പിച്ച വിശദമായ പ്രോജക്ട് റിപ്പോർട്ട് പ്രകാരം വെള്ളിയാംകല്ലൂർ RCB യുടെ അറ്റകുറ്റപ്പണി അടിയന്തരമായി നിർവ്വഹിക്കുന്നതിന് 33.4 കോടി രൂപ അധിക ധനാനുമതി മുഖാന്തിരം 4701-20-800-98- resevoirs (Velliyamkallu cause way) എന്ന ശീർഷകത്തിൽ കീഴിൽ അനുവദിക്കാമോ ?



രഹസ്യം

കേരള സർക്കാർ

മന്ത്രിസഭായോഗത്തിന്റെ നടപടിക്കുറിപ്പുകൾ

തീയതി : 19-04-2023

ഫയൽ നം. എം.പി.3/50/2022/ജുവിവ.

ഇനം നം: 1483

വിഷയം : ജലവിഭവ വകുപ്പ് - ഭാരതപ്പുഴയ്ക്ക് കുറുകെയുള്ള തൃത്താലയിലെ വെള്ളിയാങ്കല്ല് റഗുലേറ്റർ കം ബ്രിഡ്ജിന്റെ രണ്ടാം ഘട്ടം പുനരുദ്ധാരണവും തകർന്ന സംരക്ഷണ ഭിത്തിയുടെ പുനർനിർമ്മാണവും - 33.40 കോടി രൂപ അധിക ധനാനുമതി അനുവദിക്കുന്നത്.

തീരുമാനം : കുറിപ്പിലെ നിർദ്ദേശം അംഗീകരിച്ചു.

(ഒപ്പ്)

പിണറായി വിജയൻ  
മുഖ്യമന്ത്രി

(ശരിപ്പകർപ്പ്)

ഡോ. വി പി ജോയ്  
ചീഫ് സെക്രട്ടറി

അഡീഷണൽ ചീഫ് സെക്രട്ടറി, ജലവിഭവ വകുപ്പ്.

194

R  
19/4/23  
AS



## GOVERNMENT OF KERALA

### Abstract

Water Resources Department – Additional authorization for an amount of Rs. 33.40 crore for rectification works of Velliyamkallu Regulator Cum Bridge at Thrithala across Bharathapuzha – Phase II and reconstruction of damaged retaining wall – Sanction accorded - Orders issued.

### **WATER RESOURCES (MP) DEPARTMENT**

G.O.(Ms)No.35/2023/WRD Dated, Thiruvananthapuram, 16-06-2023

1. Letter No. WP7 -3418/2021 dated 1/06/2022 of Chief Engineer, Irrigation Project- I, Kozhikode.

Read

2. Letter No. WP7 -3418/2021 dated 13/09/2022 of Chief Engineer, Irrigation Project- I, Kozhikode.

### ORDER

As per Letter read as first paper above, the Chief Engineer, Irrigation, Project I submitted the Detailed Project Report for the work "RKI- Rectification works of Velliyamkallu RCB phase II including reconstruction of damaged containing wall" for according approval and administrative sanction for an amount of Rs. 33.40 crores under the Head of Account "5475-00-115-94-05-00-00-P-V", under Rebuild Kerala Initiative.

2. As in view of the paucity of funds, the RKI was not in a position to fund the project in full, the Chief Engineer, Projects-I, vide letter read as 2nd paper above, proposed that the fund required for the rectification works of Velliyankallu RCB Phase II may be sanctioned through additional authorization to the Head of Account 4701-20-800-98-reservoirs (Velliyamkallu Causeway).

3. Government have examined the matter in detail. This work is of a very urgent nature. Besides, lack of these crucial rectification works will even endanger the security and strength of the existing structure. Damages caused to the apron downstream of regulator could potentially damage the RCB.

4. In the circumstances, Government are pleased to sanction Rs. 33.4 Crore ( Rupees Thirty Three Crore and Forty Lakh ony) under the Head of Account "4701-20-800-98-reservoirs (Velliyamkallu Causeway)" through Additional authorization, for the rectification works of Velliyamkallu Regulator Cum Bridge at Thrithala across Bharathapuzha – Phase II and reconstruction of

damaged retaining wall, as per the Detailed Project Report submitted by the Chief Engineer, Project-I.

(By order of the Governor)  
ASHOK KUMAR SINGH I A S  
SECRETARY

To,

Chief Engineer, Irrigation, Project I,, Kozhikode.

Finance Department- ( No.I&PWB2/380/2022-Fin dated 30.1.2023)

The Principal Accountant General(Audit/A&E)) Kerala,Thiruvananthapuram.

General Administration (SC) Department. (Vide Item No. 1483 dated 19.4.2023.)

Planning and Economic Affairs (RKI) Department (NO. RKI 1/62/2022-PLGEA dated 25/7/2022)  
Web & New Media)

Forwarded /By order

Section Officer

*Copy to:- PS to Minister (Water Resources)*

*PA to Additional Chief Secretary,*

*PA to Secretary,*

*PA to Additional Secretary*

ISWC



**GOVERNMENT OF KERALA**

**Abstract**

WRD- ISWC- Request for rate enhancement by M/s Paulose George Construction Co. Pvt. Ltd, the contract work firm for the completion of the remaining works of "Reconstruction of Pattissery Dam and Canal System under Chengalar Scheme - Dam and Appurtenant Works"- Granted - Orders issued.

**WATER RESOURCES (ISWC) DEPARTMENT**

G.O.(Ms)No.5/2024/WRD Dated, Thiruvananthapuram, 12-01-2024

- Read: 1. G.O.(Rt)No.327/2013/WRD dated 23.03.2013.  
2. G.O.(Rt)No.92/2014/WRD dated 28.01.2014.  
3. G.O.(Rt)No.473/2018/WRD dated, 30.06.2018.  
4. Representation No. PCC/HO/IRR/PTSRY/16/2022 Dated 05/01/2022 from Paulose George Construction Company Pvt. Ltd.  
5. Letter No. WP2-5901/13/D4 Dated 22/03/2022 from Chief Engineer, Projects- 2, Thiruvananthapuram.  
6. The minutes of the meeting on 'Enhancement of Rates of Reconstruction of Pattissery Dam and Canal System under Chengalar Scheme', convened by Chief Secretary on 05/09/2023.  
7. Letter No. WP2-5901/13/D4 Dated 18/10/2023 from Chief Engineer, Projects- 2, Thiruvananthapuram.

**ORDER**

The contract work firm, M/s Paulose George Construction Co. Pvt. Ltd. was awarded the work of "Reconstruction of Pattissery Dam and Canal System under Chengalar Scheme- Dam and Appurtenant Works." Administrative sanction for the subject work was accorded for Rs.26 Crore as per G.O. read as first paper above and Technical sanction was accorded for Rs.23.6 Crore as per G.O. read as second paper above. Principal agreement was executed with the contractor M/s Paulose

George Construction Co. Pvt. Ltd. on 11.07.2014 with a time of completion of 24 months. Accepted PAC was 10.50 % below the estimate rate.

2. Due to the nature of hard rock in block I and II of Concrete dam, additional excavation was done to obtain adequate foundation strata as per the recommendation of the Geologist from Geological Survey of India. The design was revised as per the changes in foundation strata and design considerations. As per G.O. read as third paper above, the contractor was allowed to continue the balance work at Revised Estimate based on SoR 2012 without deducting the tender deficit of 10.5% and without GST. Hence the estimate was revised as per revised design. Revised Administrative Sanction for an amount of Rs. 46,81,91,957 (Civil, Mechanical, Electrical, Instrumentation etc.) and revised Technical Sanction was issued on 11.02.2019 for an amount of Rs. 42,90,49,957 for Civil work. Supplemental Agreement number 4 to the Principal Agreement No.04/SEPCM/2014-2015 Dated 11-07-2014 was executed on 16-04-2019 with a time of completion of 24 months.

3. During the course of construction, as per the Project Monitoring Committee dated 29.05.2020, earthen dam from Chainage 0 to Chainage 36.00 m was replaced with concrete dam due to non-availability of adequate quantity of earth from the proposed quarry, availability of rocky foundation and cost savings from earthen dam. As per the recommendation of the Project Monitoring Committee, revised drawing was issued by IDR. Revised estimate incorporating the mentioned changes was approved from office of the Chief Engineer, Projects-II on 19.07.2021 for an amount of Rs.42,82,72,665/-, and Supplementary agreement was executed.

4. As per the decision of the Project Monitoring Committee dated 05/12/2020, earthen dam from Chainage 95.50 to Chainage 140.00 m was replaced with rockfill dam using department rubble at site due to availability of rocky foundation and cost savings from earthen dam and saddle dam was revised with counterfort retaining wall resting on pile foundation instead of earthen dam. As per the recommendation of the Project Monitoring Committee, revised drawings were issued by IDR. Revised estimate incorporating the mentioned changes was approved from the Office of the Chief Engineer, Projects II, Thiruvananthapuram, on 07/03/2022 for an amount of Rs.42,82,71,325/-.

5. Later the contractor had approached Government, vide paper read as fourth above, requesting for rate enhancement for work front released beyond 15.04.2021. The specific request was to consider a reasonable rate enhancement over the comprehensive estimate rate + GST at prevailing rates by considering the fact that the works are to be executed during the years 2022 and 2023 based on SoR 2018, in order to ensure project completion by the end of 2023.

6. The Chief Engineer, Projects 2, Thiruvananthapuram had intimated vide letter read as fifth paper above, that the works were progressing in a rapid pace with the present contractor and the works are expected to be completed by 31.12.2022. The Chief Engineer had also remarked that the request of the contractor Sri.Paulose George for rate enhancement is justifiable, and hence has to be considered. The Chief Engineer had also pointed out that if sufficient rate enhancement is not given, there may be chances of foreclosing of work by the contractor and if the work is re-tendered with the current DSR, the financial commitment will be much more and the progress of work will be affected and also the work will be stand still if the foreclosed contractor moves for litigation. Hence the Chief Engineer, Projects II, Thiruvananthapuram requested that the representation of the contractor be favourably considered and a rate enhancement + GST over the estimate rate at 2012 SoR may be considered for works to be executed.

7. As per the minutes read as sixth paper above, it was decided to consider the rate revision DSR 2018 by excluding the 20% extra rate enhancements. The Chief Engineer Projects-II was given the responsibility to discuss with the contractor regarding the acceptance of 2018 DSR and get concurrence. It was also decided in the meeting that if the contractor is not agreeing to the proposal, the options of re-tendering will be considered.

8. The Chief Engineer, Projects-II, vide letter read as seventh paper above reported that, he had conducted a meeting with the contract firm on 19-09-2023. Chief Engineer Projects-II had reported that the contractor has not agreed to this condition stating the following reasons:

- i. Since this irrigation project is interstate in nature, there are problems in obtaining stones from Tamil Nadu. Due to environmental reasons, stones cannot be obtained from Idukki and the only remaining option is to consider Thrissur and Ernakulam

regions. Hence they are not in a position to continue the works as per present rates.

- ii. Estimate of this Project is based of SoR 2012 and the cost of Fuel, Material and Labour have increased about 40% from the original estimate.
- iii. About 11000m<sup>3</sup> of good quality earth is required for Embankment formation and it will not be obtained from nearby areas and conveyance is required.
- iv. Work was stopped due to Covid-19, Land encroachments, Non availability of work fronts and delay in finalizing the design. Hence the remaining works can be executed by applying the prevailing PWD local market rates.

9. The following aspects were also duly considered:

a) Delivering materials to the site is a difficult task, since the construction works of this project is being carried out near Marayoor, border of Idukki district. At present, the contractor has installed very expensive machines and crusher units etc. at the work site for carrying out the works.

b) The latest renewed DSR is of the year 2018 and since 5 years has been elapsed, the labour charges and material cost have been considerably increased now.

c) When considering the DSR of 2018 and the present inflation index, it is likely that, re-tendering will cost more than the present rates demanded by the contractor and the redeployment of machinery will cost a lot much. This is the first project to be completed in Kerala as per the orders of Cauvery Water Disputes Tribunal (CWDT). After that, Lower Chattamunnar Project is also to be completed as per the orders of CWDT. If Kerala doesn't complete all these projects within the stipulated time period, our State will incur irretrievable loss in the deserved water share awarded by Cauvery Water Dispute Tribunal (CWDT).



d) The re-tendering process may end up in excess financial burden to Government and also the project may get delayed.

e) As per the table below the estimate is 31% lesser than DSR 2018 estimate and the rate sought by contractor is 9% lesser than local market rate. Since estimate and local market rates have huge difference it is clear that re-tendering will cost more.

i) Already expended amount	- 26 Crore
ii) Estimate rate in DSR 2012 for remaining works	- 17.5 Crore
iii) If DSR 2018 is considered for remaining works	- 21.4 Crore
iv) If 20% excess rate is given as demanded by the contractor	-25.74 Crore
v) Local market rate	-28 Crore

10. Government have examined the matter in detail and are pleased to accord sanction to a rate enhancement in the manner of DSR 2018 estimate + 20% thereon + GST to M/s Paulose George Construction Co. Pvt. Ltd, the contract work firm, for the completion of the remaining works (Civil works only) of "Reconstruction of Pattissery Dam and Canal System under Chengalar Scheme - Dam and Appurtenant Works" by considering the fact that the works are to be executed during the years 2023-2024. Department officials shall effectively supervise the work so that it could be completed in all respects within the time offered by the contractor.

(By order of the Governor)  
ASHOK KUMAR SINGH I A S  
PRINCIPAL SECRETARY

To

1. The Chief Engineer, IDR, Thiruvananthapuram.
2. The Chief Engineer, I&A, Thiruvananthapuram.

3. The Chief Engineer, Project II, Thiruvananthapuram.
4. The Principal Accountant General(Audit/ A&E), Kerala, Thiruvananthapuram.
5. Finance Department (vide remarks No. 1681021 No.I&PW-B3/211/2015-FIN-Part(1) dated 21/05/2022 and No.I&PW-B3/211/2015-FIN-Part(1) Fin(I &PW-B)Department Dated:26/05/2023)
6. General Administration (SC) Department( vide Item No. 1988 Dated 10/01/2024)
7. The Director, I&PRD (Web & New Media)
8. Stock File/ Office Copy.

Forwarded /By order

Section Officer

Copy to :

1. The PS to Hon'ble Chief Minister.
2. The PS to Hon'ble Minister (Water Resources )
3. The PA to Principal Secretary (Water Resources Department)

മന്ത്രിസഭാ യോഗത്തിനുള്ള കുറിപ്പ്

ചെങ്കലാർ സ്കീമിനു കീഴിൽ പട്ടിശ്ശേരി ഡാമിന്റെയും കനാലിന്റെയും മറ്റ് അനുബന്ധ നിർമ്മിതികളുടെയും പുനർനിർമ്മാണപ്രവർത്തനങ്ങളുമായി ബന്ധപ്പെട്ട് കരാർ തുക വർദ്ധിപ്പിക്കുന്നത് സംബന്ധിച്ച് നിർമ്മാണ കരാർ നേടിയ മെ.പൗലോസ് ജോർജ്ജ് കൺസ്ട്രക്ഷൻസ് കമ്പനി പ്രൈവറ്റ് ലിമിറ്റഡ്, മാനേജിംഗ് ഡയറക്ടർ സമർപ്പിച്ച നിവേദനങ്ങളാണ് ഈ കുറിപ്പിലെ പ്രതിപാദ്യം.

2. ചെങ്കലാർ സ്കീമിനു കീഴിൽ പട്ടിശ്ശേരി ഡാമിന്റെയും കനാലിന്റെയും മറ്റ് അനുബന്ധ നിർമ്മിതികളുടെയും പുനർനിർമ്മാണപ്രവർത്തനങ്ങളുടെ കരാർ മെ.പൗലോസ് ജോർജ്ജ് കൺസ്ട്രക്ഷൻസ് കമ്പനി പ്രൈവറ്റ് ലിമിറ്റഡ് ആണ് നേടിയത്. ഈ പ്രവൃത്തിയുടെ ഭരണാനുമതി 23/03/2013 തീയതിയിലെ സ.ഉ(സാ.ധ)നം.327/2013/ജ.വി.വ പ്രകാരം 26 കോടി രൂപയ്ക്കും, സാങ്കേതികാനുമതി 28/01/2014 തീയതിയിലെ സ.ഉ(സാ.ധ) നം.92/2014/ജ.വി.വ പ്രകാരം 23.6 കോടി രൂപയ്ക്കും നൽകുകയുണ്ടായി. പണി പൂർത്തീകരിക്കുന്നതിന് 24 മാസത്തെ കാലാവധി അനുവദിച്ചു കൊണ്ട് 11/07/2014-ന് മെ.പൗലോസ് ജോർജ്ജ് കൺസ്ട്രക്ഷൻസ് കമ്പനി പ്രൈവറ്റ് ലിമിറ്റഡുമായി മുഖ്യകരാർ ഒപ്പിട്ടു. എസ്റ്റിമേറ്റ് തുകയിൽ നിന്ന് 10.50% കുറഞ്ഞ PAC ആണ് അംഗീകരിക്കപ്പെട്ടത്.

3. കോൺക്രീറ്റ് ഡാമിന്റെ ബ്ലോക്ക്-I, ബ്ലോക്ക്-II എന്നിവയിലെ ഉറച്ച പാറയുടെ ഘടന കണക്കിലെടുത്ത് ജിയോളജിക്കൽ സർവ്വേ ഓഫ് ഇന്ത്യയിലെ, ജിയോളജിസ്റ്റിന്റെ ഉപദേശപ്രകാരം മതിയായ ഫൗണ്ടേഷൻ സ്ട്രാറ്റ (Foundation Strata) ലഭിക്കുന്നതിനായി അധിക ഖനനം നടത്തിയിട്ടുണ്ട്. ആയതിനാൽ ഫൗണ്ടേഷൻ സ്ട്രാറ്റയിലെ വ്യതിയാനങ്ങളും ഡിസൈൻ പ്രത്യേകതകളും കണക്കിലെടുത്ത് ഡിസൈൻ പുതുക്കുകയുണ്ടായി. 30/06/2018 തീയതിയിലെ സ.ഉ(സാ.ധ)നം. 473/2018/ജ.വി.വ പ്രകാരം, ടെൻഡർ ഡെഫിസിറ്റ് 10.5%,

ജി.എസ്.ടി എന്നിവ ഒഴിവുവെക്കുകയാണ് 2012 SoR പ്രകാരമുള്ള പുതുക്കിയ എസ്റ്റിമേറ്റിൽ ബാക്കിയുള്ള പണികൾ പൂർത്തീകരിക്കുവാൻ കോൺട്രാക്ടർക്ക് അനുമതി നൽകി. ആയതിനാൽ പുതുക്കിയ ഡിസൈൻ അനുസരിച്ച് എസ്റ്റിമേറ്റും പുതുക്കുകയുണ്ടായി. ആയതിനാൽ 46,81,91,957/- രൂപയുടെ ഭരണാനുമതിയും [സിവിൽ, മെക്കാനിക്കൽ, ഇലക്ട്രിക്കൽ, ഇൻസ്ട്രുമെന്റേഷൻ] സിവിൽ വർക്കിനായി 42,90,49,957/- രൂപയുടെ സാങ്കേതികാനുമതിയും 11/02/2019-ൽ നൽകുകയുണ്ടായി. 11/07/2014 തീയതിയിലെ മുഖ്യകരാർ നം. 04/SEPCM/2014-15-ലെ അനുബന്ധ കരാർ നം.4, 24 മാസത്തെ കാലാവധിയോടു കൂടി 16/04/2019 തീയതിയിൽ ഒപ്പിടുകയുണ്ടായി.

4. പ്രസ്തുത സ്ഥലത്തെ അടിത്തറ പാറ ആയതിനാലും, എർത്ത് ഡാമിന്റെ നിർമ്മാണത്തിന്റെ ചെലവുകൾ ഒഴിവാക്കണമെന്നതിനാലും, ക്യാനികളിൽ നിന്ന് ആവശ്യത്തിന് മണ്ണ് ലഭ്യമല്ലാത്തതിനാലും ചെയിനേജ് 0 മുതൽ ചെയിനേജ് 36.00 m വരെയുള്ള എർത്ത് ഡാമിനു പകരം കോൺക്രീറ്റ് ഡാം നിർമ്മിക്കാൻ 29/05/2020-ലെ പ്രോജക്ട് മോണിറ്ററിംഗ് കമ്മിറ്റി നിർദ്ദേശിച്ചു. ആയതിനാൽ പ്രോജക്ട് മോണിറ്ററിംഗ് കമ്മിറ്റിയുടെ നിർദ്ദേശപ്രകാരം പദ്ധതിയുടെ പുതുക്കിയ രൂപരേഖ ഐ.ഡി.ആർ.ബി. സമർപ്പിക്കുകയുണ്ടായി. 19/07/2021-ന് മേൽപ്പറഞ്ഞ മാറ്റങ്ങൾ ഉൾപ്പെടുത്തിക്കൊണ്ട് 42,82,72,665/- രൂപയുടെ പുതുക്കിയ എസ്റ്റിമേറ്റിന് ചീഫ് എഞ്ചിനീയർ, പദ്ധതി വിഭാഗം-II അംഗീകാരം നൽകുകയും അനുബന്ധ കരാർ ഒപ്പിടുകയും ഉണ്ടായി.

5. പ്രസ്തുത സ്ഥലത്തെ അടിത്തറ പാറ ആയതിനാലും, എർത്ത് ഡാമിന്റെ നിർമ്മാണത്തിന്റെ ചെലവുകൾ ഒഴിവാക്കാമെന്നതിനാലും, ക്യാനികളിൽ നിന്ന് ആവശ്യത്തിന് മണ്ണ് ലഭ്യമല്ലാത്തതിനാലും, പ്രോജക്ട് മോണിറ്ററിംഗ് കമ്മിറ്റിയുടെ 05/12/2020-ലെ യോഗതീരുമാന പ്രകാരം ചെയിനേജ് 95.50 മുതൽ ചെയിനേജ് 140.00 m വരെയുള്ള എർത്ത് ഡാമിനു പകരം പ്രസ്തുത സ്ഥലത്തു നിന്നു തന്നെയുള്ള പാറ ഉപയോഗിച്ചുള്ള റോക്ക് ഫിൽ ഡാം (Rockfill Dam) നിർമ്മിച്ചു. കൂടാതെ നിർദ്ദിഷ്ട സാഡിൽ ഡാമിനു പകരമായി (Saddle Dam)

പൈൽ ഫൗണ്ടേഷനിൽ ഒരുക്കിയ കൗണ്ടർ ഫോർട്ട് റീട്ടെയിനിംഗ് വാൾ (Counterfort Retaining Wall) ഉപയോഗിച്ചു. പ്രോജക്ട് മോണിറ്ററിംഗ് കമ്മിറ്റിയുടെ നിർദ്ദേശ പ്രകാരം പുതുക്കിയ രൂപരേഖ ഐ.ഡി.ആർ.ബി. സമർപ്പിക്കുകയുണ്ടായി. മേൽ പറഞ്ഞ മാറ്റങ്ങൾ ഉൾക്കൊള്ളിച്ചു കൊണ്ടുള്ള 42,82,71,325/- രൂപയുടെ പുതുക്കിയ എസ്റ്റിമേറ്റ് 07/03/2022 തീയതിയിൽ ചീഫ് എഞ്ചിനീയർ, പദ്ധതി വിഭാഗം-II അംഗീകരിച്ചു.

6. പിന്നീട് 15/04/2021-ന് ശേഷമുള്ള പ്രവൃത്തികളുടെ നിരക്ക് വർദ്ധനയ്ക്കായി പ്രസ്തുത കോൺട്രാക്ടർ ഗവൺമെന്റിനെ സമീപിക്കുകയുണ്ടായി. പ്രവൃത്തികൾ പുരോഗമിക്കുന്നത് 2022-2023 വർഷങ്ങളിൽ ആയതിനാൽ 2023 വർഷത്തിന്റെ അന്ത്യത്തിൽ പണി പൂർത്തിയാക്കണമെങ്കിൽ, 2018 SoR പ്രകാരമുള്ള കോമ്പ്രിഹൻസീവ് എസ്റ്റിമേറ്റ് നിരക്കിനു മേൽ (Comprehensive Estimate Rate) ന്യായമായ നിരക്ക് വർദ്ധനവും + നിലവിലെ നിരക്കിലെ GST-യും ആവശ്യമാണെന്ന് കരാറുകാരൻ വ്യക്തമായ ആവശ്യം ഉന്നയിക്കുകയുണ്ടായി.

7. നിലവിലെ കോൺട്രാക്ടറുടെ കീഴിൽ പ്രസ്തുത പ്രവൃത്തികൾ വേഗത്തിൽ നടക്കുന്നുണ്ടെന്നും ആയത് 31/12/2022-ന് പൂർത്തിയാക്കാൻ സാധിക്കുമെന്നും നിരക്ക് വർദ്ധനവിനുള്ള കോൺട്രാക്ടറുടെ ആവശ്യം ന്യായമാണെന്നും ആയത് പരിഗണിക്കാവുന്നതാണെന്നും ചീഫ് എഞ്ചിനീയർ, പദ്ധതി വിഭാഗം-II അറിയിച്ചിരുന്നു. കൂടാതെ മതിയായ നിരക്ക് വർദ്ധന നൽകിയില്ലെങ്കിൽ കോൺട്രാക്ടർ പ്രവൃത്തികൾ നിർത്തിവയ്ക്കാൻ സാധ്യതയുണ്ടെന്നും, നിലവിലെ DSR അനുസരിച്ച് പ്രവൃത്തികൾ റീ-ടെണ്ടർ ചെയ്യാൽ അത് വലിയ സാമ്പത്തിക ബാധ്യത ഉണ്ടാക്കുകയും, നിലവിലെ കോൺട്രാക്ടർ നിയമവ്യവഹാരത്തിലേയ്ക്ക് കടന്നാൽ ആയത് പ്രവൃത്തിയുടെ പൂർത്തീകരണത്തെ ബാധിക്കുമെന്നും ചീഫ് എഞ്ചിനീയർ, പദ്ധതി വിഭാഗം-II ചൂണ്ടിക്കാട്ടിയിരുന്നു. ആയതിനാൽ കോൺട്രാക്ടറുടെ ആവശ്യം പരിഗണിക്കാവുന്നതാണെന്നും, ശേഷിക്കുന്ന പ്രവൃത്തികളുടെ നടത്തിപ്പിനായി 2012 SoR എസ്റ്റിമേറ്റിനു മേൽ നിരക്ക് വർദ്ധന +

ജി.എസ്.ടി. നൽകുന്ന ക്ലാർയും പരിഗണിക്കാവുന്നതാണെന്നും ചീഫ് എഞ്ചിനീയർ പദ്ധതി വിഭാഗം-II അറിയിച്ചിരുന്നു.

8. തുടർന്ന് ചെങ്കലാർ സ്കീമിനു കീഴിൽ പട്ടിശ്ശേരി ഡാമിന്റെയും കനാലിന്റെയും മറ്റ് അനുബന്ധ നിർമ്മിതികളുടെയും പുനർനിർമ്മാണപ്രവർത്തനങ്ങളുടെ കരാർ ഏറ്റെടുത്തു നടത്തുന്ന മെ.പൗലോസ് ജോർജ്ജ് കൺസ്ട്രക്ഷൻസ് കമ്പനി പ്രൈവറ്റ് ലിമിറ്റഡ്, മാനേജിംഗ് ഡയറക്ടർ സമർപ്പിച്ച അപേക്ഷയുടെ അടിസ്ഥാനത്തിലും ചീഫ് എഞ്ചിനീയർ, പദ്ധതി വിഭാഗം-II- ന്റെ ശുപാർശയുടെ അടിസ്ഥാനത്തിലും ശേഷിക്കുന്ന പ്രവൃത്തികളുടെ നടത്തിപ്പിനായി 2012 SoR എസ്റ്റിമേറ്റ് റേറ്റിനു മേൽ നിരക്ക് വർദ്ധന + ജി.എസ്.ടി നൽകുന്ന കാര്യത്തിനു മേൽ അഭിപ്രായം ആരായുന്നതിലേയ്ക്കായി ഫയൽ ധനകാര്യ വകുപ്പിന് കൈമാറി.

9. ധനകാര്യ വകുപ്പ് നിരക്ക് വർദ്ധനവിന്റെ വിഷയം പരിശോധിക്കുകയും 21/05/2022-ൽ ഇപ്രകാരം അറിയിക്കുകയും ചെയ്തു.

**"a) The tender for the above work was invited before the introduction of GST. The work has been continuing after the implementation of GST and not completed yet. Hence the contractor is eligible for the GST compensation, if any, as per G.O(P)No.02/2018/PWD dated 27/01/2018.**

**b) The rate enhancement for the work over the estimate rate at 2012 SoR is not recommended.\***

10. പ്രസ്തുത വിഷയത്തിന്മേൽ വ്യക്തമായ അഭിപ്രായം തേടുന്നതിലേയ്ക്കായി ഫയൽ വീണ്ടും ധനകാര്യ വകുപ്പിന് കൈമാറുകയുണ്ടായി. ആയതിന്മേൽ 26/05/2023 ൽ ധനകാര്യ വകുപ്പ് ഇപ്രകാരം അഭിപ്രായപ്പെട്ടു.

**"Administrative Department is informed that the case of rate enhancement was already examined in Finance Department and the remarks communicated on 21/05/2022. It is also informed that the**

contention of Water Resources Department thereafter does not merit any consideration.

This has the approval of Hon'ble Minister (Finance) ."

11. 05/09/2023 തീയതിൽ ചീഫ് സെക്രട്ടറിയുടെ അദ്ധ്യക്ഷതയിൽ "ചെങ്കലാർ സ്കീമിനു കീഴിൽ പട്ടിശ്ശേരി ഡാമിന്റെയും കനാലിന്റെയും മറ്റ് അനുബന്ധ നിർമ്മിതികളുടെയും പുനർനിർമ്മാണപ്രവർത്തനങ്ങളുടെ നിരക്ക് വർദ്ധന" എന്ന വിഷയത്തിന്മേൽ നടത്തിയ മീറ്റിംഗ് മിനിട്സ് പ്രകാരം, 20% അധിക നിരക്ക് വർദ്ധന എന്നത് ഒഴിവാക്കി 2018 ലെ റേറ്റ് റിവിഷൻ പരിഗണിക്കാൻ യോഗം ഐക്യകണ്ഠ്യേന തീരുമാനിച്ചു. ആയതിൻ പ്രകാരം DSR 2018 റേറ്റ് അംഗീകരിച്ച് പ്രവൃത്തി തുടരുന്നത് സംബന്ധിച്ച് കരാറുകാരനോട് സംസാരിച്ച് തീരുമാനം എടുക്കുന്നതിനായി ചീഫ് എഞ്ചിനീയർ, പദ്ധതി വിഭാഗം-II നെ ചുമതലപ്പെടുത്തി. കൂടാതെ കരാറുകാരൻ പ്രസ്തുത തീരുമാനത്തോട് പൊരുത്തപ്പെടുന്നില്ലായെങ്കിൽ, റീടെൻണ്ടറിന്റെ കാര്യം പരിഗണിക്കേണ്ടതാണെന്നും പ്രസ്തുത യോഗം അഭിപ്രായപ്പെട്ടു.

12. 19/09/2023 തീയതിയിൽ ചീഫ് എഞ്ചിനീയർ, പദ്ധതി വിഭാഗം-II, കരാറുകാരനുമായി യോഗം നടത്തുകയും 05/09/2023 തീയതിയിലെ സർക്കാർ തീരുമാനം അറിയിക്കുകയും 20% നിരക്ക് വർദ്ധനവ് എന്നത് ഒഴിവാക്കി DSR 2018 റേറ്റിൽ പ്രവൃത്തി പൂർത്തിയാക്കുന്നതിനുള്ള നടപടികൾ സ്വീകരിക്കണമെന്നും ആവശ്യപ്പെട്ടു. എന്നാൽ കോൺട്രാക്ടർ താഴെ ചേർത്തിരിക്കുന്ന കാര്യങ്ങൾ ഉന്നയിച്ചു കൊണ്ട് പ്രസ്തുത ആവശ്യം നിരസിച്ചതായി ചീഫ് എഞ്ചിനീയർ, പദ്ധതി വിഭാഗം- II റിപ്പോർട്ട് ചെയ്തു.

1. ഈ പ്രവൃത്തി അന്തർ സംസ്ഥാന ജലസേചന പദ്ധതി ആയതിനാൽ തമിഴ്നാട്ടിൽ നിന്നും പദ്ധതിയ്ക്ക് ആവശ്യമായ കല്ല് ലഭിക്കുവാൻ തടസ്സങ്ങൾ നേരിടുന്നുവെന്നും ഇടുക്കിയിൽ കല്ല് പൊട്ടിക്കുന്നത് പാരിസ്ഥിതിക കാരണങ്ങളാൽ സാധിക്കുകയില്ലെന്നും തൃശ്ശൂർ, എറണാകുളം എന്നിവിടങ്ങളിൽ നിന്നും ഇത്രയും വലിയ അളവിൽ കല്ല് എത്തിക്കേണ്ടതാണെന്നും അറിയിച്ചു.

ആയതിനാൽ ഈ നിരക്കിൽ പ്രവൃത്തി തുടരവാൻ സാധിക്കുകയില്ല എന്നും കരാറുകാരൻ അറിയിച്ചു.

ii. SoR 2012 പ്രകാരമാണ് ഈ പ്രവൃത്തിയുടെ എസ്റ്റിമേറ്റ്. നിലവിൽ 40 ശതമാനത്തോളം ഇന്ധനവില, സാധനസാമഗ്രികളുടെ വില, തൊഴിലാളികളുടെ വേതനം എന്നിവ വർദ്ധിച്ചിട്ടുണ്ട്.

iii. ഏകദേശം 11000 m<sup>3</sup> Good quality earth - Embankment formation -നു വേണ്ടി ആവശ്യമാണെന്നും ഇത് തൊട്ടടുത്ത പ്രദേശങ്ങളിൽ നിന്നും ലഭിക്കുകയില്ല എന്നും കൺവയൻസ് അനുവദിക്കണമെന്നും കരാറുകാരൻ അറിയിച്ചു.

iv. കോവിഡ്-19, ഭൂമി കൈയേറ്റങ്ങൾ, work fronts ലഭ്യമല്ലാത്തത്, പദ്ധതിയുടെ രൂപരേഖ അന്തിമമായി തീർപ്പാക്കാത്തത് എന്നിവ മൂലം പ്രവൃത്തി തടസ്സപ്പെട്ടിരിക്കുകയാണെന്നും പി.ഡബ്ല്യു.ഡി. ലോക്കൽ മാർക്കറ്റ് റേറ്റ് കണക്കാക്കി ബാക്കി പ്രവൃത്തി നടപ്പിലാക്കണമെന്നും കരാറുകാരൻ അറിയിച്ചിട്ടുണ്ട്.

v. ബാക്കി പ്രവൃത്തികൾ ചെയ്തു തീർക്കുവാൻ ഇനിയും രണ്ട് വർഷം എടുക്കുമെന്നും ആയതിനാൽ തന്നെ DSR 2018 rate അംഗീകരിക്കുവാൻ സാധിക്കില്ലെന്നും കരാറുകാരൻ അറിയിച്ചു.

13. നിലവിൽ 2018 DSR+20% നിരക്ക് വർദ്ധനവ്+നിലവിലെ ജി.എസ്.ടി. എന്നിവ നൽകണമെന്ന ആവശ്യത്തിൽ കരാറുകാരൻ ഉറച്ചു നിൽക്കുകയും സർക്കാർ മുന്നോട്ടു വച്ച നിർദ്ദേശങ്ങളും ആവശ്യങ്ങളും നിരസിക്കുകയും ചെയ്തിട്ടുണ്ട്.

14. ഈ വിഷയത്തിൽ പ്രാധാന്യമർഹിക്കുന്ന ചില കാര്യങ്ങൾ ചുവടെ ചേർക്കുന്നു.

a. '2012 എസ്.ഒ.ആർ. എസ്റ്റിമേറ്റ് പ്രകാരം 2014-ൽ പ്രവൃത്തി ആരംഭിച്ചു. തുടക്കത്തിൽ എസ്റ്റിമേറ്റ് തുക 26 കോടി രൂപയായിരുന്നു.

b. പ്രവൃത്തി ആരംഭിച്ച സമയത്ത് ഇറിഗേഷൻ വകുപ്പ് തയ്യാറാക്കിയ ഡിസൈനിൽ കാര്യമായ പാളിച്ച കണ്ടെത്തി. അപ്രകാരം പുതുക്കിയ ഡിസൈനും, അതിനുവേണ്ടിയുള്ള ഭരണാനുമതിയും നൽകി.



- c. ഈ പ്രവൃത്തിയുടെ പ്രത്യേകത കണക്കിലെടുത്ത് 2019-ൽ 2012-ലെ ഡി.എസ്.ആർ. വച്ചുകൊണ്ട് തന്നെ 46.81 കോടി രൂപയുടെ പുതുക്കിയ ഭരണാനുമതി നൽകി.
- d. 16-04-2019-ന് '2012 എസ്.ഒ.ആറിൽ' എസ്റ്റിമേറ്റ് തുകയിൽ (ജി.എസ്.ടി ഒഴിവാക്കി) പ്രവൃത്തി പുനരാരംഭിച്ചു.
- e. ഇതിനായി പ്രോജക്ട് മോണിറ്ററിംഗ് കമ്മിറ്റിയും രൂപീകരിച്ചു.
- f. നിലവിൽ 62 ശതമാനത്തിൽ കൂടുതൽ പ്രവൃത്തി പൂർത്തീകരിക്കപ്പെട്ടിട്ടുണ്ട്.
- g. ഡാമിന്റെ പ്രത്യേകത കണക്കിലെടുത്ത് ഡിസൈൻ കാലോചിതമായി പുതുക്കി സാങ്കേതിക അംഗീകാരം നൽകിയിട്ടുണ്ട്.
- h. ഈ പ്രവൃത്തി നടക്കുന്നത് ഇടുക്കിയുടെ ഏറ്റവും അതിർത്തി പ്രദേശത്തുള്ള മറയൂറിനടുത്താണ്. ആയതിനാൽ തന്നെ സാധന സാമഗ്രികൾ എത്തിക്കുന്നത് ദുഷ്കരമാണ്. നിലവിലെ കോൺട്രാക്ടർ വളരെ വിലയുള്ള യന്ത്രസാമഗ്രികളും ക്രഷറും സൈറ്റിൽ സ്ഥാപിച്ച് പ്രവൃത്തികൾ നടത്തിവരികയാണ്.
- i. 2018-ലെ ആണ് ഏറ്റവും പുതുക്കിയ ഡി.എസ്.ആർ. എങ്കിലും ഇപ്പോൾ അഞ്ചു വർഷം പിന്നിട്ടിട്ടുണ്ട്. ആയതിനാൽ തന്നെ തൊഴിലാളികളുടെ കൂലിയിലും അതോടൊപ്പം സാധന സാമഗ്രികളുടെ വിലയിലും ഗണ്യമായ വർദ്ധന വന്നിട്ടുണ്ട്.
- j. നിലവിൽ കോൺട്രാക്ടർ ആവശ്യപ്പെടുന്നത് ബാക്കിയുള്ള കറച്ച് പ്രവൃത്തി പൂർത്തീകരിക്കാൻ 2018 പ്രകാരമുള്ള ഡി.എസ്.ആർ. എസ്റ്റിമേറ്റും അതിനോടൊപ്പം 20 ശതമാനം വർദ്ധനയുമാണ്.
- k. ഡി.എസ്.ആർ. 2018-ഉം അതു കഴിഞ്ഞുള്ള വിലക്കയറ്റ ഇൻഡക്സും കണക്കിലെടുത്ത് പുതിയ ടെണ്ടർ വിളിക്കുകയാണെങ്കിൽ ടെണ്ടർ തുക

നിശ്ചയമായും നിലവിലെ കോൺട്രാക്ടർ ആവശ്യപ്പെടുന്ന റേറ്റിൽ നിന്നും വളരെ കൂടുതൽ ആകുന്നതിന് സാധ്യതയുണ്ട്. അതോടൊപ്പം പ്രസ്തുത യന്ത്ര സാമഗ്രികളുടെ പുനർ വിന്യാസത്തിന് വളരെയധികം തുക ചെലവാകുകയും ചെയ്യും.

i. കാവേരി ട്രിബ്യൂണൽ ഉത്തരവ് അനുസരിച്ച് കേരളത്തിൽ പൂർത്തിയാകുന്ന ആദ്യത്തെ പദ്ധതിയാണ് ഇത്. ഇതിനുശേഷം ട്രിബ്യൂണൽ ഉത്തരവിൽപ്പെട്ട ലോവർചട്ട മൂന്നാർ പദ്ധതിയും നടപ്പിലാക്കേണ്ടതുണ്ട്. കാവേരി ട്രിബ്യൂണൽ അവാർഡ് പ്രകാരം കേരളത്തിന് അർഹതപ്പെട്ട ജലം ഉപയോഗയുക്തമാക്കുന്നതിന് എല്ലാ പദ്ധതികളും നിശ്ചിത കാലയളവി നുള്ളിൽ പൂർത്തീകരിച്ചില്ലെങ്കിൽ സംസ്ഥാനത്തിന് അർഹതപ്പെട്ട ജല വിഹിതം എന്നെന്നേക്കുമായി നഷ്ടപ്പെടാൻ സാധ്യതയുണ്ട്.

15. ബാക്കിയുള്ള പ്രവൃത്തി പൂർത്തീകരിക്കുന്നതിന് 12 മാസം കൂടി വേണ്ടി വരുമെന്ന് 26/12/2023-ലെ കത്തിൽ പ്രോജക്ട്-II ചീഫ് എഞ്ചിനീയർ അറിയിച്ചിട്ടുണ്ട്.

16. റീടെണ്ടറിംഗ് നടപടികൾ സർക്കാരിന് അധിക സാമ്പത്തിക ബാധ്യത വരുത്തുവാൻ സാധ്യതയുള്ളതിനാലും പദ്ധതി നടത്തിപ്പ് വൈകും എന്നതിനാലും ഈ വിഷയം മന്ത്രിസഭയുടെ പരിഗണനയ്ക്ക് വയ്ക്കുന്നതിന് ബഹു. മുഖ്യമന്ത്രി ഉത്തരവായി.

- i) ഇതു വരെ ചെലവാക്കിയ തുക - 26 കോടി
- ii) ബാലൻസ് ചെയ്യുന്നതിന് 2012-ലെ DSR ആണെങ്കിൽ - 17.5 കോടി
- iii) DSR 2018 ആണെങ്കിൽ - 21.4 കോടി
- iv) കോൺട്രാക്ടർ ആവശ്യപ്പെട്ട രീതിയിൽ 20% കൂട്ടി - 25.74 കോടി  
നൽകിയാൽ
- v) ലോക്കൽ മാർക്കറ്റ് റേറ്റ് - 28 കോടി

എസ്റ്റിമേറ്റ്, ലോക്കൽ മാർക്കറ്റ് റേറ്റിനെക്കാൾ 31% കുറവും, കോൺട്രാക്ടർ

ആവശ്യപ്പെടുന്ന റേറ്റ് ലോക്കൽ മാർക്കറ്റ് റേറ്റിനെക്കാൾ 9% കുറവാണ്. എസ്റ്റിമേറ്റിന്റെയും ലോക്കൽ മാർക്കറ്റ് റേറ്റിന്റെയും ഭീമമായ വ്യത്യാസം കൊണ്ടു തന്നെ അടുത്ത ടെണ്ടറിനു പോയാൽ ഇതിൽ കൂടുതൽ തുകയാകും എന്നു കാണാവുന്നതാണ്.

തിരുമാനമെടുക്കേണ്ട വിഷയം

ചെങ്കലാർ സ്കീമിനു കീഴിൽ പട്ടിശ്ശേരി ഡാമിന്റെയും കനാലിന്റെയും മറ്റ് അനുബന്ധ നിർമ്മിതികളുടെയും പുനർനിർമ്മാണപ്രവർത്തനങ്ങളുടെ നിർമ്മാണ കരാർ നേടിയ മെ.പൗലോസ് ജോർജ്ജ് കൺസ്ട്രക്ഷൻസ് കമ്പനി പ്രൈവറ്റ് ലിമിറ്റഡ് എന്ന സ്ഥാപനത്തിനു തന്നെ, നിർമ്മാണ പ്രവൃത്തികൾ പുരോഗമിക്കുന്നത് 2023-2024 വർഷങ്ങളിൽ ആണ് എന്നതിനാൽ, പ്രസ്തുത പുനർനിർമ്മാണപ്രവർത്തനങ്ങളുടെ ശേഷിക്കുന്ന പ്രവൃത്തികൾക്ക് നിരക്ക് വർദ്ധനവ് (അതായത്, 2018 SoR പ്രകാരമുള്ള എസ്റ്റിമേറ്റിനു മുകളിൽ 20% നിരക്ക് വർദ്ധനവ് + നിലവിലെ നിരക്കിലെ ജി.എസ്.ടി എന്നിവ) ധനകാര്യ വകുപ്പിന്റെ അഭിപ്രായത്തെ മറികടന്ന് കൊണ്ട് അനുവദിച്ചു നൽകാവുന്നതാണോ.



## GOVERNMENT OF KERALA

### Abstract

Water Resources Department- Procurement of new vehicle under Dam Rehabilitation and Improvement Project (DRIP) Phase II for the use in Irrigation Department -Sanction accorded – Orders issued.

### WATER RESOURCES (ISWC) DEPARTMENT

G.O.(Ms)No.35/2024/WRD Dated,Thiruvananthapuram, 06-06-2024.

- Read: 1. Letter No.01/2017/IDRB/DS2/AD2 dated 23/08/2022, 02/12/2022, 09/01/2023, 05/06/2023, from the Chief Engineer(I&D), IDRB, Thiruvananthapuram.
2. Lr No T-20028/3/2020-DSR DTE- part (4) dated 01-12-2022 from Asst Director, DSR Dte, Ministry of Jalasakthi, CWC, CPMU, DRIP.
3. G.O.(Rt) No.884/2023/WRD dated 17/10/2023.
4. G.O.(Rt)No.10/2024/WRD dated 04/01/2024.
5. Letter No.CEIDRB/54/2023-DS-AD1 GEN dated 01/12/2023 from the Chief Engineer(I&D), IDRB, Thiruvananthapuram.

### ORDER

Dam Rehabilitation and Improvement Project is jointly co-financed by International Bank for Reconstruction and Development (IBRD) and Asian Infrastructure Investment Bank (AIIB). Phase-I of the project 'Dam Rehabilitation & Improvement Project' (DRIP) was launched in Kerala in April 2012 to improve the safety and operational performance of selected dams and associated appurtenances and completed in 2021. The Central Water Commission has launched DRIP Phase-II & III for a duration of 10 years (2020-2030); each of 6 years duration with 2 year overlapping.

- 2) The Chief Engineer (I&D), IDRB as per letters read as 1<sup>st</sup> paper above has informed that the vehicle used by Superintending Engineer

Project Circle, Kannur is not in good condition for long distance journeys to Kuttiyadi, Wayanad and hence Chief Engineer (I&D), IDRB has requested to procure for one TATA Nexon (P) XZ utility vehicle (version 2) amounting to Rs.8,49,112/-, under DRIP, for the use of Superintending Engineer Project Circle, Kannur.

3) As per Government orders read as 3<sup>rd</sup> and 4<sup>th</sup> papers above, Revised Administrative Sanction (AS) for an amount of Rs.240 Crore was accorded with re-allocation among the 4 components under DRIP Phase II and an amount of Rs.10 Crore has been approved for Component 4 (Project Management) in the Revised AS. The allocation of each components in the revised AS is as tabulated below.

Component	Name of Component	Amount in Crore
I	Rehabilitation and Management Planning for Dams & associated Appurtenances	180.00
II	Dam Safety Institutional Strengthening	38.00
III	Risk Informed Asset Management & Innovative Financing for Sustainable Operation & Maintenance of Dams ie, Tourism	12.00
IV	Project Management	10.00
	<b>TOTAL</b>	<b>240.00</b>

4) Vide letter read as 2<sup>nd</sup> paper above, CPMU have concurred the procurement of vehicle after getting competent level approval from State and expenditure may be booked under component IV of DRIP Phase II.

As per letter read as 5<sup>th</sup> paper above, the Chief Engineer (I&D), IDRB has informed that the annual procurement plan submitted in Systematic Tracking of Exchanges in Procurement (STEP) Portal was first verified by CPMU and then forwarded to World Bank for concurrence. The proposal for procurement for vehicles has been approved by World Bank

in STEP portal under Component IV-Project Management of DRIP Phase II.

5) Most of the dams are in hilly terrain and Irrigation Department officials have to visit these dam sites often. They face difficulties to travel through these strenuous terrain and hence vehicle in good condition is indispensable.

6) Government have examined the matter in detail and are pleased to accord sanction for the procurement of Mahindra Bolero Vehicle (estimate amount - Rs. 8.47 Lakh as per GeM specification) for the use of Superintending Engineer, Project Circle, Kannur, inclusive of all taxes, registration expenses and price variation, if any, in GeM, by meeting the expenditure from the head of account "4701-80-800-70-EAP DRIP" under DRIP Project.

(By order of the Governor)  
ASHOK KUMAR SINGH I A S  
PRINCIPAL SECRETARY

To

1. The Chief Engineer, I&D, IDRB, Thiruvananthapuram.
2. The Principal Accountant General (Audit/A&E), Kerala, Thiruvananthapuram.
3. The General Administration (SC) Department( vide Item No.2145 dated 17/04/2024)
4. The Finance Department (vide remarks dated No:I&PW-B3/355/2022-FIN dated 04/03/2024).
5. The Planning & Economic Affairs Department (vide remarks No. PLGEA-A2/129/2023-PLGEA dated 18.08.2023)
6. Stock File/Office Copy.

Forwarded /By order

Section Officer

Copy to:

1. The PS to Hon'ble Chief Minister.
2. The PS to Hon'ble Minister, Water Resources .

**മന്ത്രിസഭാ യോഗത്തിനുള്ള കറിപ്പ**

ഡാം റീഹാബിലിറ്റേഷൻ ആൻഡ് ഇംപ്രൂവ്മെന്റ് പ്രോജക്ടിന് (DRIP) കീഴിൽ വാഹനങ്ങൾ വാങ്ങുന്നതിനുള്ള ശുപാർശ സംബന്ധിച്ചതാണ് ഈ കറിപ്പ.

2) ഡാം റീഹാബിലിറ്റേഷൻ ആൻഡ് ഇംപ്രൂവ്മെന്റ് പ്രോജക്ട് ഇന്റർനാഷണൽ ബാങ്ക് ഫോർ റീകൺസ്ട്രക്ഷൻ ആൻഡ് ഡെവലപ്മെന്റ് (IBRD)-യും ഏഷ്യൻ ഇൻഫ്രാസ്ട്രക്ചർ ഇൻവെസ്റ്റ്മെന്റ് ബാങ്കും (ഐ.ഐ.ഐ.ബി) സംയുക്തമായി ധനസഹായം നൽകുന്ന പദ്ധതിയാണ്. തിരഞ്ഞെടുക്കപ്പെട്ട ഡാമുകളുടെയും അനുബന്ധ നിർമ്മിതികളുടെയും സുരക്ഷയും പ്രവർത്തനക്ഷമതയും മെച്ചപ്പെടുത്തുന്നതിനായി DRIP ഘട്ടം I എപ്രിൽ 2012 മുതൽ നടപ്പിലാക്കുകയും ആയത് 2021-ൽ പൂർത്തീകരിക്കുകയും ചെയ്തു. തുടർന്ന് കേന്ദ്ര ജല കമ്മീഷൻ DRIP II, DRIP III എന്നിവ 10 വർഷ കാലാവധിയോടെ (2020-2030); രണ്ടു വർഷത്തെ overlapping period കൂടിയുള്ള 6 വർഷത്തെ കാലാവധി വരുന്ന രണ്ടു ഘട്ടമായി നടപ്പിലാക്കി വരുന്നു.

3) കണ്ണൂർ പ്രോജക്ട് സർക്കിൾ സൂപ്രണ്ടിംഗ് എഞ്ചിനീയറുടെ കാര്യാലയത്തിൽ നിലവിൽ ഉപയോഗിക്കുന്ന വാഹനം, വയനാട്, കുറ്റ്യാടി എന്നിവിടങ്ങളിലേക്കുള്ള ദീർഘദൂര യാത്രകൾക്ക് ഉപയോഗയോഗ്യമല്ലായെന്നും, ആയതിനാൽ DRIP പദ്ധതിയിൽ ഉൾപ്പെടുത്തി പുതിയ വാഹനം വാങ്ങാൻ അനുമതി നൽകണമെന്നും ചീഫ് എഞ്ചിനീയർ IDRB അഭ്യർത്ഥിച്ചിരുന്നു. 17/10/2023 തീയതിയിലെ സർക്കാർ ഉത്തരവ് G.O(Rt)No. 884/2023/WRD പ്രകാരം DRIP ഘട്ടം II-ലെ നാല് Component-ൽ തുക പുനർവിന്യാസം നടത്തി ആകെ 240 കോടി രൂപ വിനിയോഗിക്കുന്നതിനു പുതുക്കിയ ഭരണാനുമതി നൽകി. ആയതിൽ Component 4-നു (പ്രോജക്ട് മാനേജ്മെന്റ്) 10 കോടി രൂപയാണ് വകയിരുത്തിയിരിക്കുന്നത്. പുതുക്കിയ ഭരണാനുമതിയിൽ ഓരോ Component-നും വകയിരുത്തിയിരിക്കുന്ന തുക ചുവടെ പട്ടികയിൽ ഉൾപ്പെടുത്തിയിരിക്കുന്നു.



Component	Name of Component	Amount in Crore
I	Rehabilitation and Management Planning for Dams & associated Appurtenances	180.00
II	Dam Safety Institutional Strengthening	38.00
III	Risk Informed Asset Management & Innovative Financing for Sustainable Operation & Maintenance of Dams ie, Tourism	12.00
IV	Project Management	10.00
	<b>TOTAL</b>	<b>240.00</b>

4) കണ്ണൂർ പ്രോജക്ട് സർക്കിൾ സൂപ്രണ്ടിംഗ് എഞ്ചിനീയറുടെ ഉപയോഗത്തിനായി ഒരു TATA Nexon (P) XZ utility vehicle (version 2)-ഉം ജലവിഭവ വകുപ്പ് സെക്രട്ടറിയുടെ ഉപയോഗത്തിനായി TOYOTA utility vehicle (Version 2) MUV manual INNOVA CRYSTA 2.7G seater-ഉം വാങ്ങാൻ ചീഫ് എഞ്ചിനീയർ (ഐ.ഡി.ആർ.ബി) അനുമതി അഭ്യർത്ഥിച്ചു.

5) "4701-80-800-70-EAP-DRIP" എന്ന ശീർഷകത്തിൽ നിന്ന് രജിസ്ട്രേഷൻ ചെലവുകളും, നികുതിയും, GeM നിരക്കുകളിലെ വില വ്യതിയാനവും ഉൾപ്പെടെ വാഹനം വാങ്ങുന്നതിനുള്ള 25 ലക്ഷം രൂപയുടെ ശിപാർശ ധനകാര്യ വകുപ്പിന് നൽകിയപ്പോൾ, DRIP പദ്ധതി പ്രകാരം വാഹനം വാങ്ങുന്നത് അനുവദനീയമാണോ എന്ന് വ്യക്തമാക്കണമെന്ന് ആ വകുപ്പ് ആവശ്യപ്പെട്ടു.

6) സംസ്ഥാന സർക്കാരിൽ ഉചിതമായ തലത്തിൽ അനുമതി വാങ്ങിയതിന് ശേഷം മാത്രം വാഹനം വാങ്ങുന്നതിനുള്ള നടപടികൾ സ്വീകരിക്കാനും, ആയത്തിലേക്കുള്ള ചെലവുകൾ DRIP രണ്ടാം ഘട്ടത്തിലെ നാലാം Component-ൽ ഉൾപ്പെടുത്തുന്നതിനും CPMU അനുമതി നൽകിയതായി ചീഫ് എഞ്ചിനീയർ ഐ.ഡി.ആർ.ബി അറിയിച്ചു. കൂടാതെ ചീഫ് എഞ്ചിനീയർ ഐ.ഡി.ആർ.ബിയുടെ കാര്യാലയത്തിൽ നിന്നും STEP പോർട്ടലിൽ സമർപ്പിച്ച annual procurement plan CPMU പരിശോധിക്കുകയും തുടർന്ന് അംഗീകാരത്തിനായി ലോക ബാങ്കിന് കൈമാറുകയും ചെയ്തു. DRIP ഘട്ടം 2-ലെ Component 4-പ്രോജക്ട് മാനേജ്മെന്റിന് കീഴിൽ 50 ലക്ഷം രൂപയ്ക്ക് വാഹനങ്ങൾ വാങ്ങുന്നതിനുള്ള പ്രൊപ്പോസൽ STEP (സിസ്റ്റിമാറ്റിക് ട്രാക്കിംഗ് ഓഫ് എക്സ്പെഞ്ചസ് ഇൻ പ്രൊക്യൂർമെന്റ്) പോർട്ടലിൽ ലോകബാങ്ക് അംഗീകരിച്ചിട്ടുള്ളതായി ചീഫ് എഞ്ചിനീയർ ഐ.ഡി.ആർ.ബി അറിയിച്ചു .

7) ഫയൽ വീണ്ടും ധനകാര്യ വകുപ്പിന് കൈമാറിയപ്പോൾ, വിഷയത്തിൽ ആസൂത്രണ, സാമ്പത്തികകാര്യ വകുപ്പിന്റെ അഭിപ്രായം തേടാൻ ആ വകുപ്പ് ആവശ്യപ്പെട്ടു. ആസൂത്രണ-സാമ്പത്തിക കാര്യ വകുപ്പ് ലഭ്യമാക്കിയ അഭിപ്രായം താഴെ പറയും പ്രകാരമാണ് :

"

- DRIP is an External Aided Project and hence its activities should be in accordance with the conditions stipulated in the approval agreement. As per the conditions in the Project Appraisal Document of the World Bank, the provision for vehicle purchase is specified under Component II (Dam Safety Institutional strengthening) as part of arranging facilities for functioning.
- The rehabilitation works of Kuttiyadi and Karapuzha are being presently undertaken under DRIP Phase II works and are carried out under the control of SE, Project Circle, Kannur. Therefore the request for purchasing a TATA Nexon (P) XZ utility vehicle (version 2) amounting to Rs. 8,49,112/- shall be permitted for the Superintending Engineer, Project Circle, Kannur.

- The request for purchasing TOYOTA utility vehicle (Version 2) MUV manual INNOVA CRYSTA 2.7G amounting to Rs. 14,78,165/- is for the use of Secretary (Water Resources). As this purchase is not in compliance with the permissible norms, this request may not be permitted.

Thus, the purchase of TATA Nexon for the Superintending Engineer, Project Circle Kannur alone may be permitted with the concurrence of the Finance Department."

8) ആസൂത്രണ-സാമ്പത്തിക കാര്യ വകുപ്പിന്റെ അഭിപ്രായം ഉൾപ്പെടെ പ്രസ്തുത പ്രൊപ്പോസൽ അംഗീകാരത്തിനായി വീണ്ടും ധനവകുപ്പിന് കൈമാറിയപ്പോൾ, ആ വകുപ്പ് ഇപ്രകാരം അഭിപ്രായപ്പെട്ടു:

"Administrative Department is advised to take steps for arranging a vehicle on lease for the use of Superintending Engineer, Project circle, Kannur."

9) കണ്ണൂർ പ്രോജക്ട് സർക്കിൾ സൂപ്രണ്ടിംഗ് എഞ്ചിനീയറുടെ ഉപയോഗത്തിലേയ്ക്കായി TATA Nexon (P) XZ utility vehicle വാങ്ങാനുള്ള പ്രൊപ്പോസൽ അംഗീകരിക്കാൻ ധനകാര്യ വകുപ്പിനോട് ഒരിക്കൽ കൂടി അഭ്യർത്ഥിച്ചപ്പോൾ, "Administrative Department is informed that Finance sticks to our earlier remarks dated 08/11/2023 " എന്ന് അഭിപ്രായം ലഭ്യമാക്കി.

10) വാഹനം വാങ്ങുന്നത് സംസ്ഥാന സർക്കാർഫണ്ട് ഉപയോഗിച്ചല്ല, പൂർണ്ണമായും കേന്ദ്ര സഹായ പദ്ധതിയായ DRIP-ലെ ഫണ്ട് ഉപയോഗിച്ചാണ്. ഇറിഗേഷൻ വകുപ്പിലെ ഉദ്യോഗസ്ഥർ ധാരാളം ഫീൽഡ് വിസിറ്റുകൾ പ്രത്യേകിച്ചും കാടും മലയും ഉൾപ്പെടുന്ന ദുർഘടമായ പ്രദേശങ്ങളിൽ യാത്ര ചെയ്യേണ്ടതാണ്. കൂടാതെ പലപ്പോഴും അടിയന്തിരസ്വഭാവമുള്ള യാത്രകളും നടത്തേണ്ടതുണ്ട്. ഭൂരിഭാഗം അണക്കെട്ടുകളും മലയോര പ്രദേശങ്ങളിൽ സ്ഥിതി ചെയ്യുന്നതിനാൽ നല്ല പ്രവർത്തന ക്ഷമതയുള്ള വാഹനം ഒഴിച്ചുകൂടാനാവാത്തതാണ്. അതിനാൽ, ടാറ്റ നെക്സോൺ കാറിന് പകരം അതേ വിലയിൽ

GeM പോർട്ടൽ വഴി 'മഹീന്ദ്ര ബൊലേറോ (Mahindra Bolero)' വാഹനം വാങ്ങുന്നത് അഭികാമ്യമാണെന്ന് കാണുന്നു .

11) ഫയൽ ഉത്തരവിനായി ബഹു മുഖ്യമന്ത്രിയ്ക്ക് സമർപ്പിച്ചപ്പോൾ പ്രസ്തുത വിഷയം മന്ത്രിസഭയുടെ പരിഗണനയ്ക്ക് വിടാൻ മുഖ്യമന്ത്രി ഉത്തരവിട്ടു.

തിരുമാനം എടുക്കേണ്ട വിഷയം

കണ്ണൂർ പ്രോജക്ട് സർക്കിൾ സൂപ്രണ്ടിംഗ് എഞ്ചിനീയറുടെ ഉപയോഗത്തിലേയ്ക്കായി , DRIP പദ്ധതിയിൽ ഉൾപ്പെടുത്തി, "4701-80-800-70-EAP-DRIP" എന്ന ശീർഷകത്തിൽ നിന്ന് GeM നിരക്കുകളിലെ വില വ്യതിയാനങ്ങളും എല്ലാ നികുതികളും രജിസ്ട്രേഷൻ ചെലവുകളും ഉൾപ്പെടെ കണക്കിലെടുത്ത്, ഒരു മഹീന്ദ്ര ബൊലേറോ വാഹനം (എസ്റ്റിമേറ്റ് തുക - 8.47 ലക്ഷം രൂപ - GeM പ്രകാരം) വാങ്ങുന്നതിന് ധനകാര്യ വകുപ്പിന്റെ അഭിപ്രായം മറികടന്ന് അനുമതി നൽകാമോ?

മന്ത്രിസഭായോഗത്തിനുള്ള കുറിപ്പ്

നിയമ വകുപ്പിൽ നിലവിൽ സെക്ഷൻ ഓഫീസർ തസ്തിക കുറവായതിനാൽ ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക സൃഷ്ടിച്ച് ആ തസ്തികയിലേയ്ക്ക് നിയമവകുപ്പിൽ നിന്നുള്ള ഒരു സെക്ഷൻ ഓഫീസറെ നിയമിച്ചു, അനവധി കോടതി വ്യവഹാരങ്ങളും തസ്തുലമുള്ള രൂക്ഷമായ പ്രശ്നങ്ങളും നിലനിൽക്കുന്ന ഭൂജല വകുപ്പിലേയ്ക്ക്, വർക്കിങ് അറേഞ്ച്മെന്റ് അടിസ്ഥാനത്തിൽ, നിയോഗിക്കുന്നത് സംബന്ധിച്ചുള്ളതാണ് ഈ കുറിപ്പ്.

2. പൊതുജനങ്ങൾക്കായി ആവശ്യ സേവനം നടത്തുന്ന വളരെ പ്രധാനപ്പെട്ട സ്ഥാപനങ്ങളിൽ ഒന്നാണ് ഭൂജലവകുപ്പ്. അതിനുംപുറമെ ഈ വകുപ്പ് ഭരണനിർവ്വഹണം നടത്തുന്നത് അനേകം നിയമങ്ങളും ചട്ടങ്ങളും റെഗുലേഷൻസും വഴിയാണ്. അത് വീവിധ stakeholders മായി നിയമപ്രശ്നങ്ങളും കോടതി കേസുകളും കൈകാര്യം ചെയ്യുന്നതിന് നിലവിൽ നിയമപരിജ്ഞാനം ആവശ്യമായ ഒരു തസ്തിക ഭൂജലവകുപ്പിൽ നിലവിലില്ല. ഇപ്പോൾ വകുപ്പിൽ കേസുകളും നിയമ പ്രശ്നങ്ങളും കൈകാര്യം ചെയ്യുന്നത് വകുപ്പിലെ നിയമപരിജ്ഞാനം ഇല്ലാത്ത മിനിസ്റ്റീരിയൽ വിഭാഗം ജീവനക്കാരാണ്. ഇത് ഇത്തരം കേസുകളിൽ സർക്കാർ ഭാഗം ശരിയായ വിധത്തിൽ അവതരിപ്പിച്ച് കേസ് നടത്തുന്നതിന് തടസ്സമാവാറുണ്ട്. മാത്രമല്ല ഇത് മിനിസ്റ്റീരിയൽ വിഭാഗം ജീവനക്കാർക്ക് അവരുടെ സ്ഥിരം ജോലികൾ നിർവ്വഹിക്കുന്നതിൽ തടസ്സം ആവുകയും ചെയ്യുന്നുണ്ട്.

3. ആയതിനാൽ ഇതിന് പരിഹാരമായി നിയമ വകുപ്പിൽ നിന്നും ഒരു സെക്ഷൻ ഓഫീസറെ ഭൂജല വകുപ്പിലെ ലോ ഓഫീസറായി റീ പൊസിഷൻ ചെയ്ത് നിയമിക്കുന്നതിനുള്ള സാധ്യത നിയമവകുപ്പിനോട് ആരാഞ്ഞിരുന്നു. അപ്പോൾ ആ വകുപ്പ് താഴെ പറയും പ്രകാരം അഭിപ്രായപ്പെട്ടു.

'നിയമ വകുപ്പിലെ സെക്ഷൻ ഓഫീസർ തസ്തികയുടെ കേഡർ സെന്റർ 32 ആണ്. നിയമ വകുപ്പിൽ നിലവിൽ സെക്ഷൻ ഓഫീസർമാർ അനിവാര്യമായ സ്യൂട്ട്-1,

സ്യൂട്ട്-II, സ്യൂട്ട്-III, നിയമ (അക്കൗണ്ട്സ്) വകുപ്പുകളിൽ പ്രസ്തുത തസ്തികയില്ലാത്തതിനാൽ ടി വകുപ്പുകളിൽ സെക്ഷൻ ഓഫീസർമാരെ നിയമിച്ചിട്ടില്ലാത്തതും നിയമ വകുപ്പിലെ മറ്റ് സെക്ഷൻ ഓഫീസർമാർക്ക് അധിക ചുമതല നൽകി പ്രസ്തുത വകുപ്പിലെ ജോലികൾ നിർവ്വഹിച്ചു പോരുന്നതുമാണ്. മേൽ കാര്യത്തിനായി ടി വകുപ്പുകളിൽ ടി തസ്തിക സൃഷ്ടിക്കുന്ന കാര്യം ഉദ്യോഗസ്ഥ ഭരണപരിഷ്കാര വകുപ്പിന്റെ പരിഗണനയിലുമാണ്. മേൽ സാഹചര്യത്തിൽ ഭൂഗർഭജല വകുപ്പ് ആവശ്യപ്പെട്ട പ്രകാരം നിയമ വകുപ്പിൽ നിന്നും ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക മാറ്റി ലാ ഓഫീസർ തസ്തികയായി ഭൂഗർഭജല വകുപ്പിൽ അനുവദിക്കുന്നത് ഈ വകുപ്പിന് സ്വീകാര്യമല്ലാത്തതാണ്. ഭൂഗർഭജല വകുപ്പിൽ ലാ ഓഫീസറുടെ സേവനം ആവശ്യമുള്ളപക്ഷം പ്രസ്തുത വകുപ്പ് ഒരു തസ്തിക സൃഷ്ടിച്ച് ആയതിലേയ്ക്ക് നിയമ വകുപ്പിൽ നിന്നും സെക്ഷൻ ഓഫീസർ തസ്തികയിലെ ഒരു ഉദ്യോഗസ്ഥനെ ഇതരസേവനവ്യവസ്ഥയിൽ നിയമിക്കുന്നതാണ് അഭികാമ്യമെന്ന് ഭരണവകുപ്പിനെ അറിയിക്കുന്നു."

4. നിയമ വകുപ്പിൽ ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക സൃഷ്ടിച്ച് ആയത് വർക്കിംഗ് അറേഞ്ച്മെന്റിൽ ഭൂജല വകുപ്പിന് നൽകുകയോ, അല്ലെങ്കിൽ നിയമവകുപ്പിലെ നിലവിലുള്ള ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക ഭൂജല വകുപ്പിലേക്ക് ഷിഫ്റ്റ് ചെയ്യുകയോ ചെയ്യാവുന്നതാണോ എന്ന കാര്യത്തിൽ ഉത്തരവ്നായി ഫയൽ ബഹു. മുഖ്യമന്ത്രിക്ക് സമർപ്പിച്ചിരുന്നു. അപ്പോൾ ധനകാര്യ വകുപ്പിന്റെ അഭിപ്രായം സഹിതം ഫയൽ സമർപ്പിക്കുവാൻ ബഹു. മുഖ്യമന്ത്രി ഉത്തരവായി. ധനകാര്യ വകുപ്പ് താഴെ പറയും പ്രകാരം അഭിപ്രായപ്പെട്ടു.

"സർക്കാരിന്റെ ഇപ്പോഴത്തെ സാമ്പത്തിക സ്ഥിതി പരിഗണിക്കുമ്പോൾ പുതുതായി ഒരു തസ്തിക സൃഷ്ടിക്കുന്നത് ഉചിതമല്ലാത്ത സാഹചര്യത്തിൽ, ഭൂജലവകുപ്പിൽ നിലവിൽ ജോലിചെയ്യുന്ന ഒരു ഹെഡ് ക്ലർക്കിനെയോ ജൂനിയർ സൂപ്രണ്ടിനെയോ ലെയ്സൺ ഓഫീസറുടെ ചാർജ് കൊടുത്തു കേസുകളുടെ വിഷയം കൈകാര്യം ചെയ്യാൻ നിർദ്ദേശിക്കാവുന്നതാണെന്ന് ഭരണ വകുപ്പിനെ അറിയിക്കുന്നു. ഇതിനു ബഹു. ധനകാര്യ വകുപ്പു മന്ത്രിയുടെ അംഗീകാരമുണ്ട്."

5. നിയമ വകുപ്പിൽ നിലവിൽ സെക്ഷൻ ഓഫീസർ തസ്തിക കുറവായതിനാൽ ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക സൃഷ്ടിച്ച് ആ തസ്തികയിലേയ്ക്ക് നിയമവകുപ്പിൽ നിന്നുള്ള ഒരു സെക്ഷൻ ഓഫീസറെ നിയമിച്ച്, അനവധി കോടതി വ്യവഹാരങ്ങളും തന്മൂലമുള്ള രൂക്ഷമായ പ്രശ്നങ്ങളും നിലനിൽക്കുന്ന ഭൂജല വകുപ്പിലേയ്ക്ക്, വർക്കിങ് അറേഞ്ച്മെന്റ് അടിസ്ഥാനത്തിൽ, നിയോഗിക്കുന്നത് സംബന്ധിച്ച് ഉത്തരവിനായി ഫയൽ വീണ്ടും ബഹു. മുഖ്യമന്ത്രിയുടേയും ഇക്കാര്യം മന്ത്രിസഭയുടെ പരിഗണനയ്ക്ക് സമർപ്പിക്കാൻ ബഹു. മുഖ്യമന്ത്രി ഉത്തരവായി. ഇതിലേയ്ക്കായി ഒരു മാസം ഏകദേശം 51,400/- രൂപയും ഒരു വർഷം 6,78,000/- രൂപയും അധിക ബാധ്യത ഉണ്ടാകുമെന്ന് കണക്കാക്കുന്നു.

തീരുമാനിക്കേണ്ട വിഷയം

നിയമ വകുപ്പിൽ ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക സൃഷ്ടിച്ച് അനവധി കോടതി വ്യവഹാരങ്ങൾ നിലനിൽക്കുന്ന ഭൂജല വകുപ്പിലേയ്ക്ക് പ്രസ്തുത സെക്ഷൻ ഓഫീസറെ വർക്കിംഗ് അറേഞ്ച്മെന്റ് അടിസ്ഥാനത്തിൽ നിയോഗിക്കാമോ?

49

**Note # 40**

നം. 2421459/Agri-A2/79/2023-FIN

Finance(Agri A)Department

നം. 2165040 /GW1/288/2022-WRD

തീയതി: 27.05.2023.

സർക്കാരിന്റെ ഇപ്പോഴത്തെ സാമ്പത്തിക സ്ഥിതി പരിഗണിക്കുമ്പോൾ പുതുതായി ഒരു തസ്തിക സൃഷ്ടിക്കുന്നത് ഉചിതമല്ലാത്ത സാഹചര്യത്തിൽ, ഭൂജലവകുപ്പിൽ നിലവിൽ ജോലിചെയ്യുന്ന ഒരു ഹെഡ് ക്ലർക്കിനെയോ ജൂനിയർ സൂപ്രണ്ടിനെയോ ലെയ്സൺ ഓഫീസറുടെ ചാർജ് കൊടുത്തു കേസുകളുടെ വിഷയം കൈകാര്യം ചെയ്യാൻ നിർദ്ദേശിക്കാവുന്നതാണെന്ന് ഭരണ വകുപ്പിനെ അറിയിക്കുന്നു.

ഇതിനു ബഹു. ധനകാര്യ വകുപ്പു മന്ത്രിയുടെ അംഗീകാരമുണ്ട്.

ധനകാര്യ സെഷ്യൽ (വ്യയം) സെക്രട്ടറിയ്ക്കു വേണ്ടി

29/05/2023 09:30 AM

**PADMAKUMAR S  
SO(AGRI A,FIN)**



"ഭരണഭാഷ- മാതൃഭാഷ"



കേരള സർക്കാർ



സംഗ്രഹം

നിയമ (ഭരണ 1) വകുപ്പ് - നിയമ വകുപ്പിൽ ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക സൃഷ്ടിച്ച് ഭൂജല വകുപ്പിലേക്ക് വർക്കിങ് അറേഞ്ച്മെന്റ് അടിസ്ഥാനത്തിൽ നിയോഗിക്കുന്നതിന് സെക്ഷൻ ഓഫീസർ തസ്തിക നിയമ വകുപ്പിന്റെ കേഡർ തസ്തികയായി സൃഷ്ടിച്ച് ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

നിയമ (ഭരണ 1) വകുപ്പ്

സ.ഉ.(കൈ) നം.70/2023/LAW

തീയതി, തിരുവനന്തപുരം, 27-07-2023

പരാമർശം:- 05.07.2023 ലെ ഇനം. നം. 1627 ആയിട്ടുള്ള മന്ത്രിസഭായോഗ തീരുമാനം.

ഉത്തരവ്

ഭൂജലവകുപ്പ് സംസ്ഥാനത്ത് ഭൂജലവുമായും, ഭൂജല ശേഖരണവുമായും, വിവിധ കടിവെള്ള പദ്ധതികളുമായും ബന്ധപ്പെട്ട് പ്രവർത്തിക്കുന്ന ഒരു സാങ്കേതിക വകുപ്പാണ്. പ്രസ്തുത വകുപ്പിൽ ഒരു നിയമ ഓഫീസറുടെ സേവനം ലഭ്യമല്ലാത്തതിനാലും, നിരവധി കോടതി കേസുകളിൽ സർക്കാരിന്റെ താല്പര്യങ്ങൾക്കനുസൃതമായി നടപടികൾ സ്വീകരിക്കേണ്ടതിനാലും, നിയമ വകുപ്പിൽ ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക സൃഷ്ടിച്ച് ആയത് വർക്കിംഗ് അറേഞ്ച്മെന്റിൽ ഭൂജല വകുപ്പിന് നൽകുന്നതിനായി ഭൂജലവകുപ്പ് ഡയറക്ടർ ആവശ്യപ്പെട്ടിട്ടുള്ളതാണ്.

മേൽ വിഷയം സർക്കാർ വിശദമായി പരിശോധിച്ചതിന്റെ അടിസ്ഥാനത്തിൽ, ഭൂഗർഭജല വകുപ്പ് ആവശ്യപ്പെട്ട പ്രകാരം നിയമ വകുപ്പിൽ ഒരു സെക്ഷൻ ഓഫീസർ തസ്തിക സൃഷ്ടിച്ച് ഭൂജല വകുപ്പ് ഡയറക്ടറുടെ വർക്കിങ് അറേഞ്ച്മെന്റ് അടിസ്ഥാനത്തിൽ നിയോഗിക്കുന്നതിന് സെക്ഷൻ ഓഫീസർ തസ്തിക നിയമ വകുപ്പിന്റെ കേഡർ തസ്തികയായി സൃഷ്ടിച്ച് ഉത്തരവ് പുറപ്പെടുവിക്കുന്നു.

(ഗവർണ്ണറുടെ ഉത്തരവിൻ പ്രകാരം)  
വീ ഹരി നായർ  
നിയമ സെക്രട്ടറി

1. ഡയറക്ടർ, ഭൂജലവകുപ്പ് ഡയറക്ടേറ്റ്, തിരുവനന്തപുരം.
2. അക്കൗണ്ടന്റ് ജനറൽ (എ&ഇ), തിരുവനന്തപുരം
3. അക്കൗണ്ടന്റ് ജനറൽ (ഓഡിറ്റ്), തിരുവനന്തപുരം
4. ബഹു. മുഖ്യമന്ത്രിയുടെ പ്രൈവറ്റ് സെക്രട്ടറി.
5. എല്ലാ മന്ത്രിമാരുടെയും പ്രൈവറ്റ് സെക്രട്ടറിമാർക്ക്.
6. സെക്രട്ടറി, ജലവിഭവ വകുപ്പ്.
7. സബ് ട്രഷറി ഓഫീസർ, സെക്രട്ടേറിയറ്റ് സബ് ട്രഷറി, തിരുവനന്തപുരം.
8. ജലവിഭവ (ഭൂജല) വകുപ്പ്
9. നിയമ സെക്രട്ടറിയുടെ പി.എ.
10. നിയമ വകുപ്പ് സ്പെഷ്യൽ സെക്രട്ടറിയുടെ പി.എ.
11. പൊതുഭരണ (എസ്.സി.) വകുപ്പ്.
12. ധനകാര്യ (വ്യയം-എ) വകുപ്പ് (EXP-A4/337/2023-FIN)
13. നിയമ (ഭരണ) വകുപ്പ് അഡീഷണൽ ലാ സെക്രട്ടറിയുടെ സി.എ.
14. ഡെപ്യൂട്ടി സെക്രട്ടറി, നിയമ (ഭരണ) വകുപ്പ്
15. നിയമ (അക്കൗണ്ടിംഗ്) വകുപ്പ്.

53

16. നിയമ (നോഡൽ) വകുപ്പ്
17. സ്റ്റോക്ക് ഫയൽ / ഓഫീസ് കോപ്പി.

ഉത്തരവിൻ പ്രകാരം

സെക്ഷൻ ഓഫീസർ