ടെലിഫോൺ നമ്പർ : 2512524
പോസ്റ്റ് ബോക്സ് : 5430
ഫാക്സ് : 0471-2305891
പിൻ കോഡ് : 695033





ഇ-മെയിൽ:secretary@niyamasabha.nic.in

കേരളനിയമസഭാ സെക്രട്ടേറിയറ്റ്

നമ്പർ: KLS/6115/2026-KLAMPS AC1

തിരുവനന്തപുരം
13-11-2026

ക്വട്ടേഷൻ നോട്ടീസ്

കേരളനിയമസഭാ സെക്രട്ടേറിയറ്റിലെ സഭ ടി. വി. -യുടെ ആവശ്യത്തിലേയ്ക്കായി ഇതോടൊപ്പം ഉള്ളടക്കം ചെയ്യുന്ന സ്പെസിഫിക്കേഷൻ പ്രകാരം **SHURE MV7+ പോഡ്കാസ്റ്റ് മൈക്രോഫോൺ - 2 എണ്ണം, മൈക്രോഫോൺ സ്റ്റാൻഡ് - 2 എണ്ണം, മൈക്രോഫോൺ കേബിൾ - 2 എണ്ണം** എന്നിവ വിതരണം ചെയ്യുന്നതിന് താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്ന് ക്വട്ടേഷൻ ക്ഷണിക്കുന്നു.

മുദ്ര വച്ച ക്വട്ടേഷനുകൾ **17.11.2026** ചൊവ്വാഴ്ച രാവിലെ **11.00 മണിക്ക്** മുൻപായി അണ്ടർ സെക്രട്ടറി & ഡെപ്യൂട്ടി ഡയറക്ടർ, കെ-ലാംപ്സ്(അക്കൗണ്ട്സ്), നിയമസഭാസെക്രട്ടേറിയറ്റ് എന്ന വിലാസത്തിൽ എത്തിക്കേണ്ടതാണ്. ലഭ്യമായ ക്വട്ടേഷനുകൾ അന്നേ ദിവസം **ഉച്ചയ്ക്ക് 12.00 മണിക്ക്** ക്വട്ടേഷനിൽ പങ്കെടുത്ത സ്ഥാപനങ്ങളുടെ പ്രതിനിധികളുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. ക്വട്ടേഷനുകൾ തുറന്നു പരിശോധിക്കുന്ന ദിവസം അവധിയാണെങ്കിൽ തൊട്ടടുത്ത പ്രവൃത്തിദിവസം ആയത് തുറന്ന് പരിശോധിക്കുന്നതാണ്. ക്വട്ടേഷനുകൾ ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് **"SHURE MV7+ പോഡ്കാസ്റ്റ് മൈക്രോഫോണും അനുബന്ധ ഉപകരണങ്ങളും വാങ്ങുന്നതിനുള്ള ക്വട്ടേഷൻ"** എന്ന് രേഖപ്പെടുത്തേണ്ടതാണ്. നിശ്ചിത സമയപരിധിയ്ക്കുള്ളിൽ ലഭിക്കാത്ത ക്വട്ടേഷനുകൾ സ്വീകരിക്കുന്നതല്ല. മേല്പറഞ്ഞ ഉപകരണങ്ങളുടെ വാറന്റി, സർവ്വീസ് സംബന്ധമായ വിശദാംശങ്ങൾ, ഉപകരണങ്ങൾ ലഭ്യമാക്കുന്നതിനാവശ്യമായ പരമാവധി സമയം എന്നിവ ക്വട്ടേഷനിൽ സൂചിപ്പിക്കേണ്ടതാണ്. ക്വാട്ട് ചെയ്യുന്ന റേറ്റ് എല്ലാ ചെലവുകളും നികുതികളും ഉൾപ്പെടെ ആയിരിക്കണം. മേൽ സൂചിപ്പിച്ച ക്വട്ടേഷനുമായി ബന്ധപ്പെട്ട കൂടുതൽ വിവരങ്ങൾക്ക് കെ-ലാംപ്സ്(അക്കൗണ്ട്സ്) വിഭാഗവുമായി (0471-2512651/2650) ബന്ധപ്പെടേണ്ടതാണ്. ക്വട്ടേഷനുകൾ സ്വീകരിക്കുന്നതിനോ യാതൊരു കാരണം വ്യക്തമാക്കാതെ നിരസിക്കുന്നതിനോ ഉള്ള അധികാരം നിയമസഭാസെക്രട്ടേറിയറ്റിൽ നിക്ഷിപ്തമായിരിക്കും.

വിശ്വസ്തതയോടെ,

Digitally signed by
Santhakumar S
Date: 13-11-2026
11:38:02
EXECUTIVE DIRECTOR(KLAMPS) KLS
സെക്രട്ടറിക്കുവേണ്ടി.

ഉള്ളടക്കം : Specifications of the Items

Dynamic Podcast Microphone (Moving Coil)

Polar Pattern: Unidirectional (Cardioid)

Frequency Response: 50 Hz – 16 kHz

USB-C & XLR Hybrid Output

Adjustable Gain Range: 0 to +36 dB

Voice Isolation Technology

Auto Level Mode

Real-Time Denoiser

Digital Popper Stopper

Die-Cast Aluminum Body

Max Weight 600 g

3m USB-C to USB-C Cable

Maximum SPL - 128 dB SPL

Digital Audio Resolution Up to 24-bit / 48 kHz

350 Ω XLR Output Impedance

DSP Features: Compressor, Limiter, High-Pass Filter, Reverb, Tone Control

Microphone Stand

Type:- Full-Size Floor Microphone Stand with Boom Arm

Construction Material:- Heavy-Duty Steel Frame

Height Adjustment:- Precision Adjustable Height Mechanism

Boom Arm:- Adjustable Telescopic Boom Arm

Angle Adjustment:- 360° Boom Angle Control

Base Type:- Wide Tripod Base for Enhanced Stability

Stand Design:- Foldable and Portable Design

Application:- for Podcasting, Broadcasting, Studio Recording

Cable Management:- Provision for Microphone Cable Routing/Management

Load Capacity:- Suitable for Standard Dynamic and Condenser Microphones holding 2.7kg

Finish:- Durable Black Powder-Coated Finish or Equivalent

Compatibility:- Compatible with Standard Microphone Clips and Shock Mounts (5/8" Thread or Adapter Compatible)

Professional XLR Microphone Cable

Cable Type. :Professional Balanced XLR Cable

Cable colour. :Black

Conductor Type : Star Quad

Connector :XLR Male to XLR Female

Shielding :Low Noise Shielded Design

Length :10 Metre

Application :Studio & Broadcast Audio