

പതിമൂന്നാം കേരള നിയമസഭ

നാലാം സമ്മേളനം

നക്ഷത്രചിഹ്നമിടാത്ത ചോദ്യം നമ്പർ 2087 23.03.2012 ൽ മറുപടിയ്ക്ക്
ദുർബല വിഭാഗങ്ങൾക്ക് വൈദ്യുതി ലഭിക്കുന്നതിന് മുൻഗണന

<u>ചോദ്യം</u>	<u>മറുപടി</u>
<p>ശ്രീ.കോടിയേരി ബാലകൃഷ്ണൻ</p>	<p>ശ്രീ. ആര്യാടൻ മുഹമ്മദ് (ഊർജ്ജ വകുപ്പു മന്ത്രി)</p>
<p>(എ) 2010 മാർച്ചിൽ സംസ്ഥാനത്ത് വൈദ്യുതി പോസ്റ്റ് വേണ്ടാത്ത കണക്ഷനുകൾക്ക് ബി.പി.എൽ കുടുംബങ്ങളും മറ്റു കുടുംബങ്ങളും എത്ര വീതം തുകയായിരുന്നു അടയ്ക്കേണ്ടിയിരുന്നത് ;</p>	<p>500 വാട്ട്സ് വരെ കണക്ട് ലോഡുള്ള ബി.പി.എൽ വിഭാഗത്തിലുള്ള വ്യക്തികളെയും 1000 വാട്ട്സ് വരെ കണക്ട് ലോഡുള്ള എസ്.സി/എസ്.ടി വിഭാഗത്തിലുള്ള വ്യക്തികളെയും ലൈൻ നീട്ടൽ ആവശ്യമില്ലാത്ത വൈദ്യുതി കണക്ഷനുകൾ നൽകുന്നതിന് ചെലവാകുന്ന തുക അടയ്ക്കുന്നതിൽ നിന്നും ഒഴിവാക്കിയിട്ടുണ്ട്. എന്നാൽ വൈദ്യുതി കണക്ഷൻ ലഭിക്കുന്നതിന് അപേക്ഷാഫീസും സെക്യൂരിറ്റി ഡെപ്പോസിറ്റും അടയ്ക്കേണ്ടതാണ്. മറ്റ് അപേക്ഷകർ സംസ്ഥാന വൈദ്യുതി റെഗുലേറ്ററി കമ്മീഷൻ നിശ്ചയിച്ചിട്ടുള്ള ന്യായമായ നിരക്കിലുള്ള തുക അടയ്ക്കേണ്ടതാണ്. കമ്മീഷൻ നിശ്ചയിച്ച ചെലവ് അനുബന്ധമായി ചേർക്കുന്നു.</p> <p>ഈ നിരക്ക് 08.09.2009 മുതൽ പ്രാബല്യത്തിലുണ്ട്.</p>
<p>(ബി) ഇപ്പോൾ ഇത്തരം കണക്ഷനുകൾക്ക് പ്രസ്തുത വിഭാഗങ്ങൾ എത്ര വീതം തുകയാണ് അടയ്ക്കേണ്ടത് ;</p>	
<p>(സി) വൈദ്യുതി വിതരണം സാമൂഹ്യ ഉത്തരവാദിത്വമായി കണക്കാക്കിയിട്ടുണ്ടോ ;</p>	<p>(സി) സംസ്ഥാന വൈദ്യുതി റെഗുലേറ്ററി കമ്മീഷൻ പുറപ്പെടുവിച്ച സപ്ലൈ കോഡ് 2005, വകുപ്പ് 7(1) പ്രകാരം വൈദ്യുതി കണക്ഷൻ ആവശ്യമായ വ്യക്തികളിൽ നിന്നും കണക്ഷൻ നൽകുന്നതിന് കമ്മീഷൻ നിശ്ചയിച്ചിട്ടുള്ള നിരക്കിൽ ചെലവ് ഈടാക്കുന്നതിന് ബോർഡിനെ അധികാരപ്പെടുത്തിയിട്ടുണ്ട്. എന്നാൽ 500 വാട്ട്സ് വരെ കണക്ട് ലോഡുള്ള ബി.പി.എൽ വിഭാഗത്തിലുള്ള</p>
<p>(ഡി) എങ്കിൽ, പ്രത്യേക പരിഗണന ലഭ്യമായിരുന്ന വികലാംഗർ, അർബുദ രോഗികൾ, ജവാൻമാർ, ബി.പി.എൽ കുടുംബങ്ങൾ, ആദിവാസി, പട്ടികജാതി കോളനികൾ എന്നിവർക്ക് നൽകിയ പരിഗണനകൾ നിർത്തലാക്കിയിട്ടുണ്ടോ ; ഉണ്ടെങ്കിൽ കാരണങ്ങൾ വിശദമാക്കുമോ ?</p>	<p>(ഡി) സംസ്ഥാന വൈദ്യുതി റെഗുലേറ്ററി കമ്മീഷൻ നിശ്ചയിച്ചിട്ടുള്ള നിരക്കിൽ ചെലവ് ഈടാക്കുന്നതിന് ബോർഡിനെ അധികാരപ്പെടുത്തിയിട്ടുണ്ട്. എന്നാൽ 500 വാട്ട്സ് വരെ കണക്ട് ലോഡുള്ള ബി.പി.എൽ വിഭാഗത്തിലുള്ള</p>

വ്യക്തികളെയും 1000 വാട്ട്സ് വരെ കണക്ടഡ് ലോഡുള്ള എസ്.സി/എസ്.ടി വിഭാഗത്തിലുള്ള വ്യക്തികളെയും ലൈൻ നീട്ടൽ ആവശ്യമില്ലാത്ത വൈദ്യുതി കണക്ഷനുകൾ നൽകുന്നതിന് ചെലവാകുന്ന തുക അടയ്ക്കുന്നതിൽ നിന്നും ഒഴിവാക്കിയിട്ടുണ്ട്.


കമ്മീഷൻ 08.09.2010 ലും 25.08.2011 ലും 10.11.2011 ലും പുറപ്പെടുവിച്ച ഉത്തരവുകൾ പ്രകാരം സർവ്വീസ് കണക്ഷൻ ചാർജ്ജ് ഈടാക്കുന്നത് നിർത്തലാക്കുവാനും കമ്മീഷൻ നിശ്ചയിച്ചിട്ടുള്ള നിരക്കിലുള്ള തുക മാത്രമേ വൈദ്യുതി കണക്ഷനുകൾ നൽകുന്നതിന് ഈടാക്കാവൂ എന്നും നിർദ്ദേശിക്കുകയുണ്ടായി. കമ്മീഷൻ നിശ്ചയിച്ച തുക അടയ്ക്കുവാൻ കഴിയാത്ത വ്യക്തികൾക്ക് പ്രത്യേക പദ്ധതിയിൽ ഉൾപ്പെടുത്തി വൈദ്യുതി കണക്ഷനുകൾ നൽകുന്നതിന് ബോർഡിന് കമ്മീഷനെ സമീപിക്കാവുന്നതാണ് എന്നും ഉത്തരവിട്ടിരുന്നു.

ബോർഡ് 500 വാട്ട്സിന് താഴെ കണക്ടഡ് ലോഡുള്ള ബി.പി.എൽ വിഭാഗത്തിൽപ്പെടുന്ന അപേക്ഷകർക്ക് സൗജന്യ വൈദ്യുതി കണക്ഷനുകൾ നൽകുന്നുണ്ട്. കേന്ദ്രാവിഷ്കൃത പദ്ധതിയായ രാജീവ് ഗാന്ധി ഗ്രാമീണ വൈദ്യുതീകരണ പദ്ധതിയിൽ ഉൾപ്പെടുത്തി എല്ലാ ബി.പി.എൽ കുടുംബങ്ങൾക്കും കണക്ടഡ് ലോഡ് പരിധിയില്ലാതെ സൗജന്യ വൈദ്യുതി കണക്ഷനുകൾ നൽകുവാനുള്ള നിർദ്ദേശം നൽകിയിട്ടുണ്ട്.

പട്ടണപ്രദേശത്ത് ആർ.എ.പി.ഡി.ആർ.പി പദ്ധതിയിലും ഗ്രാമപ്രദേശങ്ങളിൽ ആർ.ജി.ജി.വി.വൈ പദ്ധതിയിലും വൈദ്യുതി കണക്ഷനുകൾ നൽകുന്നതിനുള്ള ലൈൻ നീട്ടൽ

പ്രവർത്തികൾ ചെയ്യാൻ വേണ്ട നിർദ്ദേശം കൊടുത്തിട്ടുണ്ട്. ആർ.ജി.ജി.വി.വൈ പദ്ധതി വടക്കൻ ജില്ലകളിൽ നടപ്പാക്കിക്കൊണ്ടിരിക്കുന്നു. സെപ്റ്റംബർ 2012 ൽ തീർക്കുവാനാണ് ഉദ്ദേശിക്കുന്നത്. തെക്കൻ ജില്ലകളിൽ കൂടി ഈ പദ്ധതി നടപ്പാക്കുന്നതിന് അനുമതി ലഭിച്ചിട്ടുണ്ട്. ഇടുക്കി ജില്ലയിൽ ഒന്നാം ഘട്ടം പൂർത്തീകരിച്ചിട്ടുണ്ട്, രണ്ടാം ഘട്ടത്തിനുള്ള അനുമതി ലഭിച്ചിട്ടുണ്ട്. ആർ.എ.പി.ഡി.ആർ.പി പദ്ധതി സംസ്ഥാനത്തെ 43 പട്ടണങ്ങളിൽ നടപ്പാക്കി വരികയാണ്. കൂടാതെ എം.പി.എം.എൽ.എ ഫണ്ട് തദ്ദേശ സ്വയംഭരണ സ്ഥാപനങ്ങളിൽ നിന്നുള്ള ഫണ്ട്, പട്ടികജാതി - പട്ടിക വർഗ്ഗ വികസന വകുപ്പിൽ നിന്നുള്ള ഫണ്ട് ഇവ ഉപയോഗിച്ചും സർവ്വീസ് കണക്ഷൻ നല്ലാനുള്ള ലൈൻ നീട്ടൽ പ്രവൃത്തികൾ ചെയ്യാൻ വേണ്ട നിർദ്ദേശം കൊടുത്തിട്ടുണ്ട്.

കൂടാതെ മറ്റ് പാവപ്പെട്ട അപേക്ഷകർക്ക് ലൈൻ വലിയുന്നതിനുള്ള പ്രവൃത്തികളും വികലാംഗർ, ക്യാൻസർ രോഗികൾ തുടങ്ങിയവർക്ക് സൗജന്യമായി വൈദ്യുതി കണക്ഷനുകൾ നൽകുന്നതിനുള്ള പ്രവൃത്തികളും ഒരു പ്രത്യേക പദ്ധതിയിൽ ഉൾപ്പെടുത്തി ചെയ്യുന്നതിന് തീരുമാനിച്ചിട്ടുണ്ട്. ഈ പദ്ധതി റെഗുലേറ്ററി കമ്മീഷന്റെ അംഗീകാരത്തിന് ഉടനേതന്നെ സമർപ്പിക്കുവാൻ ഉദ്ദേശിക്കുന്നു.


സെക്ഷൻ ഓഫീസർ

Estimated Rates for Distribution Works

Appended to BO(FM) (Genl) No 224/2012 (DPC1/C-GI/31/2003) dated 28.01.2012

ABSTRACT

Sl. No.	Index	Rate (₹)	Remarks
I.	Service Connections		
I.(i)	Abstract estimate for LT single phase weather proof service connection upto and including 5kW (Using Static meter without LCD facility)	1750.00	If Energy meter is provided by Board, meter rent as per B.O. (FM) No: 2142/2003 (Plg.Com 3809/99) dated 24.12.2003. shall be collected extra .
I.(i)(a)	Abstract estimate for LT single phase weather proof service connection upto and including 5kW (Using Static meter with LCD facility)	1850.00	
I.(ii)	Abstract estimate for LT three phase weather proof service connection upto and including 10 kW (Using Static meter without LCD facility)	4150.00	
I.(ii)(a)	Abstract estimate for LT three phase weather proof service connection upto and including 10 kW (Using Static meter with LCD display and TOD facility)	4600.00	
I.(iii)	Abstract estimate for LT three phase weather proof service connection above 10kW upto and including 25kW (Using Static meter without LCD facility)	12600.00	
I.(iii)(a)	Abstract estimate for LT three phase weather proof service connection above 10kW upto and including 25kW (Using Static meter with LCD display and TOD facility)	13100.00	
I.(iv)	Abstract estimate for LT three phase weather proof service connection above 25kW & below 50kVA	23000.00	
I.(v)	Abstract estimate for LT three phase weather proof service connection from 50kVA and above upto and including 100kVA (Excluding cost for transformer installation)	25500.00	
I.(vi)	Estimate for providing support pole for weather proof service connection.	2350.00	

Sl. No.	Index	Rate (₹)	Remarks
2(i)	Abstract estimate for LT single phase over head service connection upto and including 60m with maximum 1 Post	8600.00	<p>1) Cost of providing Weatherproof Service connection to be collected as per Serial No: I(i) to I.(v)</p> <p>2) If any additional poles are required to maintain statutory clearances, in order to avoid property crossing etc, additional cost shall be collected as per SI No.3.</p>
2(ii)	Abstract estimate for LT single phase over head service connection above 60m upto and including 100m with maximum 2 Posts	13150.00	
2(iii)	Abstract estimate for LT single phase over head service connection above 100m upto and including 150m with maximum 3 Posts	18000.00	
2(iv)	Abstract estimate for LT single phase over head service connection above 150m upto and including 200m with maximum 4 Posts	23050.00	
2(v)	Abstract estimate for LT three phase over head service connection upto and including 60m with maximum 1 Post	18150.00	
2(vi)	Abstract estimate for LT three phase over head service connection above 60m upto and including 100m with maximum 2 Posts	29300.00	
2(vii)	Abstract estimate for LT three phase over head service connection above 100m upto and including 150m with maximum 3 Posts	42000.00	
2(viii)	Abstract estimate for LT three phase over head service connection above 150m upto and including 200m with maximum 4 Posts	54800.00	
3(i)	Abstract estimate for post insertion for LT single phase over head service connection (without stay)	3550.00	<p>1) Cost of providing Weatherproof Service connection to be collected as per Serial No: I(i) to I.(v)</p> <p>2) If any additional poles are required to maintain statutory clearances, in order to avoid property crossing etc, additional cost shall be collected as per SI No.3.</p>
3(ii)	Abstract estimate for post insertion for LT single phase over head service connection (with stay)	4800.00	
3(iii)	Abstract estimate for post insertion for LT single phase over head service connection (with strut)	5600.00	
3(iv)	Abstract estimate for post insertion for LT three phase over head service connection (without stay)	4100.00	
3(v)	Abstract estimate for post insertion for LT three phase over head service connection (with stay)	5350.00	
3(vi)	Abstract estimate for post insertion for LT three phase over head service connection (with strut)	6150.00	

Sl. No.	Index	Rate (₹)	Remarks
4(i)	Abstract estimate for conversion of LT single phase weatherproof service connection to LT three phase weather proof service connection with connected load upto and including 10kW	2500.00	
4(ii)	Abstract estimate for conversion of LT single phase weatherproof service connection to LT three phase weather proof service connection with connected load above 10 kW upto and including 25 kW	11400.00	
4(iii)	Abstract estimate for conversion of LT single phase weatherproof service connection to LT three phase weather proof service connection with load above 25 kW and below 50kVA	21600.00	
4 (iv)	Abstract estimate for conversion of LT single phase weatherproof service connection to LT three phase weather proof service connection with load 50 kVA and above upto and including 100kVA	24100.00	
II.	Distribution Lines	Rate (₹)	Remarks
1	Dismantling, shifting and re-erecting one LT pole with or without stays, Single Phase Overhead lines of ACSR Rabbit all accessories and fittings	1210.00	Rate do not include cost of additional conductor
2	Dismantling, shifting and re-erecting one LT pole with or without stays, Three Phase Overhead lines of ACSR Rabbit all accessories and fittings	1550.00	
3	Dismantling, shifting and re-erecting one 11kV pole with or without stays, 11 kV Overhead lines, all accessories and fittings	2450.00	
4	Dismantling, shifting and re-erecting one 11 kV double pole with or without stays, 11 kV Overhead lines, all accessories and fittings	5670.00	
5	Adding one conductor ACSR Rabbit on the existing poles (where cross arm is available) inclusive of cost of insulator, pin etc. and labour	66.00	per metre
6	Adding one conductor ACSR Rabbit on the existing poles (where cross arm is not available) inclusive of cost of insulator, pin etc. and labour	83.00	per metre
7	Conversion of LT single phase 2 wire line to LT Three phase 4 wire line	120.00	per metre
8	Conversion of LT single phase 2 wire line to LT Three phase 5 wire line	154.00	per metre
9	Conversion of LT single phase 3 wire line to LT Three phase 5 wire line	120.00	per metre
10	Drawing Single Phase 2 wire line under existing HT line	105.00	per metre
11	Drawing Single Phase 3 wire line under existing HT line	136.00	per metre
12	Drawing Three Phase 4 wire line under existing HT line	241.00	per metre

Sl. No.	Index	Rate (₹)	Remarks
13	Drawing Three Phase 5 wire line under existing HT line	274.00	per metre
14	Construction of LT single phase, 2 wire line using PSC Poles	187.00	per metre
15	Construction of LT single phase, 3 wire line using PSC Poles	232.00	per metre
16	Construction of LT 3 phase, 4 wire line using PSC Poles	338.00	per metre
17	Construction of LT 3 phase, 5 wire line using PSC Poles	367.00	per metre
18	Construction of 11 kV ACSR RABBIT using PSC Poles (Including tree cutting compensation of Rs.50000/- per km; variation if any, to be adjusted as per actuals)	422.00	per metre
19	Construction of 11 kV ACSR RACCOON using PSC Poles (Including tree cutting compensation of Rs.50000/- per km; variation if any, to be adjusted as per actuals)	476.00	per metre
III	Transformers	Rate (₹)	
1	Erection of 11 kV/433V, 25 kVA transformer pole mounted including 2 Nos PSC Poles, DTR meter	172000.00	
2	Erection of 11 kV/433V, 100 kVA transformer pole mounted including 2 Nos PSC Poles, DTR meter	220500.00	
3	Installation of 11 kV/433V, 160 kVA transformer including DTR meter	311000.00	
4	Installation of 11 kV/433V, 250 kVA transformer including DTR meter	384000.00	
5	Installation of 11 kV/433V, 500 kVA transformer including DTR meter	632000.00	
IV	Streetlights	Rate (₹)	
1	Installation of double tube fittings including cost of fluorescent tubes	2300.00	
2	Installation of street light fitting complete with 40 W Bulb etc.	1050.00	

Note: Estimated rates are calculated for 3 phase, with ACSR Rabbit for phase conductor and ACSR Weasel for neutral and street main; for single phase, ACSR Weasel for phase, neutral and street main.

For OverHead service line connection provision for strut is to be included wherever necessary.

Cost of works in the distribution sector for which specific rates are not given shall be arrived at as follows:

- I. (a) Cost of materials as per cost data.
- (b) Centage charge 16% of (a).
- (c) Transportation charge, if any.
- (d) Labour charges.

Total cost of work is [(a)+(b)+(c)+(d)]

II. Supervision charge 10% of I

Grand Total is (I + II)

[Handwritten Signature]
[Handwritten Name]